Author Index to Volumes 39, 40, and 41

Please note that A refers to Volume 39, B refers to Volume 40, and C refers to Volume 41.

Abdel-Bary, E. M. See Hassan, H. H., 1903A
Abdel-Hakeem, N. See Rabie, S. M., 1163B
Abdel-Latif, Z. H. See Moustafa, A. B., 1077B
Abd-El-Malak, N. A. See Aziz, A. W., 2569C
Abd-El-Nour, K. N. See Nada, A. M. A., 731B
Abe, T.
—; Egawa, H.; Ito, H.; Nitta, A.: Synthesis and Characterization of Thermo-Sensitive Polymeric Beads, 1223B
Aboul-Wafa, O. See Moustafa, A. B., 2021C
Acevedo, M.
—; de la Campa, J. G.; de Abajo, J.: Synthesis and Characterization of Imide End-Capped Oligoesters of Terephthalic Acid and 2-Methyl-2-Propyl-1,3-Propanediol, 163C
Acierno, D. See Nobile, M. R., 2723C
Adams, J. P. See Storey, R. F., 47B
Adams, M. E. See Asua, J. M., 1183A
Adduci, J. M.
—; Kuckoff, E. J.: Synthesis and Characterization of Poly (imide-Sulfonamide)s, 129C
Adhikari, M. S. See Sarkar, S., 1061A
Agari, Y.
—; Ueda, A.; Tanaka, M.; Nagai, S.: Thermal Conductivity of a Polymer Filled with Particles in the Wide Range from Low to Super-High Volume Content, 929B
Agarwal, P. K.
—; Peiffer, D. G.; Garner, R. T.; Lundberg, R. D.: Viscoelastic Behavior of Concentrated Oil Solutions of Sulfonated Polymers. V. Effect of Metal Stearate Plasticizers, 1479C
Ahi, A. See Bajpai, U. D. N., 359B
Airoldi, G. See Ferruti, P., 1923C
Airu, X. See Nakamae, K., 2231B
Aita, K. See Omi, S., 631C
Aithal, U. S. See Aminabhavi, T. M., 2113C
Akar, A.
—; Galioğlu, O.; Göçmen, A.; Sarac, A. S.: Copolymer of Ketonic Resin–Polyacrylonitrile, 1657A
Akashi, M.
—; Chao, D.; Yashima, E.; Miyauchi, N.: Graft Copolymers Having Hydrophobic Backbone and Hydrophilic Branches. V. Microspheres Obtained by the Copolymerization of Poly(ethylene Glycol) Macromonomer with Methyl Methacrylate, 2027A
Akkapeddi, M. K. See Murthy, N. S., 2265C
Akovali, G.
—; Gundogan, G.: Studies on Flame Retardancy of Polyacrylonitrile Fiber Treated by Flame-Retardant Monomers in Cold Plasma, 2011C
Albertsson, A.-C. See Mathisen, T., 591A
Al-Dujaili, A. H. See Al-Jarrah, M. M. F., 1339C
Alexandrova, I.
—; Dimov, A.: Properties of Cation Exchange Membranes Obtained in the Presence of Diluents, 2555C
Alger, K. W. See Zeronian, S. H., 527C
Alince, B.
The Role of Porosity in Polyethylenimine Adsorption onto Cellulosic Fibers, 355A
Al-Jarrah, M. M. F.
—; Al-Dujaili, A. H.; Hassun, S. K.: Acoustic and Viscometric Studies of Solutions of Polystyrene and High-Impact Polystyrene in Benzene, Toluene, and Tetrahydrofuran, 1339C
Allard, P. See Sapieha, S., 2039C
Alonzo, J. See Katz, H. E., 1711B
Altaf, I. See Beg, M. N., 1495A
Alves da Silva, M.
—; Gil, M. H.; Guiomar, A. J.; Martins, C.; Guthrie, J. T.: Immobilization of α-Chymotrypsin onto Hydrolyzed Poly (ethylene)-*g*-co-Hydroxyethyl Methacrylate, 1629C
Amari, T.
—; Kishi, S.; Watanabe, K.: Viscoelastic Properties of UV-Curing Ink Systems, 139C
Ambeskar, V. D. See Ravetkar, D. D., 769A
Amendola, E. See Nobile, M. R., 2723C

Amer, L. I. See Moustafa, A. B., 1077B
Amin, M. See Hassan, H. H., 1903A
Aminabhavi, T. M.
—; Aithal, U. S.: Interaction of Some Highly Aggressive Solvents and Effect of Temperature on the Transport Characteristics of Polyurethane, 2113C
Amiya, S. See Mochizuki, A., 385B, 633B
Anderson, T. G. See Bersted, B. H., 499A
Andrady, A. L.
Weathering of Polyethylene (LDPE) and Enhanced Photodegradable Polyethylene in the Marine Environment, 363A
—; Fueki, K.; Torikai, A.: Photodegradation of Rigid PVC Formulations. III. Wavelength Sensitivity of the Photo-Yellowing Reaction in Processed PVC Formulations, 763A
Andrews, E. H.
—; Khan, T. A.; Drew, P.; Rance, R.: Design of Pressure-Sensitive Adhesives, 595C
Angelovici, M. M.
—; Kohn, D. H.: Copolymerization of Acrylic Esters with Ethyl α-Cyanocinnamate, 485B
Annis, B. K. See Mantovani, J. G., 1693B
Annison, W. N. See Carty, P., 901C
Antony, R.
—; Pillai, C. K. S.; Scariah, K. J.: GPC Studies on the Cationic Polymerization of Cardanol Initiated by Borontrifluoridediethyletherate, 1765C
Apicella, A. See D'Amore, A., 1163A
Ariyama, T. See Takenaga, M., 1689A
Arlati, P. See Ferruti, P., 1923C
Armbruster, B. L. See Fritzsche, A. K., 1915A
Armistead, J. P. See Fox, R. B., 1281C
Asada, E. See Mizutani, Y., 1087A
Asakura, T. See Yoshimizu, H., 127B, 1745B
Asano, M. See Kumakura, M., 177C
Ash, R. See Swinyard, B. T., 2479C
Asua, J. M.
—; Adams, M. E.; Sudol, E. D.: A New Approach for the Estimation of Kinetic Parameters in Emulsion Polymerization Systems. I. Homopolymerization under Zero–One Conditions, 1183A
Audebert, R. See Castel, D., 11A
Avadhani, C. V.
—; Wadgaonkar, P. P.; Vernekar, S. P.: Synthesis and Characterization of Oxyethylene Containing Polyamide-imides, 1352B
Avasthi, B. N. See Bhattacharjee, S., 1357C
Avci, I. See Tuncer Erciyes, A., 1569C
Awa, E. M.
—; Koshijima, T.: Preparation and Characterization of Hydroxamic Acid Derivative and Its Metal Complexes Derived from Cellulose, 1601B
Aziz, A. W.
—; Abd-El-Malak, N. A.: The Effect of γ-Irradiation on Poly(methyl Methacrylate) Using an Ultrasonic Technique, 2569C

Baba, S. See Sato, S., 2065B; Venkateswaran, R., 2783C
Baer, E.
Editorial, 1C
—; See Ma, M., 669B
Bajaj, P.
—; Jha, N. K.; Kumar, R. A.: Effect of Mica on the Curing Behavior of an Amine-Cured Epoxy System: Differential Scanning Calorimetric Studies, 203B
Bajpai, U. D. N.
—; Ahi, A.: Polymerization of Acrylamide Using Mandelic Acid/Permanganate Redox System in Acidic Medium, 359B
—; Jain, A.; Rai, S.: Grafting of Polyacrylamide on to Guar Gum using $K_2S_2O_8$ Ascorbic Acid Redox System, 2187A
Baker, W. E. See Liu, N. C., 2285C; Saleem, M., 655A; Song, Z., 1299C
Balaji Vishwanath, B. See Balakrishna, R. S., 1365C
Balakrishna, R. S.
—; Sathyanarayana, M. N.; Balaji Vishwanath, B.; Shirsalkar, M. M.: Cathodically Depositable Systems Based on Epoxy Resin and Blocked Isocyanates with Cardanol, 1365C
Balcerowiak, W. See Latocha, C., 13B
Balik, C. M. See Hendricks, B. J., 953B; Xu, J. R., 1957A
Balog, K. See Šimkovic, I., 1333C
Banerjee, M. See Sarkar, S., 1061A
Banerjee, P. C. See Nayak, S., 73A
Bánhegyi, G.
—; Karasz, F. E.; Petrović, Z. S.: Dielectric Relaxation Properties in Polypropylene–Polyurethane Composites, 435B
Banthia, A. K. See Nayak, S., 73A
Banu, D. See Natansohn, A., 899B
Barahona, F. J. See Gonzalez, A., 1961C
Barrie, J. A. See Swinyard, B. T., 2479C
Barry, A. O.
—; Koran, Z.; Kaliaguine, S.: Surface Analysis by ESCA of Sulfite Post-Treated CTMP, 31A
Barsola, R. See Kaur, I., 2067C
Basak, A.
—; Nayak, P. L.; Lenka, S.: Characterization of Radiation Induced Ethyl Methacrylate Grafted Nylon-6 Fibers, 311C

Basu, S. P. See Bhowmick, A. K., 917C
Bataille, P.
—; Dalpé, J.-F.; Dubuc, F.; Lamoureux, L.: The Effect of Agitation on the Conversion of Vinyl Acetate Emulsion Polymerization, 1815A
Bator, M. A. See Gardlund, Z. G., 2027B
Baysal, B. M. See Besergil, B., 1871B; Uyanik, N., 1981C
Beatty, C. L. See Wingard, C. D., 1981B, 2539C
Beautemps, J. See Le Bourvellec, G., 319A, 329A
Beck, K. R. See Vail, S. L., 1241A
Beg, M. N.
—; Altaf, I.: Impedance Characteristics of Parchment Supported Inorganic Precipitate Membranes, 1495A
Belfer, S.
—; Binman, S.; Lati, Y.; Zolotov, S.: Immobilized Extractants: Selective Transport of Magnesium and Calcium from a Mixed Chloride Solution via a Hollow Fiber Module, 2073B
Bell, A. T. See Papanu, J. S., 803A
Bell, J. P. See Iroh, J., 735C
Bellenger, V.
—; Mortaigne, B.; Verdu, J.: Water Sorption in Styrene Crosslinked Polyesters, 1225C
Beltrame, P. L. See Dubini-Paglia, E., 765C
Benedi, P. See Madruga, E. L., 1133C
Bera, S. C. See Pillai, C. K. S., 2487C
Beretta, C. See Weiss, R. A., 91C
Berg, J. See Sundberg, D. C., 1425C
Bersted, B. H.
—; Anderson, T. G.: Influence of Molecular Weight and Molecular Weight Distribution on the Tensile Properties of Amorphous Polymers, 499A
Besergil, B.
—; Baysal, B. M.: Determination of the Composition of Post Dodecyl Benzene by IR Spectroscopy, 1871B
Bhaduri, S. K. See Reddy, S. S., 553A, 329C
Bhaskar Rao, V. S. See Shantha, K. L., 945C
Bhattacharjee, S.
—; Bhowmick, A. K.; Avasthi, B. N.: Hydrogenation of Nitrile Rubber Using a New Homogeneous Palladium (II) Catalyst: Synthesis and Characterization, 1357C
Bhattacharya, J.
—; Talapatra, S.; Saha, S. K.; Guhaniyogi, S. C.: Aqueous Polymerization on Clay Surfaces. IV. Effects of Hydrogen–Montmorillonite, Monomer Concentrations, and Temperature on the Polymerization of Methyl Methacrylate, 2237A
Bhattacharyya, A. B. See Varma, I. K., 531B
Bheda, J. H.
—; Spruiell, J. E.: Dynamics and Structure Development during High Speed Melt Spinning of Nylon 6. I. On-Line Experimental Measurements, 447A
Bhowmick, A. K.
—; Neogi, C.; Basu, S. P.: Threshold Tear Strength of Carbon Black Filled Rubber Vulcanizates, 917C
—; See Bhattacharjee, S., 1357C
Binman, S. See Belfer, S., 2073B
Birkinshaw, C.
—; Buggy, M.: Fracture of Irradiated Polystyrene, 1913C
Biswas, M.
—; Moitra, S.: Phosphoric Acid Cation Exchange Resins from Chemically Modified Polyvinyl Chloride, 1703B
Blumstein, A.
—; Lin, C. H.; Mithal, A. K.; Tayebi, A.: Fibers from Flexible Liquid Crystal Main-Chain Polymers. I. Polymers Based on 4,4′-Dihydroxy-2,2′-Dimethylazoxybenzene and Alkyl Dicarboxylic Acids and Alkyl Dihalides, 995C
—; See Lin, C. H., 1009C
Bobleter, O. See Grünwald, M., 301A
Bogdanović, V. Z.
—; Tasić, A. Z.; Djordjević, B. D.: Inversion Phenomena of Ethylene Solubility in Polyethylene, 3091C
Bogue, D. C. See Driscoll, P. D., 1755A
Bohrer, M. P. See Katz, H. E., 1711B
Boldizar, A.
—; Kubát, J.; Rigdahl, M.: Influence of Mold Filling Rate and Gate Geometry on the Modulus of High Pressure Injection-Molded Polyethylene, 63A
Bolts, J. M.
—; Mariella, R. P., Jr.: An Anion-Permeable Polymeric Coating for the Protection of a Semiconductor Photoelectrode against Decomposition, 785A
Boluk, M. Y.
—; Schreiber, H. P.: Interfacial Interactions and Mechanical Properties of Filled Polymers, 1783B
—; See Schreiber, H. P., 465A
Boned, C. See Serrano, D., 679A
Borisova, L. F. See Gorelik, V. M., 1095B
Bosc, D.
—; Mauguen, P.: Acoustic Properties of Transparent Polysiloxanes, 135B

Boydston, G. L. See Drummond, R. K., 2267A
Brady, R. L.
—; Porter, R. S.: Interfacial Adsorption and Crystallization of Polycarbonate in Carbon Fiber Composites, 1873A
Brahathee Swaran, C. See Gupta, V. B., 2533C
Branston, R. E.
—; Plaumann, H. P.; Sendorek, J. J.: Emulsion Copolymers of α-Methylstyrene and Styrene, 1149B
Brar, A. S.
—; Sunita: Mössbauer Studies of Styrene-Acrylonitrile Copolymers Containing Ferric Nitrate, 2503C
—; See Kapur, G. S., 2031C
Braun, M. See Gedde, U. W., 477A
Bremner, T.
—; Rudin, A.; Cook, D. G.: Melt Flow Index Values and Molecular Weight Distributions of Commercial Thermoplastics, 1617C
Brimacombe, L.
—; Natansohn, A.: Charge Transfer Interactions in Polymer–Polymer, Polymer–Small Molecule, and Copolymer Systems. I. Solution Studies, 1063B
Brouillard, D. See Roy, C., 337C
Brown, A. See Wilding, I. R., 1827A
Brozolo, F. R.
—; Odom, R. W.; De B. Harrington, P.; Voorhees, K. J.: Organic Polymer Analysis by Laser Ionization Mass Spectrometry and Pattern Recognition Techniques, 1737C
Buckley, C. P.
—; Salem, D. R.: Heat Setting of Oriented Poly (ethylene Terephthalate): Effects of Deformation Mode, Strain Level, and Heating Medium, 1707C
Buggy, M. See Birkinshaw, C., 1913C
Burfield, D. R.
—; Loi, P. S. T.; Doi, Y.; Mejzík, J.: DSC Studies of Tactic Polypropylenes: The Correlation of Polymer Stereochemistry with Thermal Properties, 1095C
Burns, C. M. See Kim, W. N., 1575C
Burtscher, E. See Grünwald, M., 301A
Buys, H. C. W. M.
—; Van Elven, A.; Jansen, A. E.; Tinnemans, A. H. A.: Aromatic Copolyimide Membranes for High Temperature Gas Separations: H_2/CH_4, H_2/N_2, and O_2/N_2, 1261C

Cabasso, I.
—; Smid, J.; Sahni, S. K.: Radiopaque Polymers Based on Acrylated Phosphonate Esters Derived from Polyols, 3025C
—; See Delaviz, Y., 835B
Cakmak, M.
—; Wang, Y. D.: The Effect of Biaxial Orientation and Crystallinity on the Long-Term Creep Behavior of Poly (ethylene Terephthalate) Films below Glass Transition Temperature, 1867C
Calvé, L. See Riedl, B., 341A
Cansell, F.
—; Henry, F.; Pichot, C.: Study of Polymer Latex Coalescence by Dielectric Measurements in the Microwave Domain: Influence of Latex Characteristics, 547C
Cao, T.
—; Xu, Y.; Su, Y.; Long, F.; Li, X.; Hu, Y.: Study of Particle Morphology in Polymer Emulsions and Their Minimum Film Formation Temperatures, 1965C
Carciello, N. See Sugama, T., 1857B
Carduner, K. R.
—; Carter, R. O., III; Cheung, M.-F.; Golovoy, A.; van Oene, H.: Studies on the Role of Organophosphites in Polyester Blends: I. ^{31}P Nuclear Magnetic Resonance Spectroscopy, 963B
—; See Cheung, M.-F., 977B
Carfagna, C. See Iannace, S., 2691C; Nobile, M. R., 2723C
Carlini, C.
—; Rolla, P. A.; Tombari, E.: Measurement Method and Apparatus for Monitoring the Kinetics of Polymerization and Crosslinking Reactions by Microwave Dielectrometry, 805C
Carlsson, D. J. See Miyano, T., 407C
Carter, R. O., III. See Carduner, K. R., 963B
Carty, P.
—; Metcalfe, E.; Annison, W. N.: The Optimization of the Smoke Suppressant and Flame Retardant Properties of Flexible PVC, 901C
Casassa, A. P. See Sundberg, D. C., 1425C
Casinos, I. See Fernandez, M. J., 2221C; Fernández, M. J., 1101A, 2219A
Castel, D.
—; Ricard, A.; Audebert, R.: Swelling of Anionic and Cationic Starch-Based Superabsorbents in Water and Saline Solution, 11A
Chan, S.-C. See Chiang, W.-Y., 2971C
Chanda, M. See Sankaran, S., 1459A, 1635A
Chandra, R. See Malhotra, B. D., 1049B
Chang, C. C.
—; Miller, J. W., Jr.; Schorr, G. R.: Fundamental Modeling in Anionic Polymerization Processes, 2395A

Chang, F.-C. See Gu, J.-T., 555B
Chang, N.-S. See Tsai, H.-B., 233A, 1499B
Chang, R. S. See Chang, S.-J., 225A; Chen, M. S., 1053B
Chang, S. J. See Chen, M. S., 1053B
Chang, S.-J.
—; Chen, M.-S.; Chang, R. S.; Chen, S.-M.; Tsai, H.-B.: Copolyesters. III. Thermal Degradation of Poly(butylene Terephthalate-co-Adipate)s, 225A
—; See Tsai, H.-B., 233A, 1499B
Chang, T.-C. See Yen, C.-C., 53B
Chao, D. See Akashi, M., 2027A
Chao, Y. C. See Lai, J. Y., 2293A
Charmas, W.
—; Podkościelny, W.; Rudź, W.: Thioether Glycidyl Resins. VII. Products of Condensation of Bis(4-Mercaptophenyl)Sulfide and Bis(4-Mercaptophenyl)Sulfone with Epichlorohydrin, 1623A
Chatterji, P. R.
Interpenetrating Hydrogel Networks. I. The Gelatin–Polyacrylamide System, 401B
Chattha, M. S.
—; Dickie, R. A.: Dynamic Mechanical Analysis of Bismaleimidodiphenyl Methane and Diallylbisphenol-A Crosslinked Polymers, 411B
—; Siegl, W. O.: Bismaleimide and Bisazomethine High Temperature Polymers, 1613A
Chauhan, G. S. See Mehta, I. K., 1171C
Chauhan, M. See Mehrotra, K. N., 1745A
Chee, K. K.
Kinetic Study of Random Chain Scission by Viscometry, 985C
Chegolya, A. S. See Mitchenko, Yu. I., 2561C
Chen, C. C.
—; Sauer, J. A.: Yield and Fracture Mechanisms in ABS, 503B
Chen, G.-F.
—; Jones, F. N.: Cyclization during Polyesterification: Isolation of an 18-Member Ring Compound from Reaction of Phthalic Anhydride with 2,2-Dimethyl-1,3-Propanediol, 2517C
Chen, H.
—; Wu, Y.; Jin, Z.: Copolymerization of Dibutyltin Maleate with Styrene and Methyl Methacrylate, 427C
Chen, M. S.
—; Chang, S. J.; Chang, R. S.; Kuo, W. F.; Tsai, H. B.: Copolyesters. I. Sequence Distribution of Poly(butylene Terephthalate-co-Adipate) Copolyesters Determined by 400 MHz NMR, 1053B
Chen, M.-S. See Chang, S.-J., 225A; Tsai, H.-B., 233A, 1499B
Chen, M.-Y. See Liu, J.-H., 2161B
Chen, P. N., Sr. See Chung, T. S., 1209B
Chen, S.-M. See Chang, S.-J., 225A; Tsai, H.-B., 233A
Chen, Y.
—; Miyano, T.; Fouda, A.; Matsuura, T.: The Effect of Hexane Treatment on the Permeation of Silicone-Coated Polyethersulfone Membranes, 2169C
Chen, Y.-S.
—; Yang, K. S.; Cuculo, J. A.: Formation and Characterization of Cellulose Films from a Liquid Crystalline Solution of Cellulose in Ammonia/Ammonium Thiocyanate, 587C
Chern, C.-S.
Curing Kinetics of Polyurethane Reactions, 2189B
Cheung, M.-F.
—; Carduner, K. R.; Golovoy, A.; van Oene, H.: Studies on the Role of Organophosphites in Polyester Blends: II. The Inhibition of Ester-Exchange Reactions, 977B
—; See Carduner, K. R., 963B
Chiang, W.-Y.
—; Chan, S.-C.: Preparation and Properties of UV-Autocurable BTDA-Based Polyester Multiacrylates. I. Effects of Acrylic Functionality and Polyol Molecular Weight, 2971C
Chidambareswaran, P. K. See Warrier, J. K. S., 1059B
Chien, J. C. W.
—; Hong, J.-L.; Lillya, C. P.: Efficient Syntheses of the Triblock Copolymer Styrene-*b*-Tetrahydrofuran-*b*-Styreneby Coupling of Preformed Blocks, 775C
—; See Chu, C. W., 2311C
Chithambara Thanoo, B.
—; Jayakrishnan, A.: Preparation of Hydrogel Beads from Crosslinked Poly(Methyl Methacrylate) Microspheres by Alkaline Hydrolysis, 1153A
—; See Kothandaraman, H., 943A
Cho, D. L.
—; Claesson, P. M.; Gölander, C.-G.; Johansson, K.: Structure and Surface Properties of Plasma Polymerized Acrylic Acid Layers, 1373C
—; See Iriyama, Y., 249A
Choi, K. Y. See Hersh, S. N., 1033C; Lei, G. D., 2987C
Chou, S.-C.
—; Weng, H.-S.: Characterization of the Polymer-Supported Phase Transfer Catalyst, 1665A
Chowdhury, G. See Mukhopadhyay, P., 1833B

Chu, C. W.
—; Dickinson, L. C.; Chien, J. C. W.: Study of Critical Phenomena of Polystyrene–Poly (vinyl Methyl Ether) Blends by Solid State NMR, 2311C
Chu, N.-J. See Chuang, S. L., 373C; Tseng, T.-Y., 1651C
Chuang, S. L.
—; Chu, N.-J.; Whang, W. T.: Effect of Polyamic Acids on Interfacial Shear Strength in Carbon Fiber/Aromatic Thermoplastics, 373C
Chuanyao, Y. See Kejun, Y., 1529B
Chudnovsky, A. See Kasakevich, M. L., 395A
Chung, K. H.
—; Wu, C. S.; Malawer, E. G.: Glass Transition Temperatures of Poly(methyl Vinyl Ether-co-Maleic Anhydride) (PMVEMA) and Poly(methyl Vinyl Ether-co-Maleic Acid) (PMVEMAC) and the Kinetics of Dehydration of PMVEMAC by Thermal Analysis, 793C
Chung, T. S.
—; Chen, P. N., Sr.: Polybenzimidazole (PBI) and Polyarylate Blends, 1209B
Claesson, P. M. See Cho, D. L., 1373C
Cocchini, F. See D'Amore, A., 1163A
Cohen, C. See Rodriguez, F., 285B
Cole, K. C.
—; Noël, D.; Hechler, J.-J.; Wilson, D.: Crystallinity in PPS–Carbon Composites: A Study Using Diffuse Reflection FT-IR Spectroscopy and Differential Scanning Calorimetry, 1887A
Cook, D. G. See Bremner, T., 1617C
Cooper, S. L. See Thompson, P. A., 1831C; Yu, X.-H., 1777C
Cotting, J.-A. See Renner, A., 789A
Cox, D. I. See Katz, H. E., 1711B
Croteau, J.-F.
—; Laivins, G. V.: Study and Control of Phase Morphology in Liquid Crystal Polyester–Poly(alkylene Terephthalate) Blends, 2377A
Cruse, C. A. See Fritzsche, A. K., 1949A, 19B, 713C; Kesting, R. E., 1557B, 1575B
Csomorová, K. See Šimkovic, I., 1333C
Cuadrado, T. R.
—; MacGregor, J. F.; Hamielec, A. E.: Epoxy–Amine Oligomer Production, 867B
Cuculo, J. A. See Chen, Y.-S., 587C
Curto, D.
—; Valenza, A.; La Mantia, F. P.: Blends of Nylon 6 with a Polyethylene Functionalized by Photooxidation, 865A

Dais, V. A. See Harris, R. F., 487C, 509C
Dalpé, J.-F. See Bataille, P., 1815A
D'Amore, A.
—; Cocchini, F.; Pompo, A.; Apicella, A.; Nicolais, L.: The Effect of Physical Aging on Long-term Properties of Poly-Ether-Ketone (PEEK) and PEEK-Based Composites, 1163A
Daneault, C. See Raj, R. G., 645B
Daňhelka, J. See Mrkvičková, L., 1929C
Daniels, E. S.
—; Dimonie, V. L.; El-Aasser, M. S.; Vanderhoff, J. W.: Preparation of ABS (Acrylonitrile/Butadiene/Styrene) Latexes Using Hydroperoxide Redox Initiators, 2463C
Dantiki, S. See Storey, R. F., 47B
Das, B.
—; Girgis, M. M.: Dynamic Mechanical Characterization of Tire Cord Dip Films, 1367B
Das, C. K. See Mukhopadhyay, P., 49A, 1833B
Das, H. K. See Das, N. R., 1079A
Das, N. R.
—; Nayak, N. C.; Das, H. K.; Mishra, S. N.; Singh, B. C.: Influence of Dimethyl Sulfoxide on the Kinetics of the Graft Copolymerization of Acrylonitrile onto the Jute Fibers Initiated by Ceric Ion, 1079A
Das, S.
—; Rodriguez, F.: Diffusion-Controlled Kinetics for the Solution Copolymerization of 2-Ethylhexyl Acrylate with Vinyl Chloroacetate in a CSTR, 1309A
Dasgupta, S.
Surface Modification of Polyolefins for Hydrophilicity and Bondability: Ozonization and Grafting Hydrophilic Monomers on Ozonized Polyolefins, 233C
Dash, S. See Samal, R. K., 195C
Datye, K. V.
—; Palan, B. H.: Effect of Alkali on Filaments of Poly(ethylene Terephthalate) and Its Copolyesters. II. Presence of Quaternary Ammonium Salt in the Alkali-Bath, 893A
Davidson, C. See Harris, R. F., 487C, 509C
Davies, M. C. See Wilding, I. R., 1827A
Day, M.
—; Sally, D.; Wiles, D. M.: Thermal Degradation of Poly (aryl-Ether-Ether-Ketone): Experimental Evaluation of Crosslinking Reactions, 1615B
de Abajo, J. See Acevedo, M., 163C
De B. Harrington, P. See Brozolo, F. R., 1737C
De Candia, F.
—; Gargani, L.; Renzulli, A.: Transport

Properties of Filled Elastomeric Networks, 955C
De Jaeger, R.
—; Lecacheux, D.; Potin, Ph.: High Performance Size Exclusion Chromatography of Poly(organo)phosphazenes, 1793A
de la Campa, J. G. See Acevedo, M., 163C
De Luca, N. See Iannace, S., 2691C
De Saja, J. A. See Gonzalez, A., 1961C
Deb, P. C. See Sankholkar, S., 1681A
Delaviz, Y.
—; Zhang, Z.-X.; Cabasso, I.; Smid, J.: Homogeneous Radiopaque Polymers with Organobismuth Compounds, 835B
Deli, G.
—; Qunji, X.; Hongli, W.: The Effect of Surface Treatments on Wear of Polytetrafluoroethylene, 1141B
Deporter, C. D. See Harris, R. F., 487C, 509C
Desio, G. P.
—; Rebenfeld, L.: Effects of Fibers on the Crystallization of Poly(phenylene Sulfide), 825A
Devine, S. T. See Mijovic, J., 1133A
Devon, M. J.
—; Gardon, J. L.; Roberts, G.; Rudin, A.: Effects of Core-Shell Latex Morphology on Film Forming Behavior, 2119A
Dezhu, M. See Qipeng, G., 2321A, 581B
Dickie, R. A. See Chattha, M. S., 411B
Dickinson, L. C. See Chu, C. W., 2311C
Dimitratos, J.
—; El-Aasser, M. S.; Georgakis, C.; Klein, A.: Pseudosteady States in Semicontinuous Emulsion Copolymerization, 1005B
Dimonie, V. L. See Daniels, E. S., 2463C; Vanderhoff, J. W., 1549C
Dimov, A.
—; Islam, M. A.: Filler Effects on the Structure and Properties of Semipermeable Polyethylene Membranes, 2513C
—; See Alexandrova, I., 2555C
Dixit, S. K. See Shukla, J. S., 1425B
Djordjević, B. D. See Bogdanović, V. Z., 3091C
Doane, W. M. See Fanta, G. F., 811B
Dobáš, I. See Podzimek, Š., 1151C, 1161C
Doherty, M. F. See Steppan, D. D., 603A
Doi, Y. See Burfield, D. R., 1095C
Doke, S. S.
—; Iyer, K. R. K.: Effect of Aqueous Swelling and Stretching on the Structure and Properties of Cotton, 1967A
Donald, A. M. See Plummer, C. J. G., 1197C
Dondero, G. See Gattiglia, E., 1411C
Dong, J.-H.
—; Huang, X.; Huang, C.-K.; Jiang, Y.-Y.: Gas Transport in Lanthanide-Polymer Membranes, 891B
Doppert, H. L. See Smook, J., 105C
Doshak, J. M. See Hergenrother, W. L., 989B
Doukkali, K.
—; Segui, Y.: Effect of Moisture Sorption on ac Properties on Glass–Epoxy Composites, 1533C
Drew, P. See Andrews, E. H., 595C
Driscoll, P. D.
—; Bogue, D. C.: Pressure Effects in Polymer Melt Rheology, 1755A
Drummond, R. K.
—; Boydston, G. L.; Peppas, N. A.: Properties of Positive Resists. III. The Dissolution Behavior of Poly(methyl Methacrylate-co-Maleic Anhydride), 2267A
Dubini-Paglia, E.
—; Beltrame, P. L.; Marcandalli, B.; Seves, A.: Influence of Polycaprolactam Morphology on Thermal *cis–trans* Isomerization and Photofading of Azo Dyes Differently Dispersed in It: A Kinetic Study, 765C
Dubuc, F. See Bataille, P., 1815A
Dufour, C. See Schreiber, H. P., 465A
Duvis, T. See Papaspyrides, C. D., 361C
Dyachkovsky, F. S. See Gorelik, V. M., 1095B

Ebaid, A. R. See Hegazy, E. A., 2637C, 2941C; Hegazy, E.-S. A., 1029A
Eboatu, N. A. See Garba, B., 109A
Edelman, P. G. See Huang, S. J., 3C
Egawa, H. See Abe, T., 1223B; Maeda, H., 1519A; Nonaka, T., 769B, 2869C
El-Aasser, M. S. See Daniels, E. S., 2463C; Dimitratos, J., 1005B; Lock, M. R., 2129A; Vanderhoff, J. W., 1549C
Eldin, S. H.
—; Renner, A.: Cyanoacetamide Accelerators for the Epoxide/Isocyanate Reaction, 1505C
El-Mansy, M. K. See Hassan, H. H., 1903A
El-Naggar, A. M.
—; Lopez, L. C.; Wilkes, G. L.: Effect of Electron Beam Radiation on the Mechanical and Thermal Properties of Poly(4-Methylpentene-1), 427A
El-Sharabasy, S. A. See Hegazy, E. A., 2941C
Emam, A. See Moustafa, A. B., 2021C
Emi, S.
—; Murase, Y.; Hayashi, T.; Nakajima, A.: Protease Immobilization onto Copoly(Ethylene/Acrylic Acid) Fiber, 2753C

Endo, T. See Moriya, O., 2095C
Enikolopian, N. S. See Manevitch, L. I., 2245A
Enmanji, K.
Graft Polymerization of Methyl Methacrylate on Flavin Mononucleotide by Tetravalent Cerium Ion and an Application of Obtained Polymer to Dye Transfer Printing, 1375A
Ennis, B. C.
—; Hanhela, P. J.; Huang, R. H. E.; Long, G. J.; Paul, D. B.: General Procedures to Determine the Composition of Commercial, Two-Part Polysulfide Aircraft Sealants, 2837C
Enns, J. B. See Wisanrakkit, G., 1895C
Escoubes, M. See Zelsmann, H. R., 1673C
Esterbauer, H. See Lenz, J., 1315C
Evans, D. J. See Russell, I. M., 1951B

Fakhreddine, Y. A.
—; Zoller, P.: The Equation of State of a Polydimethylsiloxane Fluid, 1087C
Fane, A. G. See Lim, S. L., 1609C
Fang, S.-B. See Lu, H., 1389A
Fanta, G. F.
—; Swanson, C. L.; Doane, W. M.: Composites of Starch and Poly (ethylene-*co*-acrylic acid). Complexing between Polymeric Components, 811B
Farris, R. J. See Rakas, M. A., 823B
Fasce, D. P.
—; Galante, M. J.; Williams, R. J. J.: Curing of Epoxy Resins with *In Situ*-Generated Substituted Ureas, 383A
Favis, B. D.
The Effect of Processing Parameters on the Morphology of an Immiscible Binary Blend, 285A
Fay, J. J.
—; Murphy, C. J.; Sperling, L. H.: Multiple Endotherm Melting Behavior in Relation to the Morphology of Poly[3,3-bis(ethoxymethyl) Oxetane], 1379B
Feldman, D. See Natansohn, A., 899B
Fell, C. J. D. See Lim, S. L., 1609C
Fenin, V. A. See Mitchenko, Yu. I., 2561C
Fernández, M. D. See Fernández, M. J., 1101A, 2219A
Fernandez, M. J.
—; Casinos, I.; Guzman, G. M.: Grafting of Vinyl Acetate–Methyl Acrylate Mixture onto Cellulose. Effect of Ceric Ion and Nitric Acid Concentrations, 2221C
Fernández, M. J.
—; Fernández, M. D.; Casinos, I.; Guzmán, G. M.: Thermal Behavior of Cellulosic Graft Copolymers. II. Cotton Grafted with Binary Mixtures of Vinyl Acetate and Methyl Acrylate, 1101A
—; Fernández, M. D.; Casinos, I.; Guzmán, G. M.: Thermal Behavior of Cellulosic Graft Copolymers. I. Cotton Grafted with Vinyl Acetate and Methyl Acrylate, 2219A
Ferruti, P.
—; Ranucci, E.; Tempesti, E.; Giuffré L.; Arlati, P.; Airoldi, G.: New Carboxylated Mo(VI)-Grafted Poly (amino amine) Resins as Heterogeneous Oxygen Transfer Catalysts, 1923C
Fewell, L. L.
Atomic-Oxygen Induced Structural Changes in Polyphosphazene Films and Coatings, 391C
Fiedler, P. See Hofmann, D., 1595A
Fitch, R. M. See Puterman, M., 333B
Fitzgerald, E. A.
Determination of Composition of Mixed *meta*- and *para*-Cresol/Formaldehyde Novolaks by ^{13}C-NMR Spectroscopy, 1809C
Fitzgerald, J. J.
—; Landry, C. J. T.: Vitrification and Curing Studies of a Photopolymerizable Semi-Interpenetrating Polymer Network. II, 1727B
Fleischmann, E.
—; Koppelmann, J.: Effect of Cooling Rate and Shear-Induced Crystallization on the Pressure–Specific Volume–Temperature Diagram of Isotactic Polypropylene, 1115C
Floyd, S.
—; Heiskanen, T. W.; Taylor, T. W.; Mann, G. E.; Ray, W. H.: Erratum to "Polymerization of Olefins through Heterogeneous Catalysis. VI. Effect of Particle Heat and Mass Transfer on Polymerization Behavior and Polymer Properties", 1933C
Foerch, R.
—; McIntyre, N. S.; Sodhi, R. N. S.; Hunter, D. H.: Nitrogen Plasma Treatment of Polyethylene and Polystyrene in a Remote Plasma Reactor, 1903B
Fornes, R. E. See Patil, D., 1641C; Sankar, S. S., 1251C
Foster, N. See Spaltro, S. M., 1235C
Fouda, A. See Chen, Y., 2169C
Fox, R. B.
—; Armistead, J. P.; Roland, C. M.; Moonay, D. J.: Synthetic Sequence Effects in Polyurethane–Poly(*n*-Butyl Methacrylate) Mixtures: Grafting and Mechanical Properties, 1281C
Francis, D. J. See Natchimuthu, N., 3059C
François, J. See Kheradmand, H., 1847A

Franzan, A. H. See Leite, N. F., 1361A
Fraundorf, P. B. See Fritzsche, A. K., 1915A
Fried, J. R.
—; Li, W.: High-Pressure FTIR Studies of Gas–Polymer Interactions, 1123C
Frisch, H. L. See Hua, Y.-H., 313B
Fritzsche, A. K.
—; Armbruster, B. L.; Fraundorf, P. B.; Pellegrin, C. J.: The Structure of the Effective Separating Layer of Asymmetric Hollow Fiber Membranes with Graded Density Skins, 1915A
—; Cruse, C. A.; Kesting, R. E.; Murphy, M. K.: Hollow Fiber Membranes Spun from Lewis Acid: Base Complexes. I. Structure Determination by Oxygen Plasma Ablation, 19B
—; Cruse, C. A.; Kesting, R. E.; Murphy, M. K.: Polysulfone Hollow Fiber Membranes Spun from Lewis Acid:Base Complexes. II. The Effect of Lewis Acid to Base Ratio on Membrane Structure, 1949A
—; Cruse, C. A.; Kesting, R. E.; Murphy, M. K.: Polysulfone Hollow Fiber Membranes Spun from Aliphatic Acid (C_2—C_4): *N*-Methylpyrrolidone Complexes—Structure Determination by Oxygen Plasma Ablation, 713C
—; See Kesting, R. E., 1557B, 1575B
Fueki, K. See Andrady, A. L., 763A; Torikai, A., 1637B, 1023C
Fujiyama, M.
Capillary Flow Properties of Thermotropic Hydroxypropylcelluloses, 67B
Fukutomi, T. See Ishikawa, S., 1547B
Furusaki, S. See Kim, M., 855A; Saito, K., 2153A
Fushman, E. A. See Gorelik, V. M., 1095B
Fyfe, C. A. See So, S., 531A

Galante, M. J. See Fasce, D. P., 383A
Galeski, A. See Piorkowska, E., 2371C
Galioğlu, O. See Akar, A., 1657A
Gandhi, K.
—; Salovey, R.: Thermal Behavior of Carbon Black Filled Polymers, 2103C
Garba, B.
—; Eboatu, N. A.: Effect of Flame-Retardant Treatment on the Thermal Behavior of Some Tropical Timbers, 109A
Gardlund, Z. G.
—; Bator, M. A.: *In Situ* Polymerization of Nylon–Polyurea Block Copolymers. I. Synthesis and Characterization, 2027B
Gardon, J. L. See Devon, M. J., 2119A
Gargani, L. See De Candia, F., 955C
Garner, R. T. See Agarwal, P. K., 1479C
Garton, A. See Wang, S., 99B; Weiss, R. A., 91C
Gattiglia, E.
—; Turturro, A.; Pedemonte, E.; Dondero, G.: Blends of Polyamide 6 with Bisphenol-A Polycarbonate. II. Morphology–Mechanical Properties Relationships, 1411C
Gedde, U. W.
—; Pellfolk, K.; Braun, M.; Rodehed, C.: Ion Irradiation of Polypropylene, 477A
Geil, P. H. See Twardowski, T. E., 1047C
Geiss, D. See Hofmann, D., 1595A
Georgakis, C. See Dimitratos, J., 1005B
George, T. K. See Peethambaran, N. R., 1627B
Geschwend, G. See Schnabelrauch, M., 621A
Ghatge, N. D. See Satre, M. D., 697C
Ghosh, A. K.
—; Lindt, J. T.: Processing of Polymer Latex Emulsion: Batch Coagulation, 1553A
Ghosh, R. See Konar, J., 719B
Ghosh, S. See Malhotra, B. D., 1049B
Giacobbe, F. W.
Oxygen Permeability of Teflon–PFA Tubing, 1121A
Gil, M. H. See Alves da Silva, M., 1629C
Gilbert, R. D. See Patil, D., 1641C; Sankar, S. S., 1251C
Gillham, J. K. See Pang, K. P., 909A; Wisanrakkit, G., 1895C, 2885C
Girgis, M. M. See Das, B., 1367B
Giri, G.
—; Sahoo, K.; Samal, R. K.: Graft Copolymerization onto Wool Fibers: Grafting of Acrylamide onto Wool Fibers Initiated by Potassium Monopersulphate/Fe(II) Redox System, 471B
Gitsov, I.
—; Madjarova, N. A.: Synthesis and Evaluation of Methyl Methacrylate Copolymers and Terpolymers as Electron-Beam Resists. I. Poly(methyl Methacrylate–Methacrylic Acid–Methacryloyl Chloride), 2705C
Giuffré L. See Ferruti, P., 1923C
Gjurova, K. See Karaivanova, M., 1939B
Glasser, W. G. See Kelley, S. S., 2813C
Göçmen, A. See Akar, A., 1657A
Goh, S. H.
—; Lee, S. Y.: Miscibility of Poly (chloromethyl Methacrylate) with Poly (styrene-co-Acrylonitrile), 1391C
—; Lee, S. Y.; Neo, M. K.: Miscibility of Poly(chloromethyl Methacrylate) with Bisphenol-A Polycarbonate, 2243B
Gölander, C.-G. See Cho, D. L., 1373C

Golovoy, A.
—; Zinbo, M.: The Influence of Relative Humidity on Polyarylate Hydrolysis, 189A
—; See Carduner, K. R., 963B; Cheung, M.-F., 977B
Gong, D.-L.
—; Zhang, B.; Xue, Q.-J.; Wang, H.-L.: Study on Tribochemical Interaction of Metals or Metal Oxides with Polytetrafluoroethylene by X-ray Photoelectron Spectroscopy, 2587C
Gonzalez, A.
—; De Saja, J. A.; Requejo, A.; Barahona, F. J.: A Durability Index in the Weathering of Low-Density Polyethylene (LDPE) Films, 1961C
Gonzalez Orozco, J. A.
—; Rego, J. M.; Katime, I.: Dynamic Mechanical Properties of Low-Density and Linear Low-Density Polyethylenes. Influence of Molecular Segregation, 2219B
—; See Rego, J. M., 1453B
Gorelik, V. M.
—; Fushman, E. A.; Topolkaraev, V. A.; Dyachkovsky, F. S.; Shestenina, L. A.; Borisova, L. F.; Sergeev, V. I.: Ultrahigh Molecular-Weight Polyethylene–Chalk Composites Resulting from In Situ Polymerization, 1095B
Gouda, M. E. See Hassan, H. H., 1903A
Gould, J. M. See Martel, P., 707A
Graczyk, T.
—; Hornof, V.: The Effect of Agitation, Purge Time, and Nonsimultaneous Addition of Acid and Initiator on Xanthated Cellulose–Polystyrene Graft Copolymer, 317B
Greenberg, A. R. See Reid, C. G., 995A
Greener, J.
—; Machell, J. S.: The Rheooptical Properties of Polymer Blends: Polystyrene and Poly(2,6-Dimethyl-1,4-Phenylene Oxide), 221B
Grisafi, S.
A Sphere Buoyant in a Dilute Polymer Solution, 781B
Bead–Spring Macromolecules that Perturb the Solvent, 1723C
Groh, J. L. See Owen, M. J., 789B
Grubb, D. T.
—; Kearney, F. R.: Modification of Gel-Drawn Poly(vinyl Alcohol) Fibers with Formaldehyde, 695A
—; See Prasad, K., 2189C
Grünwald, M.
—; Burtscher, E.; Bobleter, O.: HPLC Determination of the Pore Distribution and Chromatographic Properties of Cellulosic Textile Materials, 301A
Gu, J.-T.
—; Huang, S.-L.; Chang, F.-C.: HPLC Analysis of Polycarbonate Oligomers and Its Process Applications in the Interfacial Phosgenation Reaction, 555B
Guhaniyogi, S. C. See Bhattacharya, J., 2237A
Guiomar, A. J. See Alves da Silva, M., 1629C
Gundogan, G. See Akovali, G., 2011C
Gunjikar, V. G. See Idage, S. B., 1023B
Guo, Q. See Jin, C., 2383C; Liu, J., 2829C
Gupta, A. K.
—; Jain, A. K.; Ratnam, B. K.; Maiti, S. N.: Studies on Binary and Ternary Blends of Polypropylene with ABS and LDPE. II. Impact and Tensile Properties, 515A
Gupta, D. C.
—; Sharma, R. C.: Inhibition of Discoloration in Acrylic Polymers, 1821A
Gupta, V. B.
—; Brahathee Swaran, C.: Packing Density of Amine Cross-linked Epoxy Networks, 2533C
—; See Jain, A. K., 2931C
Guthrie, J. T. See Alves da Silva, M., 1629C
Guzman, G. M. See Fernandez, M. J., 2221C
Guzmán, G. M. See Fernández, M. J., 1101A, 2219A

Halder, R. S.
—; Joshi, M.; Misra, A.: Morphological Studies on the Blends of Poly(butylene Terephthalate) and Bisphenol-A Polycarbonate, 1251A
Hamielec, A. E. See Cuadrado, T. R., 867B; Omorodion, S. N. E., 875A; Xie, T. Y., 2327C
Handermann, A. C. See Kesting, R. E., 1557B
Hanhela, P. J. See Ennis, B. C., 2837C
Harland, R. S.
—; Klier, J.; Peppas, N. A.: Thermodynamic Models for Swelling of Heterogeneous Networks, 249C
Harran, D. See Serrano, D., 679A
Harris, R. F.
Effect of Catalyst on the Molecular Weight Advancement of Poly (Ethylene Ether Carbonate) Polyols, 1265B
Polyglycol Modified Poly (Ethylene Ether Carbonate) Polyols by Molecular Weight Advancement, 1937C
—; Joseph, M. D.; Davidson, C.; Deporter, C. D.; Dais, V. A.: Polyurethane Elastomers Based on Molecular Weight Advanced Poly(ethylene Ether Carbonate) Diols. I. Comparison to Commercial Diols, 487C

—; Joseph, M. D.; Davidson, C.; Deporter, C. D.; Dais, V. A.: Polyurethane Elastomers Based on Molecular Weight Advanced Poly(ethylene Ether Carbonate) Diols. II. Effects of Variations in Hard Segment Concentration, 509C
Hasegawa, M. See Kitano, H., 241A
Hashida, I. See Morita, M., 1073C
Hashimoto, M. See Kishimoto, Y., 2055A
Hassan, A. Y. See Hegazy, E. A., 2941C
Hassan, H. H.
—; Abdel-Bary, E. M.; Amin, M.; El-Mansy, M. K.; Gouda, M. E.: Thermal Effects of Heat-Resistant Rubber Blends. I. Joule Heating Effects in Carbon Black-Loaded NR/SBR Blends, 1903A
Hassun, S. K. See Al-Jarrah, M. M. F., 1339C
Hata, Y. See Kubota, H., 1071B, 689C
Hatakeyama, H. See Reimann, A., 39C; Yano, S., 657B; Yoshida, H., 1819B
Hattori, F. See Nomura, H., 2959C
Hayashi, K. See Tsuchii, A., 1181C
Hayashi, N. See Yamaura, K., 905B
Hayashi, S. See Kitoh, S., 103A
Hayashi, T.
—; Iwatsuki, M.; Oya, M.: Synthesis and Properties of Hydrophilic Copolypeptide Membranes Containing L-Aspartic Acid as One Component, 1803A
—; See Emi, S., 2753C; Kishimoto, Y., 2055A
Hayashita, T.
—; Noguchi, H.; Oka, H.; Igawa, M.; Takagi, M.: Selective Sorption of Heavy Metal Thiocyanate Complexes on Crown Ether Resin, 561A
He, T. See Liu, W., 83C
Hechang, X. See Qipeng, G., 2321A, 581B
Hechler, J.-J. See Cole, K. C., 1887A
Hedrick, D. P. See Parker, A. A., 1717B
Hegazy, E. A.
—; Ebaid, A. R.; El-Sharabasy, S. A.; Mousa, A. M.; Hassan, A. Y.: Radiation Grafting of MMA onto PVC Films, 2941C
—; Taher, N. H.; Ebaid, A. R.: Preparation and Some Properties of Hydrophilic Membranes Obtained by Radiation Grafting of Methacrylic Acid onto Fluorinated Polymers, 2637C
Hegazy, E.-S. A.
—; Taher, N. H.; Ebaid, A. R.; Rabie, A.-G.; Kamal, H.: Radiation-Initiated Graft Copolymerization of Individual Monomer and Comonomer onto Polyethylene and Polytetrafluoroethylene Films, 1029A
Heise, M. S.
—; Martin, G. C.: Analysis of the Cure Kinetics of Epoxy/Imidazole Resin Systems, 721A
Heiskanen, T. W. See Floyd, S., 1933C
Hendricks, B. J.
—; Balik, C. M.: Solubility and Diffusivity of Sulfur Dioxide in Latex Paint Films, 953B
Hengse, A. See Springer, H., 2173B
Henry, F. See Cansell, F., 547C
Hergenrother, W. L.
—; Doshak, J. M.: Determination of the Entanglement Molecular Weight of Thermoplastic Elastomers by Tensile Retraction Measurements, 989B
—; See Lawson, D. F., 2331A
Hersh, S. N.
—; Choi, K. Y.: Melt Transesterification of Diphenyl Carbonate with Bisphenol A in a Batch Reactor, 1033C
Hertzberg, R. W. See Hur, T., 1933A
Hess, D. W. See Papanu, J. S., 803A
Higuchi, A.
—; Iwata, N.; Nakagawa, T.: Surface-Modified Polysulfone Hollow Fibers. II. Fibers Having $CH_2CH_2CH_2SO_3^-$ Segments and Immersed in HCl Solution, 709B
—; Nakagawa, T.: Surface Modified Polysulfone Hollow Fibers. III. Fibers Having a Hydroxide Group, 1973C
Hilczer, T. See Hoffmann, G., 153A
Hiltner, A. See Ma, M., 669B
Hinkley, J. A. See Hou, T. H., 819C
Hinrichsen, G. See Springer, H., 2173B
Hirano, T. See Nisizawa, M., 2173A
Hiraoka, H. See Iijima, T., 2301C
Hironiwa, T. See Tsuchii, A., 1181C
Hirose, H. See Yano, S., 657B
Hjertberg, T. See Rabek, J. F., 1569A
Ho, C.-P.
—; Yasuda, H.: Coatings and Surface Modification by Methane Plasma Polymerization, 1541A
Ho, T. See Mijovic, J., 1133A
Hoffmann, G.
—; Poliszko, S.; Hilczer, T.: Model Approach to Dielectric-Thermal Analysis of Wood Modified with Polymer, 153A
Hofmann, D.
—; Geiss, D.; Janke, A.; Michler, G. H.; Fiedler, P.: Structure Investigations on Drawn High-Density Blown PE Films, 1595A
Hombek, R. See Hornof, V., 2391C
Hong, J.-L. See Chien, J. C. W., 775C
Hongli, W. See Deli, G., 1141B
Horálek, J. See Podzimek, Š., 1151C, 1161C
Horie, K. See Ueno, M., 967A
Horii, F. See Yokota, H., 783C
Hornof, V.
—; Hombek, R.: Surface-Active Agents Based on Propoxylated Lignosulfonate, 2391C
—; See Graczyk, T., 317B

Horrocks, A. R.
—; Price, D.; Tunc, M.: Studies on the Temperature Dependence of Extinction Oxygen Index Values for Cellulosic Fabrics: III. Comparison with Limiting Oxygen Index for Commercial Flame-Retarded Cotton, 2165A
—; See Khattab, M. A., 3069C
Hosogai, K. See Tanaka, M., 955A
Hosoi, F. See Kadir, Z. A., 799B
Hou, T. H.
—; Huang, J. Y. Z.; Hinkley, J. A.: Chemorheology of an Epoxy Resin System under Isothermal Curing, 819C
Hourston, D. J.
—; Romaine, J.: Modification of Natural Rubber Latex. II. Natural Rubber Poly(methyl Methacrylate) Composite Latexes Synthesized Using an Amine-Activated Hydroperoxide, 1587A
Hovakeemian, G. See Lahalih, S. M., 741B
Howell, B.
—; Reneker, D. H.: Morphology of Polymer Films and Single Molecules, 1663B
Hsieh, T. H.
—; Su, A. C.: Cure Kinetics of an Epoxy-Novolac Molding Compound, 1271C
Hsiue, G.-H.
—; Wang, C.-C.: Studies on the Physical Properties of Polyethylene-*g*-Acrylic Acid to Immobilizing Glucose Oxidase, 235B
—; See Yang, J.-M., 1475A, 1141C
Hsiue, L.-T. See Ma, C.-C. M., 1399A
Hsu, T. J. See Wang, K. J., 1055C
Hu, Y. See Cao, T., 1965C
Hua, Y.-H.
—; Frisch, H. L.: A Further Study of Interpenetrating Polymer Networks of Poly(2,6-Dimethyl-1,4-Phenylene Oxide) and Polybutadiene: Effect of Higher Molecular Weight Crosslinker, 313B
Huang, C.-K. See Dong, J.-H., 891B
Huang, J. Y. Z. See Hou, T. H., 819C
Huang, R. H. E. See Ennis, B. C., 2837C
Huang, R. Y. M.
—; Rhim, J.-W.: Theoretical Estimations of Diffusion Coefficients, 535C
—; See Zhao, X. P., 2133C
Huang, S. J.
—; Edelman, P. G.: Polyetherurethaneureas Containing Diacetylene in the Hard Segments, 3C
—; See Iannace, S., 2691C
Huang, S.-L. See Gu, J.-T., 555B
Huang, X. See Dong, J.-H., 891B
Huang, X. L. See Liu, D., 1795B
Huang, Y. J.
—; Lee, L. J.: Optimization of Diffusion-Controlled Free Radical Polymerizations in Lumped-Parameter Systems, 2353A
Hunter, D. H. See Foerch, R., 1903B
Hur, T.
—; Manson, J. A.; Hertzberg, R. W.; Sperling, L. H.: Fatigue Behavior of Acrylic Interpenetrating Polymer Networks. II, 1933A
Hurley, S. M.
—; Stackman, R. W.; Orler, E. B.: Water Solubility Characteristics of Some Ion-Containing Acrylic Copolymers, 2151B
Hutchinson, R. A.
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. VIII. Monomer Sorption Effects, 51C

Iannace, S.
—; De Luca, N.; Nicolais, L.; Carfagna, C.; Huang, S. J.: Physical Characterization of Incompatible Blends of Polymethylmethacrylate and Polycaprolactone, 2691C
Idage, B. B. See Idage, S. B., 1023B, 2207C
Idage, S. B.
—; Idage, B. B.; Vernekar, S. P.: Poly-1,2,4-Triazoles Containing Arylene Sulfone Ether Linkages, 2207C
—; Idage, B. B.; Gunjikar, V. G.; Vernekar, S. P.: Polyimides and Polyamide–Imides Containing Arylene Sulfone Ether Linkages, 1023B
Igawa, M. See Hayashita, T., 561A
Ihm, S.-K. See Kang, K.-S., 1303B
Iijima, T.
—; Hiraoka, H.; Tomoi, M.; Kakiuchi, H.: Synthesis and Properties of New Tetrafunctional Epoxy Resins Containing Oxyethylene Units, 2301C
—; See McGregor, R., 2769C
Ikada, Y. See Uchida, E., 677C; Uyama, Y., 489A, 619C
Ikada, Y. See Uyama, Y., 1045A, 489A
Im, H. S. See Im, S. S., 1517C
Im, J. See Ma, M., 669B
Im, S. S.
—; Im, H. S.; Kang, E. Y.: The Electrical and Physical Properties of CuS- and CdS–Polyacrylonitrile Composite Films Prepared by Using the Organosol Method, 1517C
Imai, Y. See Kajiyama, M., 1699A; Otsuki, T., 1433B
Imazawa, Y. See Omi, S., 631C
Inagaki, N.
—; Tasaka, S.; Takami, Y.: Durable and Hydrophobic Surface Modification by

Plasma Polymers Deposited from Acetylene/Hexafluoroacetone Ethylene/Hexafluoroacetone, and Ethane/Hexafluoroacetone Mixtures, 965C
—; Tasaka, S.; Park, M. S.: Gas Separation Membrane Made by Plasma Polymerization of 1,3-Ditrifluoromethylbenzene/CF_4 Mixture, 143B
—; See Ohkubo, J., 349C
Incarnato, L. See Nobile, M. R., 2723C
Inoue, H.
—; Matsumoto, A.; Matsukawa, K.; Ueda, A.; Nagai, S.: Surface Characteristics of Fluoroalkylsilicone—Poly (methyl Methacrylate) Block Copolymers and Their PMMA Blends, 1917B
—; Matsumoto, A.; Matsukawa, K.; Ueda, A.; Nagai, S.: Surface Characteristics of Polydimethylsiloxane–Poly (methyl Methacrylate) Block Copolymers and Their PMMA Blends, 1815C
—; See Sada, E., 2427C
Iriyama, Y.
—; Yasuda, T.; Cho, D. L.; Yasuda, H.: Plasma Surface Treatment on Nylon Fabrics by Fluorocarbon Compounds, 249A
Iroh, J.
—; Bell, J. P.; Scola, D. A.: Thermoplastic Matrix Composites by Aqueous Electrocopolymerization onto Graphite Fibers, 735C
Ise, N. See Kitano, H., 241A; Yan, C., 89B
Ishigaki, I. See Kadir, Z. A., 799B; Momose, T., 1221A
Ishikawa, S.
—; Fukutomi, T.: Observation Technique of Polymer Micelle by Using Transmission Electron Microscope, 1547B
Ishikiriyama, K. See Yamada-Nosaka, A., 2443A
Ishitani, A. See Takahagi, T., 1451C
Islam, M. A. See Dimov, A., 2513C
Iso, M. See Omi, S., 631C
Ito, H. See Abe, T., 1223B
Ito, K. See Yamashita, K., 1445B
Ito, M.
—; Miya, H.; Watanabe, M.; Kanamoto, T.: Two-Stage Drawing of Acetone Treated Poly(ethylene Terephthalate) Fibers, 543B
—; Takahashi, K.; Kanamoto, T.: Preparation of High-Modulus and High-Strength Fibers from High Molecular Weight Poly(ethylene Terephthalate), 1257B
Ito, T. See Kunugi, T., 2101B
Itoh, M.
—; Shiota, T.: Effect of Intramolecular Hydroxyls on Electron Beam Polymerization and Photopolymerization of Acrylate Monomers, 145A
—; See Yamaura, K., 905B
Iwamoto, A. See Song, K.-H., 1769A
Iwata, N. See Higuchi, A., 709B
Iwatsuki, M. See Hayashi, T., 1803A
Iyengar, L. See Udaybhaskar, P., 739A
Iyer, K. R. K. See Doke, S. S., 1967A
Iyer, V.
—; Varadarajan, P. V.; Sawakhande, K. H.; Nachane, N. D.: Preparation of Superabsorbents by Gamma-Ray Radiation, 2259A
Izuo, R. See Sata, T., 2349C

Jagadeesh, K. S.
—; Siddaramaiah; Kalpagam, V.: Differential Scanning Calorimetry Cure Studies on the Effect of Addition of Epoxy Diluents to Tetrafunctional Epoxy Resins, 1281B
Jahagirdar, C. J.
—; Venkatakrishnan, S.: Antisoiling of Polyester (PET) by a Novel Method of Plasma Treatments and Its Evaluation by Color Measurement, 117C
Jain, A. See Bajpai, U. D. N., 2187A
Jain, A. K.
—; Gupta, V. B.: An Infrared Spectroscopic Study of Molecular Orientation in Heat-Set Poly(ethylene Terephthalate) Yarn Using Attenuated Total Reflection Technique, 2931C
—; See Gupta, A. K., 515A
Janke, A. See Hofmann, D., 1595A
Jansen, A. E. See Buys, H. C. W. M., 1261C
Jarry, J. P. See Le Bourvellec, G., 319A
Jayakrishnan, A. See Chithambara Thanoo, B., 1153A
Jeng, J.-T. See Tsai, H.-B., 471A
Jeong, H. M. See Kim, B. K., 1805B
Jha, N. K. See Bajaj, P., 203B
Jiang, B. See Yu, X., 2649C
Jiang, Y.-Y. See Dong, J.-H., 891B; Lu, H., 1389A
Jianzong, L.
—; Shiyuan, C.; Xiaoming, X.: Mechanism of Flame-Retardant Action of Tris(2,3-Dichloropropyl) Phosphate on Epoxy Resin, 417B
Jin, C.
—; Guo, Q.: A New Method for Rapid Evaluation of Long-Chain Branching in Polymers, 2383C
Jin, G. See Omote, T., 929C

Jin, Z. See Chen, H., 427C
Johansson, K. See Cho, D. L., 1373C
Johncock, P.
Effect of Absorbed Water on Undercured Epoxy/Amine Thermosets, 613C
Jones, C. K. See Mauritz, K. A., 1401B
Jones, F. N. See Chen, G.-F., 2517C
Joseph, M. D. See Harris, R. F., 487C, 509C
Joshi, M. See Halder, R. S., 1251A
Jun, Q. B. See Rabek, J. F., 1569A

Kadir, Z. A.
—; Yoshii, F.; Hosoi, F.; Makuuchi, K.; Ishigaki, I.: Durability of Radiation-Sterilized Polymers, XI. The Effect of Irradiation on Rubber Gloves, 799B
Kajiyama, M.
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of Multiblock Copolymers Based on Polydimethylsiloxane and Piperazine-Aromatic Polyamides, 1699A
Kakimoto, M.-A. See Kajiyama, M., 1699A; Otsuki, T., 1433B
Kakinoki, H. See Yen, C.-C., 53B
Kakiuchi, H. See Iijima, T., 2301C
Kaku, T. See Kitano, H., 241A
Kaliaguine, S. See Barry, A. O., 31A
Kalpagam, V. See Jagadeesh, K. S., 1281B
Kamal, H. See Hegazy, E.-S. A., 1029A
Kanamoto, T. See Ito, M., 543B, 1257B
Kang, E. T. See Khor, S. H., 2015B
Kang, E. Y. See Im, S. S., 1517C
Kang, K.-S.
—; Ok, M.-A.; Ihm, S.-K.: Effect of Internal Lewis Bases on Recrystallized $MgCl_2$–$TiCl_4$ Catalysts for Polypropylene, 1303B
Kao, K. C. See Liu, D., 1795B
Kapur, G. S.
—; Brar, A. S.: Mössbauer Studies of Ferric Chloride Containing Ethyl Methacrylate-*n*-Butyl Methacrylate Copolymer, 2031C
Karaivanova, M.
—; Mihailova, N.; Gjurova, K.: The Effect of Sulfur- and Nitrogen-Containing Fire Retardants on Reducing the Flammability of a Polychloroprene Composition Used for Cables, 1939B
Karasz, F. E. See Bánhegyi, G., 435B
Kasai, A. See Takenaga, M., 1689A
Kasakevich, M. L.
—; Moet, A.; Chudnovsky, A.: A Crack Layer Approach to Fatigue Crack Propagation in High Density Polyethylene, 395A
Kaszás, G.
—; Puskás, J. E.; Kennedy, J. P.: New Thermoplastic Elastomers of Rubbery Polyisobutylene and Glassy Cyclopolyisoprene Segments, 119A
Katagiri, J. See Nagai, A., 2241C
Katime, I. See Gonzalez Orozco, J. A., 2219B; Rego, J. M., 1453B
Katsamberis, D.
—; Pappas, S. P.: Catalysis of Isocyanate–Alcohol and Blocked-Isocyanate–Alcohol Reactions by Amidines, 2059C
Katz, H. E.
—; Bohrer, M. P.; Mixon, D. A.; Alonzo, J.; Markham, J.; Sohn, J. E.; Cox, D. I.: Pilot Plant Synthesis of Methacrylate Copolymer Precursors to Nonlinear Optical Materials, 1711B
Kaur, I.
—; Barsola, R.: Grafting onto Polypropylene. V. Graft Copolymerization of 4-Vinyl Pyridine and Binary Mixture of 4-Vinyl Pyridine with Acrylonitrile by Preirradiation Method, 2067C
Kawade, M. See Ohsawa, T., 1733A
Kawasumi, T. See Kunugi, T., 2101B
Kearney, F. R. See Grubb, D. T., 695A
Kejun, Y.
—; Zenquan, Q.; Chuanyao, Y.: Copolymerization of *Cis*-Butenedioic Acid with Sodium Methallylsulfonate in an Aqueous Solution, 1529B
Kelley, S. S.
—; Ward, T. C.; Glasser, W. G.: Multiphase Materials with Lignin. VIII. Interpenetrating Polymer Networks from Polyurethanes and Polymethyl Methacrylate, 2813C
Kennedy, J. P. See Kaszás, G., 119A
Kereszti, H. See Rabek, J. F., 1569A
Keskkula, H. See Kim, J. H., 183B
Kesting, R. E.
The Four Tiers of Structure in Integrally Skinned Phase Inversion Membranes and Their Relevance to the Various Separation Regimes, 2739C
—; Fritzsche, A. K.; Murphy, M. K.; Cruse, C. A.; Handermann, A. C.; Malon, R. F.; Moore, M. D.: The Second-Generation Polysulfone Gas-Separation Membrane. I. The Use of Lewis Acid: Base Complexes as Transient Templates To Increase Free Volume, 1557B
—; Fritzsche, A. K.; Cruse, C. A.; Moore, M. D.: The Second-Generation Polysulfone Gas-Separation Membrane. II. The Relationship between Sol Properties, Gel Macrovoids, and Fiber Selectivity, 1575B
—; See Fritzsche, A. K., 1949A, 19B, 713C
Khan, T. A. See Andrews, E. H., 595C
Khanna, A. See Kumar, A., 2077C
Khanna, Y. P.
Evaluation of Thermal History of Polymeric

Films and Fibers Using DSC/TMA/DMA Techniques, 569B
—; Taylor, T. J.: A New Approach to Monitor Liquid Permeability through Plastic Containers, 435C
Khattab, M. A.
—; Price, D.; Horrocks, A. R.: The Inhibition of Spontaneous Ignition by Flame-Retarding Cotton Fabrics, 3069C
Kheradmand, H.
—; François, J.; Plazanet, V.: Effect of Additives on the Degradation of Acrylamide–Acrylic Acid Copolymer in Aqueous Solution, 1847A
Khor, S. H.
—; Neoh, K. G.; Kang, E. T.: Synthesis and Characterization of Some Polyaniline–Organic Acceptor Complexes, 2015B
Kikuchi, H. See Shintani, H., 661C
Kim, B. K.
—; Jeong, H. M.; Lee, Y. H.: Melt Rheology of Poly (ethylene Terephthalate), Polyarylate, and Their Blends, 1805B
Kim, H. D.
—; Paul, D. R.: Comparison of the Properties of Thermotropic Liquid Crystalline Copolyesters Containing Different Dissymmetrical Units, 1843C
—; Paul, D. R.: Preparation and Properties of a Series of Thermotropic Liquid Crystalline Copolyesters, 155B
Kim, I.
—; Kim, J. H.; Woo, S. I.: Kinetic Study of Ethylene Polymerization by Highly Active Silica Supported $TiCl_4/MgCl_2$ Catalysts, 837A
Kim, J. H.
—; Keskkula, H.; Paul, D. R.: Toughening of SMA Copolymers with an SAN-Grafted Rubber, 183B
—; See Kim, I., 837A
Kim, M.
—; Saito, K.; Furusaki, S.; Sugo, T.; Okamoto, J.: Synthesis of New Polymers Containing Tannin, 855A
Kim, S. C. See Park, K. C., 639A
Kim, W. N.
—; Burns, C. M.: Phase Behavior of Blends of Polycarbonate with Partially Miscible Polymers, 1575C
Kim, Y. K. See Park, Y. H., 1487B
Kimoto, M.
—; Nagata, I.; Minowa, A.; Moriwaki, K.; Watanabe, T.: Evaluation of Disbondings and Measurement of Poisson's Ratio for Plastic Composites Using Holographic Interferometry, 1085B
Kimura, Y. See Morita, H., 753B
Kirikawa, S. See Yamaura, K., 2453C
Kishi, S. See Amari, T., 139C
Kishimoto, Y.
—; Ohshima, T.; Hashimoto, M.; Hayashi, T.: A Consideration of Secondary Electron Emission from Organic Solids, 2055A
Kitamaru, R. See Yokota, H., 783C
Kitano, H.
—; Hasegawa, M.; Kaku, T.; Ise, N.: Isothiocyanato-Substituted Hydrophilic Polymer Beads for Immobilization of Enzymes, 241A
—; See Yan, C., 89B
Kitao, T. See Morita, H., 753B
Kitayama, A. See Nakamura, Y., 1045A
Kitazumi, T. See Momose, T., 1221A
Kito, T. See Yoshinaga, K., 1443C
Kitoh, S.
—; Miyake, M.; Hayashi, S.; Kurita, K.: Studies on Adhesive Monomers for Teeth. V. Influence of Substituents in Methacrylamide Derivatives, 103A
Klein, A. See Dimitratos, J., 1005B; Lock, M. R., 2129A
Klemm, D. See Schnabelrauch, M., 621A
Klier, J. See Harland, R. S., 249C
Koda, S. See Nomura, H., 2959C
Kohn, D. H. See Angelovici, M. M., 485B
Kojima, Y.
—; Ohta, T.; Matsushita, M.; Takahara, M.; Kurauchi, T.: Thermal Shock Resistance of Plastic IC Package, 2199C
Kokta, B. V. See Maldas, D., 917B, 185C; Raj, R. G., 645B
Konar, J.
—; Ghosh, R.: Characterization of Oxidized LDPE by Solid State Fluorescence Spectra, 719B
Konar, R. S. See Sarkar, S., 1061A
Konda, A. See Tsukada, M., 1213C
Kondo, S. See Lin, J.-K., 2113B, 2123B
Konno, M. See Tsuji, T., 1351C
Kontou, E.
—; Spathis, G.: Elastic Behavior of Natural Rubber Filled Vulcanizates, 649A
Koppelmann, J. See Fleischmann, E., 1115C
Kops, J. See Skovby, M. H. B., 169A
Koran, Z. See Barry, A. O., 31A
Kosai, K. See Nishioka, N., 2007B, 2857C
Koseki, K. See Omote, T., 929C
Koshijima, T. See Awa, E. M., 1601B
Kössler, I. See Netopilík, M., 1115B
Kostanski, L. K.
Bulk Polymerization of Diallyl Benzene-Dicarboxylates. II. Effect of Temperature on the Gel Point, 2399C
Kosuda, K.-I. See Yamaura, K., 905B
Kothandaraman, H.
—; Venkatarao, K.; Chithambara Thanoo, B.:

Crosslinking Studies of Polyether–Ester-Based Polyurethane Systems, 943A
Kotzeva, L.
—; Mateva, R.: Alcoholysis of Copolymers of Vinyl Acetate with Itaconic Acid, 1419A
Kowalewska, W. See Podkościelny, W., 1649A
Kramer, V. See Murthy, N. S., 249B
Kratochvíl, P. See Netopilík, M., 1115B
Kringstad, K. P. See Reimann, A., 39C; Yoshida, H., 1819B
Krishnamurti, N. See Shantha, K. L., 945C
Kronberg, B. See Sundberg, D. C., 1425C
Kubát, J.
—; Rigdahl, M.; Welander, M.: Characterization of Interfacial Interactions in High Density Polyethylene Filled with Glass Spheres Using Dynamic-Mechanical Analysis, 1527A
—; Boldizar, A., 63A
Kubín, M. See Netopilík, M., 1115B; Podzimek, Š., 1151C, 1161C
Kubota, H.
—; Hata, Y.: Benzil-Sensitized Photografting of Methacrylic Acid on Low-Density Polyethylene Film, 1071B
—; Hata, Y.: Distribution of Methacrylic Acid-Grafted Chains Introduced into Polyethylene Film by Photografting, 689C
—; Yoshino, N.; Ogiwara, Y.: Vapor Phase Photografting on Low-Density Polyethylene Film in Binary Monomer Systems, 1231A
Kuckoff, E. J. See Adduci, J. M., 129C
Kukacka, L. E. See Sugama, T., 1857B
Kulkarni, M. G. See Shah, S. S., 2437C
Kultys, A.
—; Podkoscielny, W.: Polyesters Containing Sulfur. I. Products of Melt Polycondensation of Diphenylmethane-4,4′-Di(methylthioacetic Acid) with Some Diols, 715A
Kumakura, M.
—; Yoshida, M.; Asano, M.: Adsorption of γ-Globulin on Polymer Surfaces Having Various Chemical and Physical Structures, 177C
Kumar, A.
—; Khanna, A.: Analytical Solution of Reversible Step Growth Polymerization in Semibatch Reactors, 2077C
—; Sood, A.: Modeling of Polymerization of Urea and Formaldehyde Using Functional Group Approach, 1473B
Kumar, R. See Varma, I. K., 531B
Kumar, R. A. See Bajaj, P., 203B
Kumar, S. See Mehta, I. K., 1171C
Kumar, S. S. See Venkateswaran, R., 2783C
Kumazawa, H. See Sada, E., 1391B, 2427C
Kunisada, H. See Lin, J.-K., 2113B, 2123B
Kunugi, T.
—; Kawasumi, T.; Ito, T.: Preparation of Ultra-High Modulus Polyvinyl Alcohol Fibers by the Zone-Drawing Method, 2101B
—; Yoneyama, Y.; Porter, R. S.: Coextrusion of it-Polypropylene Film, 455C
Kuo, J.-C. See Liu, J.-H., 2207B
Kuo, W. F. See Chen, M. S., 1053B
Kuo, W.-F. See Tsai, H.-B., 233A
Kuranuki, N. See Yamaura, K., 2453C
Kurauchi, T. See Kojima, Y., 2199C; Shiga, T., 2305A
Kuriakose, A. P. See Peethambaran, N. R., 975C
Kuriakose, B. See Peethambaran, N. R., 975C
Kurita, K. See Kitoh, S., 103A
Kurokawa, Y. See Suzuki, F., 371A
Kusumoto, K. See Mizutani, Y., 1087A
Kuznetsov, V. I. See Zhitariuk, N. I., 1971B
Kwei, T. K. See Yang, T. P., 1327C
Kyu, T. See Nakajima, N., 889C

La Mantia, F. P. See Curto, D., 865A
LaCasse, M. See Natansohn, A., 899B
Lahalih, S. M.
—; Hovakeemian, G.: Water-Soluble Sulfonated Amino-Formaldehyde Resins. V. Effect of Reaction Conditions on Molecular Weight Distribution, 741B
Lai, J. Y.
—; Chao, Y. C.: Plasma-Modified Nylon 4 Membranes for Reverse Osmosis Desalination, 2293A
Laivins, G. V. See Croteau, J.-F., 2377A
Lam, P. W. K.
—; Plaumann, H. P.; Tran, T.: An Improved Kinetic Model for the Autocatalytic Curing of Styrene-Based Thermoset Resins, 3043C
Lam, T. M. See Suspene, L., 1347A
Lamoureux, L. See Bataille, P., 1815A
Lanauze, J. A.
—; Myers, D. L.: Ink Adhesion on Corona-Treated Polyethylene Studied by Chemical Derivatization of Surface Functional Groups, 595B
Landry, C. J. T. See Fitzgerald, J. J., 1727B
Laoharojanaphand, P.
—; Lin, T. J.; Stoffer, J. O.: Glow Discharge Polymerization of Reactive Functional Silanes on Poly (methyl Methacrylate), 369B
Lapasin, R.
—; Pricl, S.; Paoletti, S.; Zanetti, F.: Novel

Rheological Model for the Gelation Kinetics of Ionic Polysaccharides, 1395C
Laskiewicz, B.
—; Wcislo, P.: Sodium Cellulose Formation by Activation Process, 415A
Lata, K. V. See Pandya, M. V., 1357B
Latha, P. B. See Sasidharan Achary, P., 151C
Lati, Y. See Belfer, S., 2073B
Latiff Ayub, A.
—; Ling, S. S. M.: Adsorption of a Functionalized Polymer from Dilute Nonaqueous Solutions by Silica, 419C
Latocha, C.
—; Balcerowiak, W.: Studies on the Aging Process of a Highly Condensed Resol Resin, 13B
Lawandy, S. N.
—; Wassef, M. T.: Penetration of Oils into Polychloroprene Rubber, 323B
Lawson, D. F.
—; Hergenrother, W. L.; Matlock, M. G.: Preparation and Characterization of Heterophase Blends of Polycaprolactam and Hydrogenated Polydienes, 2331A
Lay, J. O., Jr. See Viswanathan, T., 2595C
Le Bourvellec, G.
—; Beautemps, J.; Jarry, J. P.: Stretching of PET Films under Constant Load. I. Kinetics of Deformation, 319A
—; Beautemps, J.: Stretching of Pet Films under Constant Load. II. Structural Analysis, 329A
Lecacheux, D. See De Jaeger, R., 1793A
Lee, C. See Tsai, H.-B., 1499B
Lee, C. H.
—; Mallinson, R. G.: Surfactant Effects in the Emulsion Polymerization of Vinyl Acetate, 2205A
Lee, D. S. See Park, Y. H., 1487B
Lee, H.-R.
—; Lee, Y.-D.: Solubility Behavior of an Organic Soluble Polyimide, 2087B
—; See Lee, Y.-D., 877C
Lee, L. J. See Huang, Y. J., 2353A; Wang, K. J., 1055C
Lee, L.-T. See Yang, C.-P., 1995C
Lee, S.
—; Rengarajan, R.; Parameswaran, V. R.: Solid Phase Graft Copolymerization: Effect of Interfacial Agent, 1891C
—; See Rengarajan, R., 1783A
Lee, S. Y. See Goh, S. H., 2243B, 1391C
Lee, Y. D.
—; Phillips, P. J.: Characteristics and Annealing Behavior of Polyethylenes Designed for Use as Underground Insulation, 263B
Lee, Y.-D.
—; Lu, C.-C.; Lee, H.-R.: Synthesis, Characterization, and Properties of Photosensitive Silicon-Containing Copolyimides, 877C
—; Ting, M.-I.: Studies of Addition Type Polyimidesulfones and Their Composites, 2177C
—; See Lee, H.-R., 2087B; Tseng, T.-Y., 1651C
Lee, Y.-D. See Kim, B. K., 1805B
Lei, G. D.
—; Choi, K. Y.: A Melt Prepolymerization of Poly(ethylene Terephthalate) in Semibatch Stirred Reactors, 2987C
Leite, N. F.
—; Franzan, A. H.; Torres-Filho, A.; Miranda, L. C. M.: Dielectric Constant, Optical Transmission, and Thermal Diffusivity Monitoring of Iodine-Impregnated Polystyrene Films, 1361A
Lenka, S.
—; Nayak, P. L.; Prusty, B. C.: Dyeing of Textile Fibers through Redox Polymerization. I. Dyeing Nylon-6 Fiber Using Potassium Peroxydiphosphate–Thiourea Redox System, 3087C
—; See Basak, A., 311C; Nayak, P. K., 1491C, 2577C
Lenz, J.
—; Esterbauer, H.; Sattler, W.; Schurz, J.; Wrentschur, E.: Changes of Structure and Morphology of Regenerated Cellulose Caused by Acid and Enzymatic Hydrolysis, 1315C
Lertola, J. G.
—; Schultz, J. M.: Consolidation of High-Modulus PET Laminates and the Role of Chemical Healing, 113B
Li, G.-F. See Lu, H., 1389A
Li, W. See Fried, J. R., 1123C; Cao, T., 1965C
Li, Y.
—; Williams, H. L.: A Dynamic-Mechanical Study of Polycarbonate-Polystyrene Blends, 1881B
—; Williams, H. L.: A Dynamic-Mechanical Study of Polycarbonate-Polyester Blends, 1891B
Liao, Y.-T.
—; Lin, C.-R.; Liu, W.-L.: High-Performance Thermoplastic Toughened BMI Matrix System. II. Interface Study, 2239B
Lillya, C. P. See Chien, J. C. W., 775C
Lim, K.-H. See Sauer, B. B., 2419A
Lim, S. L.
—; Fane, A. G.; Fell, C. J. D.: Radiation-Induced Grafting of Regenerated Cellulose Hollow-Fiber Membranes, 1609C

Lin, C. H.
—; Maeda, M.; Blumstein, A.: Fibers from Flexible Liquid Crystal Main-Chain Polymers. II. Functional Copolymers Based on the 4,4′-Dihydroxy-2,2′-Dimethylazoxybenzene Mesogen and Spacers Based on 2-Dodecenedioic and Nonanedioic Acids, 1009C
—; See Blumstein, A., 995C
Lin, C.-R. See Liao, Y.-T., 2239B
Lin, J.-K.
—; Yuki, Y.; Kunisada, H.; Kondo, S.: Synthesis and Characterization of New Aromatic Polyamides, Polyimides, and Polyureas Containing 1,3,5-Triazine Rings, 2113B
—; Yuki, Y.; Kunisada, H.; Kondo, S.: Synthesis and Characterization of New Aromatic Polymers Containing Long Alkyl Side Chains and 1,3,5-Triazine Rings, 2123B
Lin, M.-T. See Liu, J.-H., 2161B
Lin, T. J. See Laoharojanaphand, P., 369B
Linde, H. G.
Polyamic Acid Interactions with Aminopropylsilane Surface Conditioners on Metal, 613B
Polyamic Acid Interactions at Metal Surfaces, 2049B
Lindt, J. T. See Ghosh, A. K., 1553A
Ling, S. S. M. See Latiff Ayub, A., 419C
Liu, D.
—; Liu, F. Y.; Huang, X. L.; Qu, F. Q.; Kao, K. C.: Some Mechanical and Electrical Properties of Polyfluoro-*p*-Xylylene Films Prepared by Chemical Vapor Deposition, 1795B
Liu, F. Y. See Liu, D., 1795B
Liu, J.
—; Wei, X.; Guo, Q.: The β-Crystalline Form of Wollastonite-Filled Polypropylene, 2829C
Liu, J.-H.
—; Chen, M.-Y.; Lin, M.-T.: Application of UV-Curable Diazoresin. I. Immobilization of Glucose Oxidase into PVA in the Presence of UV-Sensitive Diazoresin and Sensitizers, 2161B
—; Kuo, J.-C.: Synthesis of Polymeric Chiral Oxazoline and Its Applications on the Asymmetric Induction, 2207B
Liu, N. C.
—; Baker, W. E.; Russell, K. E.: Functionalization of Polyethylenes and Their Use *in* Reactive Blending, 2285C
Liu, R.-Q. See Viswanathan, T., 2595C
Liu, W.
—; He, T.: Stress Relaxation of Reptating Chains of Acrylonitrile–Butadiene Copolymer in End-linked Acrylonitrile–Butadiene Copolymer Networks, 83C
Liu, W.-L. See Liao, Y.-T., 2239B; Ma, C.-C. M., 1399A
Liu, Z.-F. See Xiao, C.-F., 439C
Lock, M. R.
—; El-Aasser, M. S.; Klein, A.; Vanderhoff, J. W.: Investigation of the Persulfate/Itaconic Acid Interaction and Implications for Emulsion Polymerization, 2129A
Loi, P. S. T. See Burfield, D. R., 1095C
Long, F. See Cao, T., 1965C
Long, G. J. See Ennis, B. C., 2837C
Longley, K. L. See Schmidhauser, J. C., 2083A
Lopez, L. C. See El-Naggar, A. M., 427A
Lorenzo, V.
—; Pereña, J. M.: Comparative Study of Orientation in Hot-Drawn Poly(ethylene Terephthalate) by Means of Refractive Index and Microhardness Measurements, 1467A
Low, I. M.
Toughening of Epoxies by Thermal Expansion Mismatch, 759A
Lu, C.-C. See Lee, Y.-D., 877C
Lu, H.
—; Li, G.-F.; Fang, S.-B.; Jiang, Y.-Y.: Fluorescent Properties of Polymer–Rare Earth Ion Complexes. II. Poly(acrylic Acid-co-Acrylamide)–Rare Earth Ion Complexes, 1389A
Lucki, J. See Rabek, J. F., 1569A
Luiten, A. H. See Postema, A. R., 1265A, 1275A
Lundberg, R. D. See Agarwal, P. K., 1479C

Ma, C.-C. M.
—; Hsiue, L.-T.; Wu, W.-G.; Liu, W.-L.: Rheological and Morphological Properties of Thermal-Aged Poly(phenylene Sulfide) Resin, 1399A
Ma, M.
—; Im, J.; Hiltner, A.; Baer, E.: Fatigue Crack Propagation in Microlayer Composites of Polycarbonate and Poly(styrene–Acrylonitrile), 669B
MacDiarmid, A. G. See Mantovani, J. G., 1693B
MacGregor, J. F. See Cuadrado, T. R., 867B
Machell, J. S. See Greener, J., 221B
Madjarova, N. A. See Gitsov, I., 2705C
Madruga, E. L.
—; San Román, J.; Benedi, P.: High Conversion Polymerization of Methyl Methacrylate in the Presence of *n*-Dodecylmercaptan, 1133C

Maeda, H.
—; Egawa, H.: Studies of Selective Adsorption Resins. XXVI. Removal of Calcium and Magnesium Ions in a Salt Solution with Chelating Resin Containing Aminomethylphosphonic Acid Groups, 1519A
Maeda, M. See Lin, C. H., 1009C
Mahalingam, R. See Segelke, S., 297B
Mahata, P. K.
—; Nayak, B.: Electroinitiated Polymerization of Commercial Divinylbenzene in Acetonitrile Medium, 1017A
Maiti, S. N. See Gupta, A. K., 515A
Makuuchi, K. See Kadir, Z. A., 799B
Malawer, E. G. See Chung, K. H., 793C
Maldas, D.
—; Kokta, B. V.: Effects of Coating Treatments on the Mechanical Behavior of Wood-Fiber-Filled Polystyrene Composites. I. Use of Polyethylene and Isocyanate as Coating Components, 917B
—; Kokta, B. V.: Influence of Phthalic Anhydride as a Coupling Agent on the Mechanical Behavior of Wood Fiber–Polystyrene Composites, 185C
Malfait, T.
—; Slootmaekers, D.; Van Cauwelaert, F.: High Performance Size-Exclusion Chromatography of Anionic Polymers in Aqueous Solutions, 571A
Malhotra, B. D.
—; Ghosh, S.; Chandra, R.: Polyaniline/Polymeric Acid Composite, a Novel Conducting Rubber, 1049B
Mallinson, R. G. See Lee, C. H., 2205A
Malon, R. F. See Kesting, R. E., 1557B
Malone, M. F. See Steppan, D. D., 603A
Manevitch, L. I.
—; Zarkhin, L. S.; Enikolopian, N. S.: Nonlinear Dynamics and the Problem of Polymer Fracture, 2245A
Mann, G. E. See Floyd, S., 1933C
Manson, J. A. See Hur, T., 1933A
Manson, J.-A. E. See Nelson, K. M., 301C
Mantovani, J. G.
—; Warmack, R. J.; Annis, B. K.; MacDiarmid, A. G.; Scherr, E.: Investigation of Surface Morphology of Emeraldine Hydrochloride by Scanning Tunneling Microscopy, 1693B
Marcandalli, B. See Dubini-Paglia, E., 765C
Marcinko, J. J. See Parker, A. A., 1717B
Mariella, R. P., Jr. See Bolts, J. M., 785A
Markham, J. See Katz, H. E., 1711B
Martel, P.
—; Gould, J. M.: Cellulose Stability and Delignification after Alkaline Hydrogen Peroxide Treatment of Straw, 707A
Martin, G. C. See Heise, M. S., 721A
Martin, J.
Comments on the Length of Long Chain Branches in LDPE Calculated by Bugada and Rudin, 1801B
Martinovicz, V. I. See Osipenko, I. F., 935A
Martins, C. See Alves da Silva, M., 1629C
Maruyama, T. See Suto, S., 2179A
Mashelkar, R. A. See Ravetkar, D. D., 769A; Ravindranath, K., 1325A; Shah, S. S., 2437C
Mateva, R. See Kotzeva, L., 1419A
Mathisen, T.
—; Albertsson, A.-C.: Hydrolytic Degradation of Melt-Extruded Fibers from Poly(β-Propiolactone), 591A
Mathot, V. B. F.
—; Pijpers, M. F. J.: Molecular Structure, Melting Behavior, and Crystallinity of 1-Octene-Based Very Low Density Polyethylenes (VLDPEs) as Studied by Fractionation and Heat Capacity Measurements with DSC, 979A
Matlock, M. G. See Lawson, D. F., 2331A
Matsukawa, K. See Inoue, H., 1917B, 1815C
Matsumoto, A. See Inoue, H., 1917B, 1815C
Matsumoto, M. See Omi, S., 631C
Matsumoto, T. See Nakamae, K., 2231B; Nakamura, Y., 1045A
Matsunaka, H. See Tsuchii, A., 1181C
Matsushita, M. See Kojima, Y., 2199C
Matsuura, T. See Chen, Y., 2169C; Miyano, T., 407C
Matsuzawa, S. See Yamaura, K., 905B, 2453C
Mauguen, P. See Bosc, D., 135B
Mauritz, K. A.
—; Jones, C. K.: Novel Poly (*n*-Butyl Methacrylate)/Titanium Oxide Alloys Produced by the Sol–Gel Process for Titanium Alkoxides, 1401B
Maxim, S. See Simionescu, C. I., 1837A
McClennen, W. H. See Richards, J. M., 1B
McGrath, J. E. See Noell, J. L. W., 1177B
McGregor, R.
—; Iijima, T.: Dimensionless Groups for the Description of Sorption Equilibria in Dyeing with Anionic Dyes. I. Inorganic Co-Ion Exclusion, 2769C
McIntyre, N. S. See Foerch, R., 1903B
Meal, L.
Identification of Structurally Similar Polymers by Second Derivative Ultraviolet Spectroscopy, 2521C
Mehrotra, K. N.
—; Shukla, R. K.; Chauhan, M.: Micellar

Behavior of Neodymium Soaps in Methanol, 1745A
Mehta, I. K.
—; Kumar, S.; Chauhan, G. S.; Misra, B. N.: Grafting onto Isotactic Polypropylene. III. Gamma Rays Induced Graft Copolymerization of Water Soluble Vinyl Monomers, 1171C
Mejzik, J. See Burfield, D. R., 1095C
Melamud, L. See Percec, S., 1853C
Melia, C. D. See Wilding, I. R., 1827A
Menon, A. R. R. See Pillai, C. K. S., 2487C
Metcalfe, E. See Carty, P., 901C
Meuzelaar, H. L. C. See Richards, J. M., 1B
Michler, G. H. See Hofmann, D., 1595A
Micko, M. M. See Šimkovic, I., 1333C
Mihailova, N. See Karaivanova, M., 1939B
Mijović, J.
Processing-Morphology-Property Relationships in Epoxy Resins Containing an Organometallic Cobalt Complex, 1337B
Processing–Morphology–Property Relationships in Epoxy Resins Containing "Fortifiers", 845B
Mijovic, J.
—; Devine, S. T.; Ho, T.: Physical Aging in Poly(Methyl Methacrylate)/ Poly(Styrene-co-Acrylonitrile) Blends. I. Stress Relaxation, 1133A
Mikkonen, R.
—; Savolainen, A.: Blends of Low Density Polyethylene/Plasticized Poly(vinyl Chloride): The Rheological, Morphological, and Mechanical Characterization, 1709A
Mikos, A. G. See Scranton, A. B., 997B
Mikroyannidis, J. A.
New Epoxy Compounds Derived from Substituted Maleamic Acids, 2625C
Self-Curing Epoxy Compounds, 2613C
Miller, J. W., Jr. See Chang, C. C., 2395A
Miltz, J. See Ramon, O., 1683B
Minor, H. See Murthy, N. S., 2265C
Minowa, A. See Kimoto, M., 1085B
Miranda, L. C. M. See Leite, N. F., 1361A
Mishra, S. B. See Moharana, S., 345B
Mishra, S. N. See Das, N. R., 1079A
Misra, A. See Halder, R. S., 1251A
Misra, B. N. See Mehta, I. K., 1171C
Mitchenko, Yu. I.
—; Fenin, V. A.; Chegolya, A. S.: Physical and Chemical Aspects of Glow Discharge Reaction on Synthetic Fibers, 2561C
Mithal, A. K. See Blumstein, A., 995C
Miwa, M. See Ohsawa, T., 1733A
Mixon, D. A. See Katz, H. E., 1711B
Miya, H. See Ito, M., 543B
Miyake, M. See Kitoh, S., 103A
Miyama, H.
—; Yokoyama, H.; Nosaka, Y.: Preparation and Application of Semiconductor–Polymer Composites, 2273C
Miyamoto, T. See Nakamae, K., 2231B
Miyano, T.
—; Matsuura, T.; Carlsson, D. J.; Sourirajan, S.: Retention of Polyvinylpyrrolidone Swelling Agent in the Poly (ether p-phenylenesulfone) Ultrafiltration Membrane, 407C
—; See Chen, Y., 2169C
Miyauchi, N. See Akashi, M., 2027A
Mizutani, Y.
—; Kusumoto, K.; Nishimura, M.; Nishimura, T.; Asada, E.: Preparation of Microporous Membranes from Cation Exchange Membranes Prepared by the Paste Method, 1087A
Mochizuki, A.
—; Amiya, S.; Sato, Y.; Ogawara, H.; Yamashita, S.: Pervaporation Separation of Water/Ethanol Mixtures through Polysaccharide Membranes. IV. The Relationships between the Permselectivity of Alginic Acid Membrane and Its Solid State Structure, 385B
—; Amiya, S.; Sato, Y.; Ogawara, H.; Yamashita, S.: Pervaporation Separation of Water/Ethanol Mixtures through Polysaccharide Membranes. V. The Relationships between the Permselectivity of Chitosan Salt Membrane and Its Solid State Structure, 633B
Moet, A. See Kasakevich, M. L., 395A
Mohan, D.
—; Radhakrishnan, G.; Rajadurai, S.: Synthesis of Casein-*g*-Poly(methyl Acrylate). II, 1507A
Mohanty, D. K. See Noell, J. L. W., 1177B
Moharam, M. A. See Rabie, S. M., 445C; Sawaby, A., 1983A
Moharana, S.
—; Mishra, S. B.; Tripathy, S. S.: Chemical Modification of Jute Fibers. I. Permanganate-Initiated Graft Copolymerization Methyl Methacrylate onto Jute Fibers, 345B
Moharram, M. A. See Rabie, S. M., 1163B
Moitra, S. See Biswas, M., 1703B
Momose, T.
—; Kitazumi, T.; Ishigaki, I.; Okamoto, J.: Radiation Grafting of α,β,β-Trifluorostyrene onto Poly(ethylene–Tetrafluoroethylene) Film by Preirradiation Method. III. Properties of Anion-Exchange Membrane Obtained by

Chloromethylation and Quaternization of the Grafted Film, 1221A
Monge, P. See Serrano, D., 679A
Moonay, D. J. See Fox, R. B., 1281C
Moore, M. D. See Kesting, R. E., 1557B, 1575B
Mörck, R. See Reimann, A., 39C; Yoshida, H., 1819B
Morgan, P. W.
Fibers from Polyurethanes Based on Halogen-Substituted Bisphenols, 2037B
Polyurethanes from Aromatic Bischloroformates, 1771B
Morita, H.
—; Uchino, N.: Magnetic Field Effect on Photocrosslinking Reaction of Directly Excited Azidomethylated Polystyrene, 2147C
—; Yamane, H.; Kimura, Y.; Kitao, T.: Alumina Fibers from Poly[((3-Ethoxypropanoyl)oxy)aloxane], 753B
Morita, M.
—; Hashida, I.: Electroconducting Polyaniline Composite Films Prepared by Chemical Oxidative Polymerization at Gas/Liquid Interface, 1073C
—; See Yamawaki, Y., 1757B
Moriwaki, K. See Kimoto, M., 1085B
Moriya, O.
—; Endo, T.: Synthesis of Organotin Polymers from Diallyl Terephthalate and Bu_3SnH, 2095C
Mortaigne, B. See Bellenger, V., 1225C
Moschiar, S. M. See Verchere, D., 467C
Mousa, A. M. See Hegazy, E. A., 2941C
Moustafa, A. B.
—; Abdel-Latif, Z. H.; Amer, L. I.: Aqueous Polymerization of Methyl Methacrylate Catalyzed by Corundum of Different Particle Sizes, 1077B
—; Aboul-Wafa, O.; Radwan, F. M.; Emam, A.: Heterogeneous Polymerization of Methyl Methacrylate in Absence and Presence of Surface Modified Cuprous Oxide, 2021C
Mrázek, Z. See Ševčík, S., 623B
Mrkvičková, L.
—; Daňhelka, J.: Characterization of Poly (*tert*-Butyl Acrylate) by SEC, 1929C
Mukherjee, A. K.
—; Patri, M.: Electrical Properties of Chlorinated Atactic Polypropylene (CAPP) and PVC–DOP–CAPP System, 1485A
Mukherjee, G. S.
—; Saraf, M. N.: Acrylonitrile–Triethylene Tetramine Adduct Hardener Systems for Epoxy Resin, 2711C
Mukhopadhyay, P.
—; Chowdhury, G.; Das, C. K.: Flow Behaviour of Polyblends of Crosslinkable Polyethylene and Silicone Elastomer with and without Silane Coupling Agent, 1833B
—; Das, C. K.: Effect of *E*/*P* Ratio on the Rheology and Morphology of Crosslinkable Polyethylene and EPDM Blends, 49A
Mukoh, A. See Nagai, A., 2241C
Munro, H. S.
—; Short, R. D.: A Study of the Low Temperature Nitration of Cellulose in Mixed Acids, 539A
Munro, H. S. See Short, R. D., 1973A
Murakata, T. See Sato, S., 2065B
Murase, Y. See Emi, S., 2753C
Murphy, C. J. See Fay, J. J., 1379B
Murphy, M. K. See Fritzsche, A. K., 1949A, 19B, 713C; Kesting, R. E., 1557B
Murthy, N. S.
—; Minor, H.; Akkapeddi, M. K.; Van Buskirk, B.: Characterization of Polymer Blends and Alloys by Constrained Profile-Analysis of X-Ray Diffraction Scans, 2265C
—; Reimschuessel, A. C.; Kramer, V.: Changes in Void Content and Free Volume in Fibers during Heat Setting and Their Influence on Dye Diffusion and Mechanical Properties, 249B
Muscato, M. R. See Sundberg, D. C., 1425C
Myers, D. L. See Lanauze, J. A., 595B

Nachane, N. D. See Iyer, V., 2259A
Nada, A. M. A.
—; Shabaka, A. A.; Yousef, M. A.; Abd-El-Nour, K. N.: Infrared Spectroscopic and Dielectric Studies of Swollen Cellulose, 731B
Nagai, A.
—; Takahashi, A.; Suzuki, M.; Katagiri, J.; Mukoh, A.: Thermal Behavior and Cured Products of Mixtures of Two Different Bismaleimides, 2241C
Nagai, S. See Agari, Y., 929B; Inoue, H., 1917B, 1815C
Nagata, I. See Kimoto, M., 1085B
Nagaya, S. See Torikai, A., 1637B
Nagieb, Z. A.
Utilization of Lignin *p*-Aminophenyl Carbamate as a Coupler for *Dyeing* Wool and *Nylon*, 2951C
Nakagawa, K.
Optical Anisotropy of Polyimide, 2049C
Nakagawa, T. See Higuchi, A., 709B, 1973C
Nakajima, A. See Emi, S., 2753C

Nakajima, N.
—; Sadeghi, M. R.; Kyu, T.: Swelling of PVC Particles during Gelation and Fusion of Plastisols as Observed with Small-Angle Light Scattering, 889C
Nakamae, K.
—; Nishino, T.; Airu, X.; Matsumoto, T.; Miyamoto, T.: Studies on Mechanical Properties of Polymer Composites by X-Ray Diffraction. I. Residual Stress in Epoxy Resin by X-Ray Diffraction, 2231B
Nakamura, A. See Shintani, H., 661C
Nakamura, Y.
—; Yamaguchi, M.; Kitayama, A.; Iko, K.; Okubo, M.; Matsumoto, T.: Internal Stress of Epoxy Resin Modified with Acrylic Polymers Produced by *In Situ* UV Radiation Polymerization, 1045A
Nakano, A. See Omi, S., 631C
Nakayama, Y. See Takahagi, T., 1451C
Nanje Gowda, N. M. See Reddy, P. V., 319C
Narkis, M. See Silverstein, M. S., 1583B
Nassar, A. M. See Rabie, S. M., 445C
Natansohn, A.
—; LaCasse, M.; Banu, D.; Feldman, D.: CP–MAS NMR Spectra of Polyurethane–Lignin Blends, 899B
—; See Brimacombe, L., 1063B
Natchimuthu, N.
—; Rajalingam, P.; Radhakrishnan, G.; Francis, D. J.: Interpenetrating Polymer Networks of Cellulose Nitrate and Castor Oil Based Polyurethanes—Development and Characterization, 3059C
Nayak, B. See Mahata, P. K., 1017A
Nayak, N. C. See Das, N. R., 1079A
Nayak, P. See Nayak, P. K., 1491C
Nayak, P. K.
—; Lenka, S.; Nayak, P.: Synthetic Resin. IX. Preparation and Characterization of Resins Prepared from Resacetophenone, Quinacetophenone/Aromatic Hydroxy, Amino and Chloro Compounds/Formaldehyde, 1491C
—; Lenka, S.; Nayak, P. L.: Synthetic Resins. X. Resin Copolymers from Hydroxy Phenacyl Bromide, Substituted Benzoic Acid/Formaldehyde, 2577C
Nayak, P. L. See Basak, A., 311C; Lenka, S., 3087C; Nayak, P. K., 2577C
Nayak, S.
—; Banthia, A. K.; Banerjee, P. C.: Aromatic Polyesters. I. Synthesis and Characterization of Poly(4,4′-Thiodiphenyl Phthalate)s, 73A
Néel, J. See Petit, A., 267C
Nelson, K. M.
—; Manson, J.-A. E.; Seferis, J. C.; Prime, R. B.: The Pyrolytic Characterization of a Surfactant/Polymer/Ceramic Composite System Using Combined Thermogravimetric Analysis-Mass Spectrometry, 301C
Neo, M. K. See Goh, S. H., 2243B
Neogi, C. See Bhowmick, A. K., 917C
Neoh, K. G. See Khor, S. H., 2015B
Netopilík, M.
—; Kubín, M.; Schultz, G.; Vohlídal, J.; Kössler, I.; Kratochvíl, P.: Degradation of Polystyrene by Shear Stress in Isopropylphenyl Phosphate Solution, 1115B
Ni, S.
—; Yu, F.; Shen, L.; Qian, B.: Dielectric and Dynamic Mechanical Behaviors of 1,2-Polybutadienes, 13C
Nicolais, L. See D'Amore, A., 1163A; Iannace, S., 2691C; Nobile, M. R., 2723C
Nierzwicki, W.
—; Walczynski, B.: A Study of Toluene Diisocyanate-Based Polyurethanes of Various Isomer Ratios, 907C
Nigam, A. N. See Swarup, S., 1727A
Nishijima, K. See Shirai, M., 2527C
Nishimura, M. See Mizutani, Y., 1087A
Nishimura, T. See Mizutani, Y., 1087A; Ueno, M., 967A
Nishino, T. See Nakamae, K., 2231B
Nishioka, N.
—; Uno, M.; Kosai, K.: Permeability through Cellulose Membranes Grafted with Vinyl Monomers in a Homogeneous System. VII. Acrylamide Grafted Cellulose Membranes, 2857C
—; Yamaguchi, H.; Kosai, K.: Permeability through Cellulose Membranes Grafted with Vinyl Monomers in a Homogeneous System. VI. States of Water in Membranes Swollen in Solutions, 2007B
Nisizawa, M.
—; Hirano, T.: Studies on Irradiation of Agar–Agar in the Solid State: On the Changes of X-Ray Diffraction of Agar–Agar Film Produced by Irradiation, 2173A
Niskanen, K. J.
—; Sadowski, J. W.: Fiber Orientation in Paper by Light Diffraction, 483A
Nitta, A. See Abe, T., 1223B
Nobile, M. R.
—; Acierno, D.; Incarnato, L.; Amendola, E.; Nicolais, L.; Carfagna, C.: Improvement of the Processability of Advanced Polymers, 2723C
Noël, D. See Cole, K. C., 1887A
Noell, J. L. W.
—; Wilkes, G. L.; Mohanty, D. K.; McGrath, J. E.: The Preparation and Characterization of New Polyether

Ketone-Tetraethylorthosilicate Hybrid Glasses by the Sol-Gel Method, 1177B
Noguchi, H. See Hayashita, T., 561A
Nomura, H.
—; Koda, S.; Hattori, F.: Viscosity of Aqueous Solutions of Polysaccharides and Their Carboxylate Derivatives, 2959C
Nonaka, T.
—; Egawa, H.: Transport of Alkali Metal and Alkali Earth Metal Ion Against Their Concentration Gradient through 2,3-Epithiopropyl Methacrylate–Methacryloyloxyethyl Phosphoric Acid Copolymer Membranes, 769B
—; Ogawa, H.; Egawa, H.: Uphill and Selective Transport of Alkali and Alkali Earth Metal Ions through 2,3-Epithiopropyl Methacrylate–2-Acrylamide-2-Methyl Propane Sulfonic Acid Copolymer Membranes, 2869C
Nosaka, Y. See Miyama, H., 2273C

Odom, R. W. See Brozolo, F. R., 1737C
O'Driscoll, K. F.
—; Ponnuswamy, S. R.: Optimization of a Batch Polymerization Reactor at the Final Stage of Conversion. II. Molecular Weight Constraint, 1299A
Ogawa, H. See Nonaka, T., 2869C
Ogawa, T.
Fractionation and Characterization of Polyacetal Copolymers by Column Elution Method, 1519B
Ogawara, H. See Mochizuki, A., 385B, 633B
Ogiwara, Y. See Kubota, H., 1231A
Ohkubo, J.
—; Inagaki, N.: Influences of the System Pressure and the Substrate Temperature on Plasma Polymers, 349C
Ohlsson, B.
—; Törnell, B.: The Use of RuO_4 in Studies of Polymer Blends by Scanning Electron Microscopy, 1189C
Ohno, M. See Torikai, A., 1023C
Ohsawa, T.
—; Miwa, M.; Kawade, M.; Tsushima, E.: Axial Compressive Strength of Carbon Fiber, 1733A
Ohshima, T. See Kishimoto, Y., 2055A
Ohta, T. See Kojima, Y., 2199C
Ok, M.-A. See Kang, K.-S., 1303B
Oka, H. See Hayashita, T., 561A
Okamoto, J. See Kim, M., 855A; Momose, T., 1221A; Saito, K., 2153A
Okkema, A. Z. See Yu, X.-H., 1777C
Okor, R. S.
Interaction of Some Solutes with Certain Cationic Polymers and Its Effect on Film Permeability, 43A
Okubo, M. See Nakamura, Y., 1045A
Okuda, S. See Yamaura, K., 905B
Omi, S.
—; Shiiyama, E.; Aita, K.; Matsumoto, M.; Iso, M.; Sakaya, M.; Nakano, A.; Imazawa, Y.: Synthesis and Fundamental Structural Analysis of Composite PVC Latices, 631C
Omorodion, S. N. E.
—; Hamielec, A. E.: Limitation and Evaluation of the Two-Broad Standard (TBS) Method of Calibration of Aqueous SEC, 875A
Omote, T.
—; Jin, G.; Koseki, K.; Yamaoka, T.: Fluorine-Containing Photoreactive Polyimide. II. Preparation and Properties of Self-Sensitized Polyimide Precursors, 929C
Onozato, K. See Suzuki, F., 371A
Oostra, H. See Postema, A. R., 1275A
Orchard, G. A. J. See Taraiya, A. K., 1659C
Orler, E. B. See Hurley, S. M., 2151B
Osipenko, I. F.
—; Martinovicz, V. I.: Grafting of the Acrylic Acid on Poly(ethylene Terephthalate), 935A
Otake, K. See Tsuji, T., 1351C
Otsu, T. See Yamashita, K., 1445B
Otsuki, T.
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of Multiblock Copolymers Based on Polyoxyethylene and Polyamides by Diisocyanate Method, 1433B
Owen, M. J.
—; Groh, J. L.: Fluorosilicone Antifoams, 789B
Oya, M. See Hayashi, T., 1803A
Özgümüş, S. See Tuğtepe, M., 83A
Ozokwelu, E. D.
Effects of Temperature and Catalyst Level on the Cure Rate of Fiber-Reinforced Plastic (FRP), 2603C

Paillet, M.
—; Peguy, A.: New Biodegradable Films from Exploded Wood Solutions, 427B
Pakdel, H. See Roy, C., 337C
Palan, B. H. See Datye, K. V., 893A
Pandya, M. V.
—; Lata, K. V.: Low Pressure Polymerization of Propylene: Kinetics, 1357B
Pang, K. P.
—; Gillham, J. K.: Competition between Cure and Thermal Degradation in a High T_g

Epoxy System: Effect of Time and Temperature of Isothermal Cure on the Glass Transition Temperature, 909A
Pantazopoulos, J. See Sundberg, D. C., 1425C
Paoletti, S. See Lapasin, R., 1395C
Papanu, J. S.
—; Hess, D. W.; Soane (Soong), D. S.; Bell, A. T.: Swelling of Poly(methyl Methacrylate) Thin Films in Low Molecular Weight Alcohols, 803A
Papaspyrides, C. D.
—; Duvis, T.: Epoxy-Pretreated Asbestos Composites: Solution Based versus Interfacial Polymerization Pretreatment Process, 361C
Pappas, S. P. See Katsamberis, D., 2059C
Parameswaran, V. R. See Lee, S., 1891C
Park, J. S. See Ruckenstein, E., 213B
Park, K. C.
—; Kim, S. C.: Bulk Polymerization of Polyurethane under High Pressure, 639A
Park, M. S. See Inagaki, N., 143B
Park, Y. H.
—; Kim, Y. K.; Lee, D. S.: Preparation of Transparent Conducting Acrylic Composite and Its Electrical Properties, 1487B
Parker, A. A.
—; Marcinko, J. J.; Shieh, Y. T.; Hedrick, D. P.; Ritchey, W. M.: A Preliminary Correlation between Macroscopic and Microscopic Polymer Properties: Dynamic Storage Modulus vs. CPMAS NMR Cross Polarization Rates, 1717B
Pascault, J. P. See Suspene, L., 1347A, 2665C, 2677C; Verchere, D., 467C
Pastýr, J. See Šimkovic, I., 1333C
Patel, P.
—; Shah, T.; Suthar, B.: Interpenetrating Polymer Networks Based on Castor Oil, XVIII, 1037B
Patel, S. K. See Rodriguez, F., 285B
Patil, D.
—; Gilbert, R. D.; Fornes, R. E.: Environmental Effects on Latex Paint Coatings. I. Base Polymer Degradation, 1641C
—; See Sankar, S. S., 1251C
Patil, D. R.
—; Smith, D. J.: Graft Copolymerization of Collagen with *N,N,N′,N′*-Tetra (2-Hydroxypropyl) Ethylene Diamine Methacrylate by Use of Potassium Persulfate as an Initiator, 1541B
Patri, M. See Mukherjee, A. K., 1485A
Paul, D. B. See Ennis, B. C., 2837C
Paul, D. R. See Kim, H. D., 155B, 1843C; Kim, J. H., 183B
Paz Abuín, S.
—; Pazos Pellín, M.: Kinetic Effects on the Impurities in Epoxy-Resin/*m*-Xylylenediamine Reaction, 2155C
Pazos Pellín, M. See Paz Abuín, S., 2155C
Pearce, E. M. See Yang, T. P., 1327C
Pedemonte, E. See Gattiglia, E., 1411C
Peethambaran, N. R.
—; George, T. K.: Effect of Prevulcanisation of Natural Rubber Latex on the Chemical and Physical Properties of Latex Thread, 1627B
—; Kuriakose, B.; Rajan, M.; Kuriakose, A. P.: Rheological Behavior of Natural Rubber Latex in the Presence of Surface-Active Agents, 975C
Peguy, A. See Paillet, M., 427B
Peiffer, D. G. See Agarwal, P. K., 1479C
Pellegrin, C. J. See Fritzsche, A. K., 1915A
Pellfolk, K. See Gedde, U. W., 477A
Peng, F. M.
Polybutadiene Grafting and Crosslinking in High-Impact Polystyrene Bulk Thermal Process, 1289B
Pennings, A. J. See Postema, A. R., 1265A, 1275A
Penwell, R. C.
—; Porter, R. S.: Pressure Effects in the Capillary Flow of Amorphous Polymers, 1355C
Peppas, N. A. See Drummond, R. K., 2267A; Harland, R. S., 249C; Scranton, A. B., 997B; Walker, C. M., 2043A
Percec, S.
—; Melamud, L.: Miscibility of Poly (acrylonitrile-co-Methyl Acrylate) with Some Thermoplastic Polymers, 1853C
Pereña, J. M. See Lorenzo, V., 1467A
Perera, M. C. S.
Reaction of Aromatic Amines with Epoxidized Natural Rubber Latex, 749A
Petit, A.
—; Néel, J.: Polymérisation Radicalaire du Pentadiène-1,3. IV. Détermination de la Composition et du "Run Number" des Copolymères de *Cis*-ou *Trans*-Pentadiène-1,3 et d'Acrylonitrile par Pyrolyse Éclair Couplée à la Chromatographie en Phase Gazeuse, 267C
Petrović, Z. S. See Bánhegyi, G., 435B
Peyrelasse, J. See Serrano, D., 679A
Phillips, P. J. See Lee, Y. D., 263B
Pichot, C. See Cansell, F., 547C
Pijpers, M. F. J. See Mathot, V. B. F., 979A
Pillai, C. K. S.
—; Prasad, V. S.; Sudha, J. D.; Bera, S. C.; Menon, A. R. R.: Polymeric Resins from Renewable Resources. II. Synthesis and

Characterization of Flame-Retardant Prepolymers from Cardanol, 2487C
—; See Antony, R., 1765C
Pillai, M. A. See Venkateswaran, R., 2783C
Pineri, M. See Zelsmann, H. R., 1673C
Ping, Z. H. See Xiao, H., 1131B
Piorkowska, E.
—; Galeski, A.: Effect of Thermal Contacts between Components on Thermal Conductivity of Multicomponent Systems, 2371C
Pirc, M. See Priddy, D. B., 41B
Plaumann, H. P. See Branston, R. E., 1149B; Lam, P. W. K., 3043C
Plazanet, V. See Kheradmand, H., 1847A
Plummer, C. J. G.
—; Donald, A. M.: The Ductile–Brittle Transition in Macroscopic Tensile Tests on Polyethersulfone, 1197C
Podkościelny, W.
—; Kowalewska, W.: Linear Polythioesters. XV. Products of Interfacial Polycondensation of 1,4-Dimercapto-Tetramethylbenzene with Some Aliphatic and Aromatic Acid Dichlorides, 1649A
—; See Charmas, W., 1623A
Podkoscielny, W. See Kultys, A., 715A
Podzimek, Š.
—; Dobáš, I.; Švestka, Š.; Horálek, J.; Tkaczyk, M.; Kubín, M.: Epoxy Resins Based on Aromatic Glycidylamines. I. Analysis of *N,N*-Diglycidylaniline by GPC and HPLC, 1151C
—; Dobáš, I.; Švestka, Š.; Horálek, J.; Tkaczyk, M.; Kubín, M.: Epoxy Resins Based on Aromatic Glycidylamines. II. Preparation of *N,N,N′,N′*-Tetraglycidyl-4,4′-Diaminodiphenylmethane from 4,4′-Diaminodiphenylmethane: Analysis of Product by GPC and HPLC, 1161C
Poliszko, S. See Hoffmann, G., 153A
Pompo, A. See D'Amore, A., 1163A
Ponnuswamy, S. R. See O'Driscoll, K. F., 1299A
Popa, M. See Simionescu, C. I., 1837A
Popa, V. I. See Simionescu, C. I., 1837A
Porter, R. S. See Brady, R. L., 1873A; Kunugi, T., 455C; Penwell, R. C., 1355C
Postema, A. R.
—; Luiten, A. H.; Pennings, A. J.: High-Strength Poly(L-Lactide) Fibers by a Dry-Spinning/Hot-Drawing Process. I. Influence of the Ambient Temperature on the Dry-Spinning Process, 1265A
—; Luiten, A. H.; Oostra, H.; Pennings, A. J.: High-Strength Poly(L-Lactide) Fibers by a Dry-Spinning/Hot-Drawing Process. II. Influence of the Extrusion Speed and Winding Speed on the Dry-Spinning Process, 1275A
Potin, Ph. See De Jaeger, R., 1793A
Prabhakara Rao, A. V. S. See Udaybhaskar, P., 739A
Pramanick, D.
—; Ray, T. T.: *In Vitro* Drug Release Profile of Bioerodable Citric Acid–Glycerol Copolymer, 1511B
Prasad, K.
—; Grubb, D. T.: Deformation Behavior of Kevlar Fibers Studied by Raman Spectroscopy, 2189C
Prasad, V. S. See Pillai, C. K. S., 2487C
Prassianakis, J. N.
Correlation of Mechanical and Acoustical Properties of Plasticized Epoxy Polymers, 2031A
Pratap, G. See Shantha, K. L., 945C
Prausnitz, J. M. See Wu, A. H., 629A
Price, D. See Horrocks, A. R., 2165A; Khattab, M. A., 3069C
Pricl, S. See Lapasin, R., 1395C
Priddy, D. B.
—; Pirc, M.: Purification of Styrene for Anionic Polymerization, 41B
—; Traugott, T. D.; Seiss, R. H.: Heat Resistant Styrene/α-Methylstyrene Copolymers Made via Continuous Anionic Polymerization at High Temperature, 383C
Prime, R. B. See Nelson, K. M., 301C
Prusty, B. C. See Lenka, S., 3087C
Puskás, J. E. See Kaszás, G., 119A
Puterman, M.
—; Fitch, R. M.: Latex Preparation and Stabilization by Hydrophobically Modified Hydroxyethyl Celluloses, 333B

Qian, B. See Ni, S., 13C
Qipeng, G.
—; Hechang, X.; Dezhu, M.: Effect of Temperature on Gas Permeation of Polymer Blends. I. Poly(ethylene Oxide)/Copolyester–Polyurethane, 2321A
—; Hechang, X.; Dezhu, M.: Effect of Temperature on Gas Permeation of Polymer Blends. II. Copolyester/Copolyester–Polyurethane, 581B
Qu, F. Q. See Liu, D., 1795B
Qunji, X. See Deli, G., 1141B

Rabek, J. F.
—; Lucki, J.; Kereszti, H.; Hjertberg, T.; Jun, Q. B.: Catalytic Dehydrochlorination of the Solid Poly(vinyl Chloride) in the Presence of Aluminium Chloride (Friedel–Crafts) Catalyst: Studies of the

Structure by Spectroscopical Methods, 1569A
Rabie, A.-G. See Hegazy, E.-S. A., 1029A
Rabie, S. M.
—; Abdel-Hakeem, N.; Moharram, M. A.: Effect of γ-Irradiation and Temperature on the Structure of Metal-Chloride-Treated Poly (vinyl Alcohol), 1163B
—; Sawaby, A.; Moharam, M. A.; Nassar, A. M.; Tahon, K. H.: Temperature Dependence of the Reaction between Some Metal Oxides and Polyacrylic Acid, 445C
Radhakrishnan, G. See Mohan, D., 1507A; Natchimuthu, N., 3059C
Radhakrishnan, T. S. See Rama Rao, M., 2251C
Radwan, F. M. See Moustafa, A. B., 2021C
Rai, S. See Bajpai, U. D. N., 2187A
Raj, R. C.
—; Kokta, B. V.; Daneault, C.: A Comparative Study on the Effect of Aging on Mechanical Properties of LLDPE–Glass Fiber, Mica, and Wood Fiber Composites, 645B
Rajadurai, S. See Mohan, D., 1507A
Rajalingam, P. See Natchimuthu, N., 3059C
Rajan, M. See Peethambaran, N. R., 975C
Rakas, M. A.
—; Farris, R. J.: The Effect of Coagulant on the Structure and Properties of Poly(*p*-Phenylene Benzobisthiazole) Fibers [PBZT], 823B
Rama Rao, M.
—; Radhakrishnan, T. S.: Thermal Degradation of Functionally Terminated Polybutadienes: Pyrolysis Gas Chromatography and Thermogravimetric Studies, 2251C
Ramani, M. P. S. See Satre, M. D., 697C
Ramasri, M.
—; Rao, G. S. S.; Sampathkumaran, P. S.; Shirsalkar, M. M.: Synthesis and Characterization of Mannich Bases from Cardbisphenol, 1993A
Ramaswamy, R. See Sasidharan Achary, P., 151C
Ramon, O.
—; Miltz, J.: Prediction of Dynamic Properties of Plastic Foams from Constant-Strain Rate Measurements, 1683B
Rånby, B. See Yao, Z. P., 1647B, 1459C, 1469C
Rance, R. See Andrews, E. H., 595C
Ranucci, E. See Ferruti, P., 1923C
Rao, G. S. S. See Ramasri, M., 1993A
Ratnam, B. K. See Gupta, A. K., 515A
Ratra, M. C. See Reddy, P. V., 319C
Ravetkar, D. D.
—; Ambeskar, V. D.; Mashelkar, R. A.: Diffusion–Adsorption Problems in Macromolecular Systems: New Techniques for Parameter Estimation, 769A
Ravindranath, K.
—; Mashelkar, R. A.: Modeling of Poly(ethylene Terephthalate) Reactors. IX. Solid State Polycondensation Process, 1325A
Ray, T. T. See Pramanick, D., 1511B
Ray, W. H. See Floyd, S., 1933C; Hutchinson, R. A., 51C; Sauer, B. B., 2419A
Rebenfeld, L. See Desio, G. P., 825A
Reddy, P. V.
—; Thiagarajan, R.; Ratra, M. C.; Nanje Gowda, N. M.: Transition Metal Chelates as Accelerators for Epoxy Resin Systems —Studies with Cobalt (III) Acetylacetonate, 319C
Reddy, S. S.
Structural Features of Cellulosic Change in Alkali-Treated Jute Stick: An Infrared Absorption Study, 2363C
—; Bhaduri, S. K.; Sen, S. K.: Infrared Spectra of Alkali Treated Jute Stick, 329C
—; Bhaduri, S. K.: Sorption Behavior and Crystallinity of Jute Fiber at Higher Alkali Treatments, 553A
Rego, J. M.
—; Gonzalez Orozco, J. A.; Katime, I.: Determination of the Influence of Structure and Thermal History on the Dynamic Mechanical Properties of High Density Polyethylenes, 1453B
—; See Gonzalez Orozco, J. A., 2219B
Reid, C. G.
—; Greenberg, A. R.: Influence of Silica Reinforcement upon the Glass Transition Behavior of Acrylic Polymers, 995A
Reimann, A.
—; Mörck, R.; Yoshida, H.; Hatakeyama, H.; Kringstad, K. P.: Kraft Lignin in Polyurethanes. III. Effects of the Molecular Weight of PEG on the Properties of Polyurethanes from a Kraft Lignin–PEG–MDI System, 39C
Reimschuessel, A. C. See Murthy, N. S., 249B
Reneker, D. H. See Howell, B., 1663B
Rengarajan, R.
—; Vicic, M.; Lee, S.: Solid Phase Graft Copolymerization. I. Effect of Initiator and Catalyst, 1783A
—; See Lee, S., 1891C
Renner, A.
—; Cotting, J.-A.: Novel Epoxy Resins Based

on Cyclohexanone–Aldehyde Condensation Products, 789A
—; See Eldin, S. H., 1505C
Renzulli, A. See De Candia, F., 955C
Requejo, A. See Gonzalez, A., 1961C
Rhim, J.-W. See Huang, R. Y. M., 535C
Ricard, A. See Castel, D., 11A
Riccardi, C. C. See Verchere, D., 467C
Richards, J. M.
—; McClennen, W. H.; Meuzelaar, H. L. C.: Determination of Additives in Biomer and Lycra Spandex by Pyrolysis Tandem Mass Spectrometry and Time Temperature Resolved Pyrolysis Mass Spectrometry, 1B
Richeson, G. C.
—; Spruiell, J. E.: Preparation, Structure, and Properties of Copolyester-Ether Elastic Filaments, 845C
Riedl, B.
—; Vohl, M.-J.; Calvé, L.: Molecular Size and Solvation of Low Molecular Weight Poly(ethylene Oxide) and Phenol–Formaldehyde Resols in Different Solvents, 341A
Riedl, C. M.
—; Spencer, H. G.: Numerical Examination of the Dual-Mode Sorption Model for Sorption Rate Experiments with an Extension for a Mobile Langmuir Component, 1685C
Rigdahl, M. See Boldizar, A., 63A; Kubát, J., 1527A; Yano, S., 657B
Ritchey, W. M. See Parker, A. A., 1717B
Roberts, G. See Devon, M. J., 2119A
Rodehed, C. See Gedde, U. W., 477A
Rodriguez, E. L.
On the Thickening Mechanism of Unsaturated Polyesters by Alkaline Earth Oxides and Hydroxides, 1847B
Rodriguez, F.
—; Patel, S. K.; Cohen, C.: Measuring the Modulus of a Sphere by Squeezing between Parallel Plates, 285B
—; See Das, S., 1309A
Rokicki, G.
—; Wojciechowski, C.: Epoxy Resin Modified by Aliphatic Cyclic Carbonates, 647C
Roland, C. M. See Fox, R. B., 1281C
Rolla, P. A. See Carlini, C., 805C
Romaine, J. See Hourston, D. J., 1587A
Roy, C.
—; Pakdel, H.; Brouillard, D.: The Role of Extractives During Vacuum Pyrolysis of Wood, 337C
Rubin, I. D.
—; Sen, A.: Solution Viscosities of Ethylene-Propylene Copolymers in Oils, 523B
Ruckenstein, E.
—; Park, J. S.: The Separation of Water–Ethanol Mixtures by Pervaporation through Hydrophilic–Hydrophobic Composite Membranes, 213B
Rudin, A. See Bremner, T., 1617C; Devon, M. J., 2119A; So, S., 531A, 2135B, 205C; van Ballegooie, P., 2097A
Rudź, W. See Charmas, W., 1623A
Russell, D. J.
Controlling Photoimaging of Epoxies by Blending to a Specific Molecular Weight, 1753C
Russell, I. M.
—; Evans, D. J.: Wool Butadiene Copolymers. I. Preparation and Morphology, 1951B
Russell, K. E. See Liu, N. C., 2285C

Sada, E.
—; Kumazawa, H.; Xu, P.; Wang, S.-T.: Permeation of Mixed Gases in Glassy Polymer Membranes, 1391B
—; Kumazawa, H.; Xu, P.; Inoue, H.: Transport of a Gas through Asymmetric Polysulfone Membranes with Deposited Plasma-Polymerized Thin Layer, 2427C
Sadeghi, M. R. See Nakajima, N., 889C
Sadowski, J. W. See Niskanen, K. J., 483A
Sage, D. See Suspene, L., 2677C
Sagoo, P. S. See Swinyard, B. T., 2479C
Saha, S. K. See Bhattacharya, J., 2237A
Sahni, S. K. See Cabasso, I., 3025C
Sahoo, K. See Giri, G., 471B
Sahu, A. K. See Samal, R. K., 195C
Saito, K.
—; Yamaguchi, T.; Uezu, K.; Furusaki, S.; Sugo, T.; Okamoto, J.: Optimum Preparation Conditions of Amidoxime Hollow Fiber Synthesized by Radiation-Induced Grafting, 2153A
—; See Kim, M., 855A
Saito, S. See Tsuji, T., 1351C
Saito, T. See Shirai, M., 2527C
Saito, Y. See Sato, S., 2065B
Sakata, I. See Uehara, T., 1695C; Yamawaki, Y., 1757B
Sakaya, M. See Omi, S., 631C
Sakhardande, V. D. See Shukla, S. R., 2655C
Sakuma, N. See Yamaura, K., 2453C
Saleem, M.
—; Baker, W. E.: *In Situ* Reactive Compatibilization in Polymer Blends: Effects of Functional Group Concentrations, 655A
Salem, D. R. See Buckley, C. P., 1707C
Sally, D. See Day, M., 1615B

Salovey, R. See Gandhi, K., 2103C
Samal, R. K.
—; Dash, S.; Sahu, A. K.: Graft Copolymerization of Acrylic Acid onto Jute Fibers Initiated by Quinquivalent Vanadium, 195C
—; See Giri, G., 471B
Sampathkumaran, P. S. See Ramasri, M., 1993A
San Román, J. See Madruga, E. L., 1133C
Sand, I. D.
The Dependence of Properties of Cellulose Acetate Propionate on Molecular Weight and the Level of Plasticizer, 943B
Sankar, S. S.
—; Patil, D.; Schadt, R.; Fornes, R. E.; Gilbert, R. D.: Environmental Effects on Latex Paint Coatings. II. CP/MAS ^{13}C-NMR and XPS Investigations of Structural Changes in the Base Polymer, 1251C
Sankaran, S.
—; Chanda, M.: Chemical Toughening of Epoxies. I. Structural Modification of Epoxy Resins by Reaction with Hydroxy-Terminated Poly(Butadiene-co-Acrylonitrile), 1459A
—; Chanda, M.: Chemical Toughening of Epoxies. II. Mechanical, Thermal, and Microscopic Studies of Epoxies Toughened with Hydroxyl-Terminated Poly(butadiene-co-Acrylonitrile), 1635A
Sankholkar, S.
—; Deb, P. C.: Grafting. III. Copolymerization of Methyl Methacrylate and Methacrylic Acid, 1681A
Sapieha, S.
—; Allard, P.; Zang, Y. H.: Dicumyl Peroxide-Modified Cellulose/LLDPE Composites, 2039C
Sarac, A. S. See Akar, A., 1657A
Saraf, M. N. See Mukherjee, G. S., 2711C
Sarkar, S.
—; Adhikari, M. S.; Banerjee, M.; Konar, R. S.: Mechanism of Persulfate Decomposition in Aqueous Solution at 50°C in the Presence of Vinyl Acetate and Nitrogen, 1061A
Sarlin, J.
—; Törmälä, P.: Fiber Formation and Characterization of a Thermotropic LCP, 453B
Sasidharan Achary, P.
—; Latha, P. B.; Ramaswamy, R.: Room Temperature Curing of CTBN-Toughened Epoxy Adhesive with Elevated Temperature Service Capability, 151C
Sasongko, S. See Weiss, R. A., 91C
Sastri, V. See Tesoro, G. C., 1425A
Sastri, V. R.
—; Tesoro, G. C.: Reversible Crosslinking in Epoxy Resins. II. New Approaches, 1439A
Sata, T.
—; Izuo, R.: Modification of Transport Properties of Ion Exchange Membrane. XI. Electrodialytic Properties of Cation Exchange Membranes Having Polyethyleneimine Layer Fixed by Acid–Amide Bonding, 2349C
Sathyanarayana, M. N. See Balakrishna, R. S., 1365C
Sato, S.
—; Murakata, T.; Baba, S.; Saito, Y.; Watanabe, S.: Solvent Effect on Thermal Degradation of Polystyrene, 2065B
Sato, Y. See Mochizuki, A., 385B, 633B
Satre, M. D.
—; Ghatge, N. D.; Ramani, M. P. S.: Aromatic Polyamide–Hydrazides for Water Desalination. I. Syntheses and RO Membrane Performance, 697C
Sattler, W. See Lenz, J., 1315C
Sauer, B. B.
—; Stock, R. S.; Lim, K.-H.; Ray, W. H.: Polymer Latex Particle Size Measurement through High Speed Dielectric Spectroscopy, 2419A
Sauer, J. A. See Chen, C. C., 503B
Sautereau, H. See Verchere, D., 467C
Savolainen, A. See Mikkonen, R., 1709A
Sawaby, A.
—; Moharam, M. A.; Tahon, Kh.: Study of the Factors Affecting the Electrical Conductivity of Zinc–Polycarboxylate Cement, 1983A
—; See Rabie, S. M., 445C
Sawakhande, K. H. See Iyer, V., 2259A
Scariah, K. J. See Antony, R., 1765C
Schadt, R. See Sankar, S. S., 1251C
Scherr, E. See Mantovani, J. G., 1693B
Schlegel, L.
—; Schnabel, W.: Investigations Concerning Dissolution and Swelling of Polymethacrylonitrile in Organic Liquids, 1797C
Schmidhauser, J. C.
—; Longley, K. L.: The Effect of Bisphenol Monomer Structure on the Gas Permeability of Aromatic Polycarbonates, 2083A
Schnabel, W. See Schlegel, L., 1797C
Schnabelrauch, M.
—; Geschwend, G.; Klemm, D.: Synthesis of Bioactive 2,2-Dichloropropionic Acid Esters of Carboxymethyl Cellulose and Investigations on Their Release Behavior, 621A

Schorr, G. R. See Chang, C. C., 2395A
Schreiber, H. P.
—; Boluk, M. Y.; Dufour, C.: Pigment Dispersion in Thermally Modified Polyethylenes, 465A
—; See Boluk, M. Y., 1783B
Schultz, G. See Netopilík, M., 1115B
Schultz, J. M. See Lertola, J. G., 113B
Schurz, J. See Lenz, J., 1315C
Scola, D. A. See Iroh, J., 735C
Scranton, A. B.
—; Mikos, A. G.; Scranton, L. C.; Peppas, N. A.: The Physical Mechanism for the Production of Hydrophilic Polymer Microparticles from Aqueous Suspensions, 997B
Scranton, L. C. See Scranton, A. B., 997B
Seferis, J. C. See Nelson, K. M., 301C; Woo, E. M., 1237B
Segelke, S.
—; Mahalingam, R.; Subramanian, R. V.: Rate Studies on Polyaniline Films Preparation in Static Cells and in Fluidized Bed Electrode Reactors, 297B
Segui, Y. See Doukkali, K., 1533C
Sei, T. See Yokota, H., 783C
Seiss, R. H. See Priddy, D. B., 383C
Sen, A. See Rubin, I. D., 523B
Sen, S. K. See Reddy, S. S., 329C
Sendorek, J. J. See Branston, R. E., 1149B
Seo, Y.
Some Studies of Annular Extrudate Swell Phenomena, 25C
Sergeev, V. I. See Gorelik, V. M., 1095B
Serrano, D.
—; Peyrelasse, J.; Boned, C.; Harran, D.; Monge, P.: Application of the Percolation Model to Gelation of an Epoxy Resin, 679A
Settlemeyer, L. A. See Vanderhoff, J. W., 1549C
Ševčík, S.
—; Mrázek, Z.: The Dependence of Kinetic Density Curves of Suspension PVC Powder on the Content of Defective Particles, 623B
Seves, A. See Dubini-Paglia, E., 765C
Shabaka, A. A. See Nada, A. M. A., 731B
Shah, S. S.
—; Kulkarni, M. G.; Mashelkar, R. A.: A Mechanistic Interpretation of the Zero Order Release from Pendent Chain-Linked Glassy and Swollen Hydrogels, 2437C
Shah, T. See Patel, P., 1037B
Shantha, K. L.
—; Pratap, G.; Bhaskar Rao, V. S.; Krishnamurti, N.: Synthesis and Characterization of 1,6- and 1,7-Dihydroxy Alkanes and Their Acrylic Esters. I, 945C
Sharma, P. V. See Venkateswaran, R., 2783C
Sharma, R. C. See Gupta, D. C., 1821A
Shaw, S.
—; Singh, R. P.: Studies on Impact Modification of Polystyrene (PS) by Ethylene–Propylene–Diene (EPDM) Rubber and Its Graft Copolymers. I. PS/EPDM and PS/EPDM-*g*-Styrene Blends, 685B
—; Singh, R. P.: Studies on Impact Modification of Polystyrene (PS) by Ethylene–Propylene–Diene (EPDM) Rubber and Its Graft Copolymers. II. PS/EPDM-*g*-(Styrene-co-Methylmethacrylate) Blends, 693B
—; Singh, R. P.: Studies on Impact Modification of Polystyrene (PS) by Ethylene–Propylene–Diene (EPDM) Rubber and Its Graft Copolymers. III. PS/EPDM-*g*-(Styrene-co-Maleic Anhydride) Blends and Its Relative Performance, 701B
Shen, L. See Ni, S., 13C
Shestenina, L. A. See Gorelik, V. M., 1095B
Shibusawa, T.
—; Tanaka, A.; Yamaguchi, Y.: Binding of Chrysophenine G by Methyl Cellulose and Poly(vinyl Alcohol), 1859A
Shieh, Y. T. See Parker, A. A., 1717B
Shiga, T.
—; Kurauchi, T.: Deformation of Polyelectrolyte Gels under the Influence of Electric Field, 2305A
Shiiyama, E. See Omi, S., 631C
Shilin, Y. See Zhu, K. J., 1A
Shintani, H.
—; Kikuchi, H.; Nakamura, A.: Effects of Gamma-Ray Irradiation on the Change of Characteristics of Polyurethane, 661C
Shiota, T. See Itoh, M., 145A
Shiozaki, H. See Tsukada, M., 1289A, 1213C
Shirai, M.
—; Saito, T.; Tsunooka, M.; Tanaka, M.; Nishijima, K.: Photoinduced Change in Dissolution of Polyvinylpyridine Bearing Imino Sulfonate Units, 2527C
Shirakawa, H. See Torikai, A., 1637B
Shirsalkar, M. M. See Balakrishna, R. S., 1365C; Ramasri, M., 1993A
Shiyuan, C. See Jianzong, L., 417B
Short, R. D.
—; Munro, H. S.: Aspects of the Surface and Bulk Nitration of Cellulose in Nitric Acid, Nitric Acid/Water, and Nitric Acid/Dichloromethane Mixes, 1973A

—; See Munro, H. S., 539A; Wilding, I. R., 1827A
Shukla, J. S.
—; Tiwari, S. C.; Dixit, S. K.: Graft Copolymerization of Poly (butyl Methacrylate) onto Wool in the Presence of Air and Nitrogen Atmosphere. I, 1425B
Shukla, R. K. See Mehrotra, K. N., 1745A
Shukla, S. R.
—; Sakhardande, V. D.: Cupric Ion Removal by Dyed Cellulosic Materials, 2655C
Siddaramaiah See Jagadeesh, K. S., 1281B
Siegl, W. O. See Chattha, M. S., 1613A
Silverstein, M. S.
—; Narkis, M.: Rubber-Modified Polystyrene from Multistage Latexes: Rheological and Physical Properties, 1583B
Simionescu, C. I.
—; Popa, V. I.; Popa, M.; Maxim, S.: On the Possibilities of Immobilization and Utilization of Some Cellulase Enzymes, 1837A
Šimkovic, I.
—; Pastýr, J.; Csomorová, K.; Balog, K.; Micko, M. M.: Flame Retardancy Effect of Crosslinking of Lignocellulose Materials, 1333C
Singh, B. C. See Das, N. R., 1079A
Singh, R. P. See Shaw, S., 685B, 693B, 701B
Skewes, L. M. See Zinbo, M., 835C
Skovby, M. H. B.
—; Kops, J.: Preparation by Suspension Polymerization of Porous Beads for Enzyme Immobilization, 169A
Slootmaekers, D. See Malfait, T., 571A
Smid, J. See Cabasso, I., 3025C; Delaviz, Y., 835B
Smith, D. J. See Patil, D. R., 1541B
Smook, J.
—; Vos, G. J. H.; Doppert, H. L.: A Semiempiric Model for Establishing the Drawability of Solution-Spun Linear Polyamides and Other Flexible Chain Polymers, 105C
So, S.
—; Rudin, A.: Analysis of the Formation and Curing Reactions of Resole Phenolics, 205C
—; Rudin, A.: Effects of Resin and Curing Parameters on the Degree of Cure of Resole Phenolic Resins and Woodflour Composites, 2135B
—; Teh, J. W.; Rudin, A.; Tchir, W. J.; Fyfe, C. A.: Effects of Resole Phenol Adhesives on the Crystallinity of Cellulose, 531A
Soane (Soong), D. S. See Papanu, J. S., 803A
Sodhi, R. N. S. See Foerch, R., 1903B
Soeda, F. See Takahagi, T., 1451C
Sohn, J. E. See Katz, H. E., 1711B
Song, K.-H.
—; Iwamoto, A.; Tsunooka, M.; Tanaka, M.: Photomodification of Polymer Surface by Utilizing Photoinitiated Amino-Groups Formation—Effects of Comonomers on the Dyeing of Irradiated Polymer Surface, 1769A
Song, Z.
—; Baker, W. E.: Basic Functionalization of Molten Linear Low-Density Polyethylene with 2-(Dimethylamino)ethyl Methacrylate in an Intermeshing Corotating Twin-Screw Extruder, 1299C
Sood, A. See Kumar, A., 1473B
Sourirajan, S. See Miyano, T., 407C
Spaltro, S. M.
—; Foster, N.: Synthesis and Characterization of Conjugates of Poly(α-Amino Acids) and Manganese (III) Protoporphyrin IX as Relaxation Enhancement Agents for MRI, 1235C
Spathis, G. See Kontou, E., 649A
Spencer, H. G. See Riedl, C. M., 1685C
Sperling, L. H. See Fay, J. J., 1379B; Hur, T., 1933A
Springer, H.
—; Hengse, A.; Hinrichsen, G.: Fractionation and Characterization of a 1-Butene Linear Low Density Polyethylene, 2173B
Spruiell, J. E. See Bheda, J. H., 447A; Richeson, G. C., 845C
Stackman, R. W. See Hurley, S. M., 2151B
Steinmann, B.
Investigations on the Curing of Epoxides with Phthalic Anhydride, 2005A
Steller, R.
—; Żuchowska, D.: Free Volume Theory for Rheological Properties of Polymer Blends, 1595C
Steppan, D. D.
—; Doherty, J. F.; Malone, M. F.: Film Diffusion Effects in Nylon 6,6 Polymerization, 603A
Stevenson, W. T. K. See Wang, S., 99B
Stewart, M. T. See Urban, M. W., 265A
Stock, R. S. See Sauer, B. B., 2419A
Stoffer, J. O. See Laoharojanaphand, P., 369B
Storey, R. F.
—; Dantiki, S.; Adams, J. P.: Properties of Epoxy Resins Cured with Ring-Alkylated *m*-Phenylene Diamine Blends, 47B
Stradowski, C.
Methylviologen Cation Radical as Probe of Oxygen Diffusion Through Polymer, 2511C
Su, A. C. See Hsieh, T. H., 1271C
Su, Y. See Cao, T., 1965C

Subramanian, R. V. See Segelke, S., 297B
Sudha, J. D. See Pillai, C. K. S., 2487C
Sudol, E. D. See Asua, J. M., 1183A
Sugama, T.
—; Kukacka, L. E.; Carciello, N.: Cement Hydrate Catalyzed Hydrolysis of Polyimide Lightweight Materials, 1857B
Sugo, T. See Kim, M., 855A; Saito, K., 2153A
Sun, Z. See Yan, C., 89B
Sundberg, D. C.
—; Casassa, A. P.; Pantazopoulos, J.; Muscato, M. R.; Kronberg, B.; Berg, J.: Morphology Development of Polymeric Microparticles in Aqueous Dispersions. I. Thermodynamic Considerations, 1425C
Sunita See Brar, A. S., 2503C
Suspene, L.
—; Lam, T. M.; Pascault, J. P.: FT-IR Studies of Polymer Blends Containing an Oligo(isophthalate-co-Fumarate of Diethylene Glycol) and Different Epoxy Prepolymers, 1347A
—; Pascault, J. P.: Incompatible Ternary Blends Based on Unsaturated Polyester Resins. I. Phase Diagrams, 2665C
—; Sage, D.; Pascault, J. P.: Incompatible Ternary Blends Containing Unsaturated Polyester Resins. II. Interfacial Properties, 2677C
Suthar, B. See Patel, P., 1037B
Suto, S.
—; Maruyama, T.: Effect of Molecular Weight on the Birefringence of Lyotropic Liquid Crystalline Ethyl Cellulose and Hydroxypropyl Cellulose, 2179A
Suzuki, F.
—; Onozato, K.; Kurokawa, Y.: A Formation of Compatible Poly(vinyl Alcohol)/Alumina Gel Composite and Its Properties, 371A
Suzuki, M. See Nagai, A., 2241C; Yamaura, K., 2453C
Švestka, Š. See Podzimek, Š., 1151C, 1161C
Swanson, C. L. See Fanta, G. F., 811B
Swarup, S.
—; Nigam, A. N.: X-Ray Diffraction Studies in Resins: Effect of Entanglements and Chain Structure, 1727A
Swinyard, B. T.
—; Sagoo, P. S.; Barrie, J. A.; Ash, R.: The Transport and Sorption of Water in Polyethersulphone, Polysulphone, and Polyethersulphone/Phenoxy Blends, 2479C

Tadokoro, H. See Uyama, Y., 489A
Taher, N. H. See Hegazy, E. A., 2637C; Hegazy, E.-S. A., 1029A
Tahon, K. H. See Rabie, S. M., 445C
Tahon, Kh. See Sawaby, A., 1983A
Takagi, M. See Hayashita, T., 561A
Takahagi, T.
—; Nakayama, Y.; Soeda, F.; Ishitani, A.: Effects of Surface Cleaning and X-Ray Irradiation in XPS Study of Polymers, 1451C
Takahama, S. See Yamashita, K., 1445B
Takahara, M. See Kojima, Y., 2199C
Takahashi, A. See Nagai, A., 2241C
Takahashi, K. See Ito, M., 1257B
Takami, Y. See Inagaki, N., 965C
Takeda, K. See Tsuchii, A., 1181C
Takemura, Y. See Yamaura, K., 905B
Takenaga, M.
—; Yamagata, K.; Kasai, A.; Ariyama, T.: Annealing Effects on the Viscoelastic Anomaly Between the β and γ Processes for As-Polymerized Polytetrafluoroethylene, 1689A
Takiguchi, R.
—; Uryu, T.: Polymeric Reaction of Polymer–Monomer System Irradiated by Low-Energy Electron Beam. IV. Adhesive Properties of Pressure Sensitive Adhesive, 1313B
Talapatra, S. See Bhattacharya, J., 2237A
Tanaka, A. See Shibusawa, T., 1859A
Tanaka, M.
—; Hosogai, K.: Suspension Polymerization of Styrene with Circular Loop Reactor, 955A
—; See Agari, Y., 929B; Shirai, M., 2527C; Song, K.-H., 1769A
Tang, H. H. Y.
—; Williams, H. L.: A Study of Some Linear Aliphatic Nylons by Thermally Stimulated Creep, 495B
Tang, X. See Yu, X., 2649C
Tanigami, T. See Yamaura, K., 905B, 2453C
Tanzawa, H. See Yamada-Nosaka, A., 2443A
Taraiya, A. K.
—; Orchard, G. A. J.; Ward, I. M.: The Diffusion of Oxygen through Uniaxially and Biaxially Drawn Polypropylene, 1659C
Tasaka, S. See Inagaki, N., 143B, 965C
Tashiro, T.
Removal of Methyl Orange by Systems of Chloromethylated Polystyrene–Polyethylenepolyamines and –Polyethyleneimines, 2279A
Tasić, A. Z. See Bogdanović, V. Z., 3091C
Tayebi, A. See Blumstein, A., 995C
Taylor, T. J. See Khanna, Y. P., 435C
Taylor, T. W. See Floyd, S., 1933C
Tchir, W. J. See So, S., 531A
Teh, J. W. See So, S., 531A

Tempesti, E. See Ferruti, P., 1923C
Tesoro, G. C.
—; Sastri, V.: Reversible Crosslinking in Epoxy Resins. I. Feasibility Studies, 1425A
—; See Sastri, V. R., 1439A
Theodore, A. N. See Zinbo, M., 835C
Thiagarajan, R. See Reddy, P. V., 319C
Thomas, M. See Zelsmann, H. R., 1673C
Thompson, P. A.
—; Yu, X.; Cooper, S. L.: Structure–Property Relationships of Polyurethane Ionomers with Star Chain Architecture, 1831C
Ting, M.-I. See Lee, Y.-D., 2177C
Tinnemans, A. H. A. See Buys, H. C. W. M., 1261C
Tiwari, S. C. See Shukla, J. S., 1425B
Tkaczyk, M. See Podzimek, Š., 1151C, 1161C
Todoki, M. See Yamada-Nosaka, A., 2443A
Toland, A. See Viswanathan, T., 2595C
Tombari, E. See Carlini, C., 805C
Tomoi, M. See Iijima, T., 2301C
Topolkaraev, V. A. See Gorelik, V. M., 1095B
Torikai, A.
—; Ohno, M.; Fueki, K.: Photodegradation of Poly(methyl Methacrylate) by Monochromatic Light: Quantum Yield, Effect of Wavelengths, and Light Intensity, 1023C
—; Shirakawa, H.; Nagaya, S.; Fueki, K.: Photodegradation of Polyethylene: Factors Affecting Photostability, 1637B
—; See Andrady, A. L., 763A
Törmälä, P. See Sarlin, J., 453B
Törnell, B. See Ohlsson, B., 1189C
Torres-Filho, A. See Leite, N. F., 1361A
Tran, T. See Lam, P. W. K., 3043C
Traugott, T. D. See Priddy, D. B., 383C
Tripathy, S. S. See Moharana, S., 345B
Trotignon, J. P.
—; Verdu, J.: Effect of the Holding Pressure on the Skin-Core Morphology of Injection-Molded Polypropylene Parts, 1215A
Tsai, H. B. See Chen, M. S., 1053B
Tsai, H.-B.
—; Jeng, J.-T.; Tsai, R.-S.: Reaction Kinetics of Interfacial Polycondensation of Polyarylate, 471A
—; Kuo, W.-F.; Chen, M.-S.; Chang, N.-S.; Chen, S.-M.; Chang, S.-J.: Copolyesters. IV. Copolyesters of Polycaprolactone and Poly(butylene Terephthalate), 233A
—; Lee, C.; Chang, N.-S.; Chen, M.-S.; Chang, S.-J.: Further Characterization of the Structure and the Thermal Transitions of Poly (*p*-Oxybenzoate-co-*p*-Phenylene Isophthalate) Polymers, 1499B
—; See Chang, S.-J., 225A
Tsai, R.-S. See Tsai, H.-B., 471A
Tseng, T.-Y.
—; Chu, N.-J.; Lee, Y.-D.: The Preparation and Properties of Polyarylate Block Copolymers by Interfacial Polycondensation, 1651C
Tsuboi, H. See Yamashita, K., 1445B
Tsuchii, A.
—; Hayashi, K.; Hironiwa, T.; Matsunaka, H.; Takeda, K.: The Effect of Compounding Ingredients on Microbial Degradation of Vulcanized Natural Rubber, 1181C
Tsuda, K. See Yamashita, K., 1445B
Tsuji, T.
—; Otake, K.; Konno, M.; Saito, S.: Permeation Characteristics of Porous Glass and Hydrogel Composite Membrane, 1351C
Tsukada, M.
—; Shiozaki, H.: Characterization of Methacrylonitrile-Grafted Silk Fibers, 1289A
—; Shiozaki, H.; Konda, A.: Physical Properties of Wool Keratin Yarn Modified with Dibasic Acid Anhydrides, 1213C
Tsunooka, M. See Shirai, M., 2527C
—; See Song, K.-H., 1769A
Tsushima, E. See Ohsawa, T., 1733A
Tuğtepe, M.
—; Özgümüş, S.: Modified Phenol–Formaldehyde Novolac Resins: Synthesis and Thermal Oxidative Degradation, 83A
Tunc, M. See Horrocks, A. R., 2165A
Tuncer Erciyes, A.
—; Avci, I.; Yagci, Y.: Grafting onto Preformed Polyester Network Using Thermolabile Azo Groups, 1569C
Turturro, A. See Gattiglia, E., 1411C
Twardowski, T. E.
—; Geil, P. H.: A Highly Fluorinated Epoxy Resin: Post-Curing and Transition Behavior, 1047C

Uchida, E.
—; Uyama, Y.; Ikada, Y.: A Novel Method for Graft Polymerization onto Poly(ethylene Terephthalate) Film Surface by UV Irradiation without Degassing, 677C
Uchino, N. See Morita, H., 2147C
Udaybhaskar, P.
—; Iyengar, L.; Prabhakara Rao, A. V. S.:

Hexavalent Chromium Interaction with Chitosan, 739A
Ueda, A. See Agari, Y., 929B; Inoue, H., 1917B, 1815C
Uehara, T.
—; Sakata, I.: Effect of Corona Discharge Treatment on Cellulose Prepared from Beech Wood, 1695C
Ueno, M.
—; Ugajin, Y.; Horie, K.; Nishimura, T.: Antifogging Effect of Cellulose Films by Chemical Modification of the Surface Using Nonionic Fluorocarbon Surfactant, 967A
Uezu, K. See Saito, K., 2153A
Ugajin, Y. See Ueno, M., 967A
Uno, M. See Nishioka, N., 2857C
Urban, M. W.
—; Stewart, M. T.: DMA and ATR FT-IR Studies of Gas Plasma Modified Silicone Elastomer Surfaces, 265A
Uryu, T. See Takiguchi, R., 1313B
Uyama, Y.
—; Ikada, Y.: Electrostatic Properties of UV-Irradiated and Surface-Grafted Polymers, 619C
—; Tadokoro, H.; Ikada, Y.: Surface Lubrication of Polymer Films by Photoinduced Graft Polymerization, 489A
Uyama, Y. See Uchida, E., 677C
Uyanik, N.
—; Baysal, B. M.: Preparation of Polystyrene-Block-(Ethylene Oxide)s and Characterization of the Products, 1981C

Vail, S. L.
—; Beck, K. R.: Evaluation of Some Side Effects from the Use of Formaldehyde Scavengers, 1241A
Valenza, A. See Curto, D., 865A
van Ballegooie, P.
—; Rudin, A.: Reactive Extrusion of Poly(Vinyl Chloride) Compounds with Polyethylene and with Ethylene-Vinyl Acetate Copolymers, 2097A
Van Buskirk, B. See Murthy, N. S., 2265C
Van Cauwelaert, F. See Malfait, T., 571A
Van der Waal, M. J.
Influence of the Pressure Profile inside a Dense Membrane on the Rate of Permeation, 1175A
Van Elven, A. See Buys, H. C. W. M., 1261C
van Oene, H. See Carduner, K. R., 963B; Cheung, M.-F., 977B
Vanderhoff, J. W.
—; Dimonie, V. L.; El-Aasser, M. S.; Settlemeyer, L. A.: Evaluation of Alkylated Diphenyl Ether Disulfonate Surfactants in 60:40 Styrene–Butadiene Emulsion Copolymerization, 1549C
—; See Daniels, E. S., 2463C; Lock, M. R., 2129A
Varadarajan, P. V. See Iyer, V., 2259A
Varma, I. K.
—; Kumar, R.; Bhattacharyya, A. B.: Effect of Structure on Properties of Aromatic Polyamides, 531B
Varughese, K. T.
Melt Rheology of Plasticized Poly(vinyl Chloride)/Epoxidized Natural Rubber Miscible Blends, 205A
Venkatakrishnan, S. See Jahagirdar, C. J., 117C
Venkatarao, K. See Kothandaraman, H., 943A
Venkateswaran, R.
—; Babu, S.; Kumar, S. S.; Pillai, M. A.; Sharma, P. V.: Thermal Decomposition of Viscose Rayon in the Presence of Inorganic Additives. A Kinetic Study, 2783C
Verchere, D.
—; Sautereau, H.; Pascault, J. P.; Moschiar, S. M.; Riccardi, C. C.; Williams, R. J. J.: Rubber-Modified Epoxies. I. Influence of Carboxyl-Terminated Butadiene-Acrylonitrile Random Copolymers (CTBN) on the Polymerization and Phase Separation Processes, 467C
Verdu, J. See Bellenger, V., 1225C; Trotignon, J. P., 1215A
Vernekar, S. P. See Avadhani, C. V., 1352B; Idage, S. B., 1023B, 2207C
Vicic, M. See Rengarajan, R., 1783A
Vipulanandan, C.
Characterization of Thermosetting Polymer Mortars, 751C
Viswanathan, T.
—; Toland, A.; Liu, R.-Q.; Lay, J. O., Jr.: Fast Atom Bombardment Mass Spectrometry of Disaccharide Polyether Polyols, 2595C
Vohl, M.-J. See Riedl, B., 341A
Vohlídal, J. See Netopilík, M., 1115B
Voorhees, K. J. See Brozolo, F. R., 1737C
Vos, G. J. H. See Smook, J., 105C

Wadgaonkar, P. P. See Avadhani, C. V., 1352B
Walczynski, B. See Nierzwicki, W., 907C
Walker, C. M.
—; Peppas, N. A.: Solute and Penetrant Diffusion in Swellable Polymers: X. Swelling of Multiethylene Glycol Dimethacrylate Copolymers, 2043A

Wang, B. See Yao, K., 3079C
Wang, C.-C. See Hsiue, G.-H., 235B
Wang, H.-L. See Gong, D.-L., 2587C
Wang, H.-Z. See Zeronian, S. H., 527C
Wang, K. J.
—; Hsu, T. J.; Lee, L. J.: Rheokinetic Changes during Polyurea Reactions in Solution, 1055C
Wang, S.
—; Garton, A.; Stevenson, W. T. K.: The Effect of Carbon Surface Functionality on Tetrafunctional Epoxy Resin—Diaminodiphenylsulfone Cure Reactions, 99B
Wang, S.-T. See Sada, E., 1391B
Wang, Y. D. See Cakmak, M., 1867C
Ward, I. M. See Taraiya, A. K., 1659C
Ward, T. C. See Kelley, S. S., 2813C
Warmack, R. J. See Mantovani, J. G., 1693B
Warrier, J. K. S.
—; Chidambareswaran, P. K.: Fine Structural Probes for the Evaluation of the Structure and Development of Cotton Fibers, 1059B
Wassef, M. T. See Lawandy, S. N., 323B
Watanabe, K. See Amari, T., 139C
Watanabe, M. See Ito, M., 543B
Watanabe, S. See Sato, S., 2065B
Watanabe, T. See Kimoto, M., 1085B
Wcislo, P. See Laskiewicz, B., 415A
Wei, X. See Liu, J., 2829C
Weiss, R. A.
—; Beretta, C.; Sasongko, S.; Garton, A.: Miscibility Enhancement of Polystyrene and Poly (alkylene Oxide) Blends Using Specific Intermolecular Interactions, 91C
Weisskopf, K.
Analysis of Branched Poly(ethylene Terephthalate), 2141A
Welander, M. See Kubát, J., 1527A
Weng, H.-S. See Chou, S.-C., 1665A
Westerlind, B. See Yano, S., 657B
Westmijze, H. See Xie, T. Y., 2327C
Whang, W. T. See Chuang, S. L., 373C
Wilding, I. R.
—; Melia, C. D.; Short, R. D.; Davies, M. C.; Brown, A.: SSIMS Analysis of Methacrylate Copolymers Employed in Drug Delivery, 1827A
Wiles, D. M. See Day, M., 1615B
Wilkes, G. L. See El-Naggar, A. M., 427A; Noell, J. L. W., 1177B
Williams, H. L. See Li, Y., 1881B, 1891B; Tang, H. H. Y., 495B
Williams, R. J. J. See Fasce, D. P., 383A; Verchere, D., 467C
Wilson, D. See Cole, K. C., 1887A
Wilson, T. W.
Multiple Transitions in a Dimethacrylate Network, 1195B
Wingard, C. D.
—; Beatty, C. L.: Crosslinking of an Epoxy with a Mixed Amine as a Function of Stoichiometry. I. Cure Kinetics via Dynamic Mechanical Spectroscopy, 1981B
—; Beatty, C. L.: Crosslinking of an Epoxy with a Mixed Amine as a Function of Stoichiometry. II. Final Properties Via Dynamic Mechanical Spectroscopy, 2539C
Wisanrakkit, G.
—; Gillham, J. K.; Enns, J. B.: The Glass Transition Temperature (T_g) as a Parameter for Monitoring the Cure of an Amine/Epoxy System at Constant Heating Rates, 1895C
—; Gillham, J. K.: The Glass Transition Temperature (T_g) as an Index of Chemical Conversion for a High-T_g Amine/Epoxy System: Chemical and Diffusion-Controlled Reaction Kinetics, 2885C
Wojciechowski, C. See Rokicki, G., 647C
Wójcik, A. B.
Porous Bead Aliphatic–Aromatic Methacrylate Copolymers. VII. TG, DTA, DSC, and Inverse Gas Chromatography Studies, 179A
Woo, E. M.
—; Seferis, J. C.: Cure Kinetics of Epoxy/Anhydride Thermosetting Matrix Systems, 1237B
Woo, S. I. See Kim, I., 837A
Wood, P. E. See Xie, T. Y., 2327C
Woods, D. R. See Xie, T. Y., 2327C
Wrentschur, E. See Lenz, J., 1315C
Wu, A. H.
—; Prausnitz, J. M.: Fractionation of a Polydisperse Polymer Using an Antisolvent. Application of Continuous Thermodynamics, 629A
Wu, C. S. See Chung, K. H., 793C
Wu, W.-G. See Ma, C.-C. M., 1399A
Wu, Y. See Chen, H., 427C
Wu, Z. See Yu, X., 2649C

Xiangzhou, L. See Zhu, K. J., 1A
Xiao, C.-F.
—; Liu, Z.-F.: Microvoid Formation of Acrylic Copolymer (PAC)/Cellulose Acetate (CA) Blend Fibers, 439C
Xiao, H.
—; Ping, Z. H.; Xie, J. W.; Yu, T. Y.: Permeation of CO_2 through Polyurethane, 1131B

Xiaolin, Z.
—; Youan, M.: A New Type of Solid-State Crystalline Photopolymerization, 583A
Xiaoming, X. See Jianzong, L., 417B
Xie, J. W. See Xiao, H., 1131B
Xie, T. Y.
—; Hamielec, A. E.; Wood, P. E.; Woods, D. R.; Westmijze, H.: Experimental Investigation of Vinyl Chloride Polymerization at High Conversion—Conversion and Tracer Response Relationships, 2327C
Xu, J. R.
—; Balik, C. M.: Studies of Latex Paint Films Exposed to Aqueous SO_2: pH Effects, 1957A
Xu, P. See Sada, E., 1391B, 2427C
Xu, Y. See Cao, T., 1965C
Xue, Q.-J. See Gong, D.-L., 2587C

Yagci, Y. See Tuncer Erciyes, A., 1569C
Yamada, T.
Influence of Water on Esterification Reaction between Terephthalic Acid and Ethylene Glycol, 565C
Yamada-Nosaka, A.
—; Ishikiriyama, K.; Todoki, M.; Tanzawa, H.: ^{1}H-NMR Studies on Water in Methacrylate Hydrogels. I, 2443A
Yamagata, K. See Takenaga, M., 1689A
Yamaguchi, H. See Nishioka, N., 2007B
Yamaguchi, M. See Nakamura, Y., 1045A
Yamaguchi, T. See Saito, K., 2153A
Yamaguchi, Y. See Shibusawa, T., 1859A
Yamane, H. See Morita, H., 753B
Yamaoka, T. See Omote, T., 929C
Yamashita, K.
—; Ito, K.; Tsuboi, H.; Takahama, S.; Tsuda, K.; Otsu, T.: Graft Copolymerization by Iniferter Method; Structural Analyses of Graft Copolymer by Glass Transition Temperature, 1445B
Yamashita, S. See Mochizuki, A., 385B, 633B
Yamaura, K.
—; Kirikawa, S.; Sakuma, N.; Tanigami, T.; Matsuzawa, S.: Permeabilities of Water, Several Alcohols, and Water/Alcohol Mixtures through Thin Films of Syndiotactic-Rich Poly (vinyl Alcohol), 2453C
—; Kuranuki, N.; Suzuki, M.; Tanigami, T.; Matsuzawa, S.: Properties of Mixtures of Silk Fibroin/Syndiotactic-Rich Poly (vinyl Alcohol), 2453C
—; Tanigami, T.; Hayashi, N.; Kosuda, K.-I.; Okuda, S.; Takemura, Y.; Itoh, M.; Matsuzawa, S.: Preparation of High Modulus Poly (vinyl Alcohol) by Drawing, 905B
Yamawaki, Y.
—; Morita, M.; Sakata, I.: Mechanical and Dielectric Properties of Cyanoethylated Wood, 1757B
Yamaye, M. See Yoshinaga, K., 1443C
Yan, C.
—; Zhang, X.; Sun, Z.; Kitano, H.; Ise, N.: Poly(styrene-co-Acrolein) Latex Particles: Copolymerization and Characteristics, 89B
Yang, C.-P.
—; Lee, L.-T.: Preparation and Cationic Electrodeposition of Amine–Functional Epoxy Resins, 1995C
Yang, J.-M.
—; Hsiue, G.-H.: Oxygen Permeation in SBS-g-VP Membrane and Effect of Facilitated Oxygen Carrier, 1141C
—; Hsiue, G.-H.: Radiation-Induced Graft Polymerization of 4-Vinyl Pyridine to Styrene–Butadiene–Styrene Triblock Copolymer, 1475A
Yang, K. S. See Chen, Y.-S., 587C
Yang, T. P.
—; Kwei, T. K.; Pearce, E. M.: Blends and Interpenetrating Networks of Phenolic Resins and Polyamides, 1327C
Yano, S.
—; Hirose, H.; Hatakeyama, H.; Westerlind, B.; Rigdahl, M.: Dynamic Viscoelasticity of Isoprene Rubber Reinforced with Short Cellulose Fibers, 657B
Yao, K.
—; Wang, B.: Synthesis and Water Absorbility of Base-Hydrolyzed Starch-g-Poly(Acrylonitrile-co-Sodium Allylsulfonate), 3079C
Yao, Z. P.
—; Rånby, B.: Surface Modification by Continuous Graft Copolymerization. I. Photoinitiated Graft Copolymerization onto Polyethylene Tape Film Surface, 1647B
—; Rånby, B.: Surface Modification by Continuous Graft Copolymerization. III. Photoinitiated Graft Copolymerization onto Poly (ethylene Terephthalate) Fiber Surface, 1459C
—; Rånby, B.: Surface Modification by Continuous Graft Copolymerization. IV. Photoinitiated Graft Copolymerization onto Polypropylene Fiber Surface, 1469C
Yashima, E. See Akashi, M., 2027A
Yasuda, H. See Ho, C.-P., 1541A; Iriyama, Y., 249A
Yasuda, T. See Iriyama, Y., 249A
Yen, C.-C.
—; Chang, T.-C.; Kakinoki, H.: Studies on

the Preparation and Properties of Conductive Polymer. I. Novel Method to Prepare Metalized Plastic from Metal Chelate of Poly(vinyl Alcohol), 53B

Yokota, H.

—; Sei, T.; Horii, F.; Kitamaru, R.: ^{13}C CP/MAS NMR Study on Alkali Cellulose, 783C

Yokoyama, H. See Miyama, H., 2273C

Yoneyama, Y. See Kunugi, T., 455C

Yoshida, H.

—; Mörck, R.; Kringstad, K. P.; Hatakeyama, H.: Kraft Lignin in Polyurethanes. II. Effects of the Molecular Weight of Kraft Lignin on the Properties of Polyurethanes from a Kraft Lignin–Polyether Triol–Polymeric MDI System, 1819B

—; See Reimann, A., 39C

Yoshida, M. See Kumakura, M., 177C

Yoshii, F. See Kadir, Z. A., 799B

Yoshimizu, H.

—; Asakura, T.: Preparation and Characterization of Silk Fibroin Powder and Its Application to Enzyme Immobilization, 127B

—; Asakura, T.: The Structure of *Bombyx mori* Silk Fibroin Membrane Swollen by Water Studied with ESR, ^{13}C-NMR, and FT-IR Spectroscopies, 1745B

Yoshinaga, K.

—; Kito, T.; Yamaye, M.: Effective Immobilization of Protein Linked with Polyethylene Glycol on Silica via Hydrogels Using Silica Sol, 1443C

Yoshino, N. See Kubota, H., 1231A

Youan, M. See Xiaolin, Z., 583A

Yousef, M. A. See Nada, A. M. A., 731B

Yu, F. See Ni, S., 13C

Yu, T. Y. See Xiao, H., 1131B

Yu, X.

—; Zheng, Y.; Wu, Z.; Tang, X.; Jiang, B.: Study on the Compatibility of the Blend of Poly(aryl ether ether ketone) with Poly(aryl ether sulfone), 2649C

—; See Thompson, P. A., 1831C

Yu, X.-H.

—; Okkema, A. Z.; Cooper, S. L.: Synthesis and Physical Properties of Poly (fluoroalkylether) urethanes, 1777C

Yuki, Y. See Lin, J.-K., 2113B, 2123B

Zagorets, P. A. See Zhitariuk, N. I., 1971B

Zanetti, F. See Lapasin, R., 1395C

Zang, Y. H. See Sapieha, S., 2039C

Zarkhin, L. S. See Manevitch, L. I., 2245A

Zelsmann, H. R.

—; Pineri, M.; Thomas, M.; Escoubes, M.: Water Self-Diffusion Coefficient Determination in an Ion Exchange Membrane by Optical Measurement, 1673C

Zenquan, Q. See Kejun, Y., 1529B

Zeronian, S. H.

—; Wang, H.-Z.; Alger, K. W.: Further Studies on the Moisture-Related Properties of Hydrolyzed Poly(ethylene Terephthalate), 527C

Zhang, B. See Gong, D.-L., 2587C

Zhang, X. See Yan, C., 89B

Zhang, Z.-X. See Delaviz, Y., 835B

Zhao, X. P.

—; Huang, R. Y. M.: Pervaporation Separation of Ethanol–Water Mixtures Using Crosslinked Blended Polyacrylic Acid (PAA)–Nylon 66 Membranes, 2133C

Zheng, Y. See Yu, X., 2649C

Zhitariuk, N. I.

—; Zagorets, P. A.; Kuznetsov, V. I.: Influence of the Matrix Thickness on Radiation-Induced Grafting of Styrene onto Poly (ethylene Terephthalate) Films and Nuclear Membranes, 1971B

Zhu, K. J.

—; Xiangzhou, L.; Shilin, Y.: Preparation, Characterization, and Properties of Polylactide (PLA)–Poly(ethylene Glycol) (PEG) Copolymers: A Potential Drug Carrier, 1A

Zimmerman, J.

Spinning of High-Molecular-Weight Liquid Crystalline Polyarylates, 2067A

Zinbo, M.

—; Skewes, L. M.; Theodore, A. N.: The Surface Migration of Extender Oil in EPDM Vulcanizates, 835C

—; See Golovoy, A., 189A

Zoller, P. See Fakhreddine, Y. A., 1087C

Zolotov, S. See Belfer, S., 2073B

Żuchowska, D. See Steller, R., 1595C

Subject Index to Volumes 39, 40, and 41

Please note that A refers to Volume 39, B refers to Volume 40, and C refers to Volume 41.

ABS latexes, 2463C
Absorbed water, 613C
ac responses, 1533C
Accelerators, 1505C
Acceptor monomer (AN), 2067C
Acetonitrile medium, 1017A
Acid hydrolysis, 1315C
Acid mixes, 539A
Acid rain, effect on coatings, 1957A
Acid–amide bonding, 2349C
Acid–base interactions, 91C
Acoustic properties, 135B
Acoustooptic applications, 135B
Acrylic esters, 485B
Acrylic polymers, discoloration, 1821A
Acrylonitrile; polymerization, 1657A
Acrylonitrile–butadiene–styrene (ABS), 503B
Addition type polyimidesulfone oligomers, 2177C
Additives, 1847A
Adhesives, 103A, 531A
—, pressure sensitive, 1313B
Adsorption, 177C, 419C
Advanced polymers, processability, 2723C
"Aerosol" OT (AOT), 2205A
Agar–agar film, 2173A
Agar–agar, irradiation, 2173A
Aggressive solvents, 2113C
Aging, 1133A, 1163A
Agitation, 1815A, 317B
Aircraft sealants, composition, 2837C
Alcoholysis, 1419A
Alfrey–Price *Q* and *e* values, 485B
Alkali cellulose (Na-Cell), 783C
Alkali earth metal ion, transport, 769B
Alkali metal, transport, 769B
Alkali treatment, 893A
Alkali treatments, 553A
Alkaline hydrogen peroxide (AHP) treatment, 707A
Alkaline jute stick, 329C
Alkyd resins, 1727A
Alloys, 2265C
Alumina fibers, 753B
—, spinnability, 753B
Alumina sol/PVA composite, 371A
Ambient temperature variation, 1265A
Amidines, 2059C
Amine/epoxy system, 1895C, 2885C
Amine–metal interactions, 613B
Amino resins, 1727A
Amino-formaldehyde resins, 741B
Amorphous copolymers, 523B
Amorphous polymers, 499A, 1355C
AMS–styrene copolymers, 1149B
Aniline polymerization, 297B
Anion-exchange membrane, 1221A
Anionic dyes, 2769C
Anionic polymerization, 41B
Anionic polymers, 571A
Anionic solution polymerization, 2395A
Anion-permeable polymeric film, 785A
Annular die, 25C
Annular extrudate swell phenomena, 25C
Antifoam compositions, 789B
Antifogging effect, 967A
Antisolvent, 629A
Aqueous electrocopolymerization, 735C
Aqueous polymer solutions, 1351C
Aqueous polymerization, 2237A, 1077B
Aqueous solution, 1087A
Aqueous solutions, 1061A
Aqueous solution viscosity, 2959C
Aqueous suspension polymerization, 997B
Aqueous swelling, 1967A
Aromatic bischloroformates, 1771B
Aromatic copolyimide membranes, 1261C
Aromatic diamines, 47B
Aromatic glycidylamines, 1151C, 1161C
Aromatic ketones, 1071B
Aromatic polyamide–hydrazides, 697C
Aromatic polyamides, 531B
Aromatic polycarbonates, 2083A
Aromatic polyesters, 73A
Aromatic polyimides, 1261C
Aromatic polymers, 2113B, 2123B
Arylene sulfone ether linkages, 2207C
Asbestos composites, epoxy-pretreated, 361C
L-aspartic acid, 1803A
ASTM D 1238, 1617C
Asymmetric hollow fiber membranes, 1915A
Asymmetric polysulfone (PSF) membranes, 2427C

Atomic-oxygen induced structural changes, 391C
Attenuated total reflection (ATR) technique, 2931C
Avrami analysis, 825A

Base polymer, 1251C, 1641C
Batch coagulation, 1553A
Batch polymerization, 1299A
Batch reactor, 1033C
Bead–spring macromolecules, 1723C
Beechwood, and preparation of cellulose, 1695C
Biaxial drawing processes, 1659C
Biaxial orientation, 1867C
Bifunctional catalysis, 2059C
Binary monomer systems, 1231A
Binding, 1859A
Bioactive agents, 621A
Biodegradable films, 427B
Biodegradable polymers, 1A
Biomer, 1B
Birefringence, 1467A, 2179A, 221B
Bis-maleimide (BMI) matrix system, 2239B
Bismaleimide resins, 2241C
Block copolymers, 2027B, 1651C, 1815C, 1981C
—, surface properties, 1917B
Blown high-density polyethylene (HDPE) films, 1595A
Bonding, 113B
Branching, 2141A
Bulk polymerization, 639A
Bulk thermal polymerization, 1289B
Butadiene-acrylonitrile rubber (NBR), 1357C
1-Butene linear low density polyethylene (LLDPE), fractionation, 2173B

^{13}C CP/MAS NMR spectroscopy, 783C
^{13}C-NMR spectroscopy, 1745B, 1809C
Capillary flow properties, of thermotropic HPCs, 67B
Caprolactone unit, 233A
Carbon black, 649A, 323B, 955C
Carbon black filled polymers, 2103C
Carbon fibers, 1733A
—, axial compressive strength, 1733A
Carbon surface functionality, 99B
Carboxymethyl cellulose (CMC) esters, 621A
Cardanol, cationic polymerization, 1765C
Castor oil, 1037B
Castor oil based polyurethanes, 3059C
Catalyst, 1783A
Catalyst level, and cure rate of FRP, 2603C
Catalyst removal, 1265B
Catalytic dehydrochlorination, of poly(vinyl chloride) (PVA), 1569A
Cathodic electrodeposition, 1993A
Cathodically depositable systems, 1365C
Cation exchange membranes, 1087A, 2349C, 2555C, 2869C
Cationic deposition process, 1995C
Cationic exchange membranes, 769B
Cationic polymerization, 1765C
Cationic polymers, 43A
Ce(IV)-ketonic resin redox system, 1657A
Cellulase enzymes, 1837A
Cellulose, 1601B, 1695C, 2221C, 2363C
Cellulose acetate propionate, 943B
Cellulose fibers, regenerated, 1315C
Cellulose films, 967A, 587C
Cellulose hollow-fiber membranes, 1609C
Cellulose membranes, 2007B, 2857C
—, permeability, 2007B
Cellulose nitrate, 3059C
Cellulose nitration, 1973A
Cellulose, fine structural changes, 731B
—, low temperature nitration, 539A
—, neutron diffraction profiles, 707A
Cellulose/polymer system, 2039C
Cellulosic fibers, 355A
Cellulosic materials, 2655C
Cellulosic textile materials, 301A
Centrifuged latex, 975C
Ceramic/binder system, 301C
Chain architecture, 1831C
Charge transfer (CT) interactions, 2015B
Charge transfer interactions, 1063B
Chelating resin, 1519A
Chemical conversion, 2885C
Chemical healing, 113B
Chemical vapor deposition, 1795B
Chitosan, 739A, 633B
Chlorinated atactic polypropylene (CAPP), electrical properties, 1485A
Chlorination, 1485A
Chromium removal, 739A
α-Chymotrypsin, immobilization, 1629C
Circular loop reactor, 955A
cis-Butenedioic acid, copolymerization, 1529B
Clay-catalyzed polymerizations, 2237A
CO_2, permeability, 1131B
Coagulant, 823B
Coating, 917B
Coextrusion, 455C
Collagen, graft copolymerization, 1541B
Color fastness, 1375A
Color stabilizers, 1821A
Column elution method, 1519B
Commercial divinylbenzene (DVB), polymerization, 1017A
Comonomers, 1029A, 1769A
Components, 2371C
Composite films, 1517C
—, electrical conductivities, 1487B
—, transparency, 1487B
Composite latices, 631C

Composite systems, 811B
Composites, 2177C, 2273C
—, dicumyl peroxide (DCP)-modified, 2039C
Condensation polymerization, 2517C
Conductivity, 1983A
Conformation, 1859A
Constant-strain rate measurements, 1683B
Contact angle measurements, 527C
Continuous anionic polymerization, 383C
Continuous graft copolymerization, 1647B, 1459C, 1469C
Continuous stirred tank reactor (CSTR), 1309A
Continuous thermodynamics, 629A
Controlled-release delivery systems, 2437C
Conversion, 317B
Conversion measurements, 2327C
Copolyester-ethers, 845C
Copolyesters, 225A, 233A
—, sequence distribution, 1053B
Copolyimides, 877C
Copolymer fibers, 2753C
Copolymerization, 485B, 427C
Copolymers, swelling, 2043A
Copolypeptides, 1803A
Core–shell latex morphology, 2119A
Corona discharge (CD), 595B
Corona discharge, treatment, 1695C
Corundum, effect of particle size on polymerization, 1077B
Cotton, 2165A
—, flame-retarded, 2165A
Cotton fibers, 1967A, 1059B
Cottons, grafted, 1101A
Coupling agents, 185C
CPMAS NMR cross polarization rates, 1717B
Crack propagation, 395A
Creamed latex, 975C
Creep, 495B
Creep behavior, 1867C
Creep tests, 1163A
Cresol/formaldehyde novolaks, 1809C
Cross polarization magic angle spinning (CP/MAS), 1251C
Crosslink density, 2533C
Crosslinkable polyethylene, 49A
Crosslinked PAA–nylon 66 blended membranes, 2133C
Crosslinked polyesters, 1225C
Crosslinking, 943A, 1153A, 1241A, 1425A, 1439A, 2005A, 99B, 313B, 411B, 1289B, 1615B, 647C, 805C, 1333C, 2177C, 2539C, 2813C
Crown ether resin, 561A
Crystallinity, 553A, 591A, 535C, 1867C, 2829C
Crystallization, 1251A, 1873A, 1887A
CTBN-toughened epoxy adhesives, room temperature curing, 151C
Cupric ion removal, 2655C
Cure degradation, 909A
Cure kinetics, 1271C
Cure reactions, 1237B
Curing, 383A, 1425A, 1439A, 2005A, 203B, 205C, 1895C, 2613C, 3043C
Curing kinetics, 2189B
Curing parameters, 2135B
Curing process, 13B
Cyanoacetamide accelerators, 1505C
Cyanoethylated wood, dielectric properties, 1757B
—, mechanical properties, 1757B
Cyclic carbonate compounds, 647C
Cyclization reactions, 2517C
Cyclohexanone–formaldehyde condensation products, 789A

Deformation, 2245A, 2305A
Degradation, 591A, 1847A, 985C, 1961C, 2691C
Degree of substitution (DOS), 1973A
Dehydration, 793C
Delignification, 707A
Diacetylene-containing block copolymers, 3C
Dibasic acid anhydrides, 1213C
Dielectric relaxation properties, 435B
Dielectric spectroscopy, 435B
Dielectrometric analysis, 805C
Differential scanning calorimetry (DSC), 825A, 979A, 1887A, 203B, 1281B, 1881B, 1891B, 1095C, 1271C, 2241C
Differential thermal analysis (DTA), 2219A, 3069C
Difficult to process particles, 623B
Diffuse reflection Fourier transform infrared (FTIR) spectroscopy, 1887A
Diffusion, 323B
Diffusion coefficients, 535C
Diffusion–adsorption parameters, 769A
Diisocyanate method, 1433B
Diluents, 2555C
Dilute polymer solution, 781B
Dimethacrylate (DM) network, 1195B
Dip films, 1367B
Disbondings, 1085B
Discoloration, 1821A
Dispersion processes, 465A
Dissolution, 1797C
Dissolution behavior, 2267A
Dissymmetrical units, 1843C
Drawing, 543B, 905B
Drug carriers, 1A
Drug delivery, 1827A
Dry-spinning process, 1265A, 1275A
Dual-in-line packages (DIPs), 2199C
Dual-mode sorption model (DMSM), 1685C
Ductile–brittle transition, 1197C
Dye transfer printing, 1375A

Dyeing, 1769A, 1859A, 2769C, 2951C, 3087C
Dynamic mechanical analysis, 595C
Dynamic mechanical spectroscopy, 1981B, 2539C
Dynamic mechanical thermal analysis (DMTA), 411B
Dynamic storage modulus, 1717B
Dynamic-mechanical analysis, 1527A

E/P ratio, 49A
Elastic filaments, 845C
Elastomeric networks, rubber–filler interactions, 955C
—, transport properties, 955C
Elastomers, 265A, 943A, 917C
Electric field, 2305A
Electrical conductivity, 1983A, 53B
Electroconducting polyaniline composite films, 1073C
Electrode corrosion, 785A
Electrodeposition, 1995C
Electrodialysis, 2349C
Electron beam irradiated PMP, 427A
Electron beam polymerization, 145A
Electron beam radiation, 427A
Electron-beam resists, 2705C
Electron spectroscopy for chemical analysis (ESCA), 539A
Electropolymerization, 1017A
Emeraldine hydrochloride, surface morphology of, 1693B
Emulsion copolymerization, 1549C
Emulsion polymerization, 1183A, 1815A, 2129A, 2205A, 333B
Emulsion system, 1149B
Emulsions, 1965C
Engineering polymers, processability, 2723C
Enhanced oil recovery (EOR), 2391C
Enhanced photodegradable polyethylene, 363A
Enzyme immobilization, 169A, 241A, 127B, 2161B, 2753C
Enzymes, 169A, 1837A, 127B
EPDM blends, 49A
Epoxidation, 749A
Epoxides, 2005A
Epoxidized natural rubber (ENR), 205A
Epoxidized natural rubber (ENR) latex, 749A
Epoxy, 1635A, 1981B
—, chemical toughening, 1635A
—, rubber toughening, 1635A
Epoxy adhesives, 151C
Epoxy–amine oligomers, 867B
Epoxy–amine reaction, 2155C
Epoxy compounds, 2625C
—, self-curing, 2613C
Epoxy diluents, 1281B
Epoxy/imidazole resin systems, 721A
Epoxy mortar, Polyester mortar, 751C
Epoxy polymers, 2031A
—, acoustical properties, 2031A
Epoxy prepolymers, 1347A
Epoxy resin, 679A, 1045A, 417B, 2231B, 647C, 1365C
Epoxy resin systems, 319C
Epoxy resins, 721A, 759A, 789A, 909A, 1425A, 1439A, 1459A, 1727A, 47B, 99B, 845B, 1237B, 1281B, 1337B, 467C, 819C, 1151C, 1161C, 1753C, 1995C, 2155C, 2301C, 2533C, 2539C, 2613C, 2625C
—, chemical modification, 1459A
—, curing, 383A
—, fracture toughness, 759A
—, hardener systems, 2711C
—, highly fluorinated, 1047C
—, highly fluorinated, post-curing behavior, 1047C
—, highly fluorinated, transition behavior, 1047C
—, rubber-modified, 467C
Epoxy systems, 203B, 867B
Epoxy-novolac molding compound, 1271C
Equation of state, 1087C
Equilibrium, 1133A
Equilibrium sorption, 2769C
Erosion, 2437C
ESCA spectrometer, 31A
Esterases, 621A
Ester-exchange reactions, 977B
Esterification reaction, 565C
Esters, 485B
Ethanol–water mixtures, 213B
Ethanol-water mixtures, pervaporation separation, 2133C
Ethylene polymerization, 837A, 1095B
Ethylene solubility, inversion phenomena, 3091C
Ethylene-propylene-diene rubber (EPDM) vulcanizates, 835C
Ethylene–propylene–diene (EPDM) rubber, 685B, 693B, 701B
Exploded wood/tertiary amine oxide system, 427B
Extender oil, 835C
Extinction oxygen index (EOI), 2165A
Extractives, 337C
Extrusion draw ratio (EDR), 455C
Extrusion speed, 1275A

Facilitated oxygen carrier, 1141C
Fast atom bombardment (FAB) mass spectrometry, 2595C
Fatigue crack propagation behavior, 1933A
Fatigue crack propagation (FCP), 395A, 669B
Fiber blends, 439C
Fiber formation, 453B

Fiber orientation, 483A
Fiber reinforced composites, 645B
Fiber selectivity, 1575B
Fiber-reinforced composites, 1873A
Fiber-reinforced plastic (FRP), cure rate, 2603C
Fiber-reinforced plastics (FRP), 1085B
Fibers, 825A, 1079A, 471B, 543B, 569B, 995C, 1009C, 1973C
—, acetone-treated, 543B
—, free volume, 249B
—, from polyurethanes, 2037B
—, heat-set, 249B
—, porosity, 249B
Filled polymers, 995A
—, interfacial interactions, 1783B
—, mechanical properties, 1783B
Filler, 2513C
Filler particles, 929B
Film adhesion, 785A
Film blowing process, 1595A
Film diffusion effects, 603A
Film permeability, 43A
Film thickness, 603A
Film-forming latexes, 2119A
Films, 297B
Finite element method, 25C
Fire retardants, 1939B
Flame retardancy, 2011C
—, and lignocellulose materials, 1333C
Flame retardant treatment, 109A
Flame-retardant monomers, 2011C
Flame retardants, 417B
Flame-retarded cotton cellulose, 3069C
Flash pyrolysis-gas chromatography, 267C
Flexible chain polymers, 105C
Flexible PVC, flame retardant properties, 901C
—, smoke suppressant, 901C
Flory parameters, 629A
Flory–Huggins theory, 629A
Flow behavior, 1633B
Fluorescence, 1389A
Fluorescent complexes, 1389A
Fluorinated polymers, 2637C
Fluorocarbon plasmas, 249A
Fluorosilicones, 789B
Formaldehyde, 695A, 1241A
—, polymerization, 1473B
Formaldehyde scavengers, 1241A
Fortifiers, 845B
Fourier synthesized pseudo random white noise (FSPN), 2419A
Fourier transform infrared (FT-IR) studies, 1347A, 1399A
Fractionation, 979A, 1519B
Fracture, 2245A
Fracture surface morphology, 503B
Free radical formation, 359B
Free radical initiator, 1783A
Free radical initiators, 1981C
Free radical polymerization, 1133C
Free volume theory, 1595C
Free-radical polymerization, 2353A
Friedel–Crafts catalyst, 1569A
FTIR studies, 1123C
Fujita's volume theory, 535C
Functional group approach, 1473B
Functional group concentrations, 655A
Functional polymers, 2285C
Functionalized polymer, adsorption, 419C

Gamma irradiation, 1163B, 2569C
Gamma ray radiation, 2259A
Gamma-ray irradiation, 661C
Gas permeability, 1541A, 2083A
Gas permeation, 2321A, 581B, 1391B
—, effect of temperature on, 2321A
Gas permeation behavior, 1131B
Gas plasma, 265A
Gas separation, 143B, 1141C
Gas separations, 1261C
Gas transport, 891B, 2427C
Gas/liquid interface, 1073C
Gases, 1391B
Gas–polymer interactions, 1123C
Gel fractions, 2147C
Gel point, effect of temperature on, 2399C
Gel spinning method, 105C
Gelation, 679A, 889C, 2399C
Gelation kinetics, 1395C
Gel-drawn PVA fibers, 695A
Gels, 2305A, 1223B
Glass spheres, 1527A
Glass transition temperature, 793C
Glass transition temperature (T_g), 909A, 995A, 1635A, 1445B, 1867C, 1895C, 2885C
Glassy hydrogels, 2437C
Glassy polymer membranes, 1391B
Glassy polymers, toughness, 183B
Glass–epoxy composites, 1533C
γ-globulin, adsorption, 177C
Glow discharge polymerization, 1541A, 369B
Glow discharge treatment, 2561C
Glucose oxidase, immobilization, 2161B
Graded density skins, 1915A
Graft copolymerization, 11A, 1029A, 1079A, 1101A, 1289A, 1507A, 1681A, 1783A, 345B, 471B, 1425B, 1445B, 1541B, 195C, 311C, 1171C, 1891C, 2221C
Graft copolymers, 2027A
Graft polymerization, 489A, 935A, 1375A, 2153A
—, by UV irradiation, 677C
—, radiation-induced, 1475A
Grafted chain compositions, 1681A

Grafting, 2187A, 2219A, 2259A, 2331A, 317B, 1289B, 1299C, 2067C, 2285C, 2857C, 2941C, 3079C
Graphite fibers, 735C
Guar gum, 2187A

Halogen-substituted bisphenols, 2037B
Hardener systems, for epoxy resins, 2711C
HDPE structures, 63A
Heat capacity measurements, 979A
Heat resistant copolymers, 383C
Heat-resistant polymers, 2241C
Heat-set poly(ethylene terephthalate) (PET) yarn, 2931C
Heat-setting experiments, 1707C
Henry's law, 1123C
Heterogeneous polymerization, 2021C
Heterogeneous systems, swelling behavior, 249C
Hexane treatment, 2169C
High conversion polymerization, 1133C
High density polyethylene (HDPE), 395A
—, interfacial interactions, 1527A
High density polyethylenes (HDPEs), 1453B
High modulus poly(vinyl alcohol) (PVA), preparation, 905B
High performance liquid chromatography (HPLC), 555B
High pressure, 639A
High pressure injection-molded polyethylene, 63A
High pressure injection molding, 63A
High shear rate capillary rheometry, 1355C
High speed dielectric spectroscopy, 2419A
High temperature polymers, 1613A
High-impact polystyrene (HIPS), rubbery phase, 1339C
High-molecular-weight liquid crystalline polyarylates, spinnability, 2067A
High-resolution transmission electron microscopy, 1663B
Holding pressure, 1215A
Hollow fiber membranes, 19B, 713C
Hollow fiber module, 2073B
Holographic interferometry, 1085B
Homogeneous catalyst system, 1357C
Homopolymerization, 1183A
Hookean dumbbells, 781B
Hot-drawing process, 1265A, 1275A
HPLC determination, 301A
Hybrid glasses, 1177B
Hydrogels, 2043A, 2443A, 401B, 1443C, 2511C
—, permeability, 2443A
Hydrogel beads, 1153A
Hydrogel composite membrane, 1351C
Hydrolysis, 893A, 1153A
Hydroperoxides, 2463C
Hydrophilic membranes, 709B
—, preparation, 2637C
Hydrophilic polymer beads, 241A
Hydrophilic polymeric microspheres, 997B
Hydrophobic membranes, 709B
Hydrophobically modified hydroxyethyl celluloses (HMHEC), effect on polymer latices, 333B
Hydroxamic acids, 1601B
Hydroxide group, 1973C
Hydroxy acrylic esters, spectroscopic characterization, 945C
—, synthesis, 945C

Imidazoles, 721A
Imino sulfonate units, 2527C
Immiscible blends, 285A
Immobilization, 1837A, 235B
Immobilized extractants, 2073B
Immobilized tannin, preparation, 855A
Impedance measurements, 1495A
In situ polymerization, 401B
In vitro, 1803A
Incompatible blends, degradation, 2691C
Incompatible ternary blends, interfacial properties, 2677C
—, phase diagrams, 2665C
Induction-filming polymerization, 583A
Infrared (IR) studies, 2363C
Infrared absorption spectroscopy, 445C
Iniferter method, 1445B
Injection-molded polypropylene (PP) parts, skin-1 core structure, 1215A
Ink adhesion testing, 595B
Inorganic additives, 2783C
Inorganic fillers, 2829C
Instrumental spreading function, 875A
Insulation, and polyethylenes, 263B
Integrally-skinned phase inversion membranes, 2739C
Interfacial adsorption, 1873A
Interfacial agents, 1891C
Interfacial bonding agents, 373C
Interfacial polycondensation, 1649A, 1651C
Interfacial polymerization pretreatment process, 361C
Intermeshing corotating twin-screw extruder, 1299C
Interpenetrating hydrogel networks, 401B
Interpenetrating networks (IPNs), 1327C
Interpenetrating polymer networks (IPNs), 1587A, 1933A, 313B, 1037B, 1727B, 2813C, 3059C
Intramolecular hydroxyls, 145A
Inverse gas chromatography, 179A
Inverse suspension polymerization method, 1223B
Inversion phenomena, 3091C
Iodine, 823B

Iodine doping, 1361A
Ion exchange membrane, 1673C, 2349C
Ion exchange resins, 1923C
Ion irradiation, 477A
Ion-exchange materials, 2555C
Ion-exchange membranes technology, 1519A
Ionic copolymers, water solubility, 2151B
Ionic polysaccharides, 1395C
Ionization, 11A
Ions, 1827A
IR spectroscopy, 1871B
Iron, oxidation state, 2503C
Irradiated polymer surface, 1769A
Irradiated polystyrene, fracture, 1913C
Irradiation, 2173A, 311C
Irradiation-crosslinking, 1009C
Isomer ratios, 907C
Isomers, 907C
Isoprene rubber (IR), 657B
Isotactic polypropylene, 1115C
Isothermal crystallization, 825A
Isothermal curing, 819C
Isothermal membrane processes, 1175A
Itaconic acid, 2129A
it-Polypropylene films, 455C

Joule heating effect, 1903A
Jute fiber, 553A
Jute fibers, 1079A, 345B, 195C
Jute stick, 2363C
—, alkali treated, 329C

Keular fibers, 2189C
Kinetic density curves, 623B
Kinetic parameters, 1183A
Kinetics, 471A, 1309A, 1419A, 359B, 1357B, 2885C
Kinetics of deformation, 319A
Kraft lignin, 1819B
Kraft lignin (KL), in polyurethanes, 39C
Kraft lignin (KL)–PEG–MDI system, 39C

Langmuir component, 1685C
Langmuir-Hinshelwood mechanism, 837A
Laser ionization mass spectrometry (LIMS), 1737C
Lateral order distribution (LOD), in cellulosic fibers, 1059B
Latex coagulation, 1553A
Latex paint coatings, 1251C, 1641C
Latex paint films, 1957A, 953B
Latex particles, 89B
Latex preparation, 333B
Latex stabilization, 333B
Latex thread, 1627B
Latexes, 2129A, 1583B, 1965C
—, film-forming, 2119A
LDPE, oxidized, 719B
Lee–Peppas dissolution model, 2267A
Lewis acid, 19B, 1557B
Lewis acid:base complex solvents, 1949A
Lewis bases, 1303B
Light diffraction technique, 483A
Lignin, 427B, 1819B, 2813C
Lignin carbamate, blocking, 2951C
Lignocellulose materials, crosslinking, 1333C
Lignosulfonates, 2391C
Linear aliphatic polyamides, 495B
Linear low density polyethylene (LLDPE), 645B
Linear low-density polyethylenes (LLDPEs), 2219B
Linear organic polymers, 1401B
Linear viscoelastic studies, 1479C
Linkages, 73A
Liquid crystal main-chain polymers, 995C, 1009C
Liquid crystalline solutions, of cellulose, 587C
Liquid permeability, 435C
LLDPE, functionalization with DMAEMA, 1299C
Long chain branching, 2141A
Long chain branching (LCB), 1801B
Long-chain branching (LCB), 2383C
Longitudinal (acoustic) chain relaxation processes, 1339C
Low density polyethylene (LDPE), long chain branches in, 1801B
—, weathering, 363A
Low molecular weight alcohols, 803A
Low pressure polymerization, 1357B
Low viscosity melt compositions, 1613A
Low-density polyethylene (LDPE) film, 1231A
Low-density polyethylene (LDPE) films, 1961C
Low-density polyethylenes (LDPEs), 2219B
Lumped-parameter systems, 2353A
Lycra Spandex, 1B

Macromolecular systems, 769A
Macroscopic polymer properties, 1717B
Macrovoids, 1575B
Magnetic field effect, 2147C
Magnetic resonance imaging (MRI), 1235C
Maleamic acids, 2625C
Mannich bases, 1993A
Matrix resins, 2177C
Matrix thickness, 1971B
Mechanical bonding, 113B
Medical products, sterilization, 799B
Melt blending, 2285C
Melt flow index measurement, 1617C
Melt polycondensation, 715A
Melt prepolymerization, 2987C
Melt rheology, 205A, 1805B

Melt spinning, 447A
Melt transesterification, 1033C
Melt-extruded fibers, 591A
Membrane/electrolyte interfaces, 1495A
Membranes, 1915A, 1949A, 19B, 143B, 213B, 531B, 2513C, 2857C
—, alginic acid, 385B
—, polysaccharide, 385B
Membranology, 2739C
Mercerization, 415A
Metal complexes, 1601B
Metal films, 613B
Metal ions, transport, 2869C
Metal oxides, 445C
—, tribochemical interaction, 2587C
Metal soaps, 1745A
—, micellar behavior, 1745A
Metal stearate plasticizers, 1479C
Metallized film, preparation, 53B
Metals, tribochemical interaction, 2587C
Metal–polymer complexes, 1163B
Methacrylamide derivatives, 103A
Methacrylate copolymer precursors, 1711B
Methacrylic acid-grafted chains, 689C
Methacrylonitrile (MAN) treatment, 1289A
Methyl methacrylate (MMA) terpolymers, 2705C
Methyl orange (MO), removal, 2279A
Microbial degradation, 1181C
Microhardness anisotropy, 1467A
Microphase separation, 639A
Micropores, 1915A
Microporous membranes, 1087A
Microscopic polymer properties, 1717B
Microspheres, 89B
—, formation, 2027A
Microstructure, 1131B
Microvoids, 439C
Microwave dielectrometry, 805C
Minimum film formation temperature, 1965C
Minimum film temperature (MFT), 2119A
Mixed vinyl monomers, grafting, 3079C
Modulus, 285B
Molecular segregation, 1453B, 2219B
Molecular weight, 341A, 499A, 603A, 639A, 1793A, 2179A, 317B, 943B, 989B, 1937C
Molecular weight advancement, 1937C
Molecular weight constraint, 1299A
Molecular weight distribution, 499A, 741B
Molecular weight distribution (MWD), 2077C
Monochromatic light, and photodegradation, 1023C
Monomer, 1079A
Monomer sorption, 51C
Monomers, 1029A, 1681A, 1609C
—, flame-retardant, 2011C
Mooney–Rivlin relation, 649A
Morphology, 1967A, 1973A, 2153A, 1379B
Motor oils, 323B
^{57}Fe–Mössbauer spectroscopy, 2031C
Mössbauer spectroscopy, 2503C
Multiblock copolymers, 1699A, 1433B
Multicomponent systems, 2371C
Multiple melting peaks, 1379B

Natural rubber (NR), 205A, 1587A, 917C
—, heat-resistant blends, 1903A
—, prevulcanisation, 1627B
Natural rubber (NR) latex, 1587A
—, rheological behavior, 975C
—, epoxidized, 749A
Natural rubber (NR) vulcanizates, 649A
Natural rubber vulcanizates, 1181C
Nishi and Wang's melting point depression equation, 2649C
Nitration, 539A
Nitrile elastomers, hydrogenation reaction, 1357C
Nitrogen plasma, 1903B
Nonlinear dynamics, 2245A
Nonlinear optics applications, 1711B
Novel biodegradable citric acid–glycerol copolymer (CGC), 1511B
Novel bioerodable polymer matrix, 1511B
Novel polymers, grafting, 1425B
^{31}P nuclear magnetic resonance spectroscopy, 963B
Nuclear magnetic resonance (NMR), 13B
Nuclear magnetic resonance (NMR) spectroscopy, 1241A
Nuclear membranes, 1971B
Nylon 4, 2293A
Nylon 4 membranes, reverse osmosis (RO) properties, 2293A
Nylon 6, 447A, 865A, 569B
Nylon 6–rubber blends, 2331A
Nylon-6 fibers, 311C
Nylon fabrics, 249A
Nylons, 495B

Oils, 523B
Olefin polymerization, 1303B, 51C
Oligoesters, 163C
Oligomers, 555B, 163C
Optical anisotropy, 2049C
Optimization, 1299A, 901C
Optimization techniques, 2353A
Order–disorder transition, 1361A
Organic liquids, 1797C
Organic polymer analysis, 1737C
Organic solids, 2055A
Organic soluble polyamide (OSPI), 2087B
Organometallic cobalt complex, 1337B
Organophosphites, 963B, 977B
Organosol method, 1517C
Organotin polymers, 427C, 2095C

Orientation, 1467A
Oriented poly(ethylene terephthalate), heat setting, 1707C
Oxidation, 1439A
Oxyethylene linkages, 1352B
Oxygen diffusion, 2511C
Oxygen permeability, 1121A
Oxygen permeation, 1141C
Oxygen plasma ablation, 1949A, 19B, 713C
Oxygen transfer catalysts, 1923C
Ozonization, 233C

PA6/PC biphasic blends, 1411C
Packing density, 2533C
PAN-based fibers, 1733A
Parameter estimation, 769A
Parchment supported inorganic precipitate membranes, 1495A
Particle-filled polymers, 929B
Paste method, 1087A
Pattern recognition techniques, 1737C
PBI/PA compatibility, 1209B
PCMMA, miscibility, 1391C
PCMMA/PC blends, miscibility, 2243B
PCMMA/SAN blends, 1391C
Percolation model, 679A
Permeability, 1121A, 2083A, 1659C
Permeation, 1175A, 2453C
Permselectivity, 385B, 633B
Persulfate decomposition, 1061A
Pervaporation separation process, 2133C
PET films, stretching, 319A, 329A
—, structure development, 329A
PET laminates, 113B
Phase morphology, 2377A
Phase separation, 467C
Phase transfer catalysis, 1665A
Phase transfer catalysts, 2301C
Phase-transfer catalyzed methods, 73A
Phenolic resins, 83A, 1327C
Phenols, 2487C
Phenol–formaldehyde resins, 83A, 341A
Phosgenation, 555B
Phosphoric acid cation exchange resins, 1703B
Phosphorylated cardanol prepolymers (PCP), 2487C
Photocrosslinking, 2147C
Photodegradation, 1023C
Photodegradation process, 763A
Photofading, 765C
Photografting, 1071B, 689C
Photoimaging, 1753C
Photoinduced dissolution, 2527C
Photoinitiated grafting, 1459C, 1469C
Photooxidation, 865A
Photopolymerizable semi-interpenetrating polymer networks, 1727B
Photopolymerization, 145A, 583A
Photoreactive polyimides, 929C
Photosensitive copolyimides, 877C
Phthalic anhydride, as a coupling agent, 185C
Pigment dispersion, 465A
Pitch-based fibers, 1733A
Plasma fluorination process, 965C
Plasma polymerization, 1541A, 143B, 369B
Plasma polymerized acrylic acid layers (PPAA), 1373C
Plasma polymers, 143B, 349C, 965C
Plasma surface treatment, 249A
Plasma technology, 1373C
Plasma treatment, 2011C
Plasma treatment system, 117C
Plasma-polymerized thin layer, 2427C
Plastic containers, and liquid permeability, 435C
Plastic foams, 1683B
Plasticization behavior, 2103C
Plasticizer, 943B
Plastisol, 631C
Plastisols, 889C
PMVEMAC, dehydration, 793C
Poisson's ratio, 1085B
Poly (*p*-oxybenzoate-co-*p*-phenylene isophthalate) polymers, structure, 1499B
Poly (*p*-oxybenzoate-co-*p*-phenylene isopthalate) thermal transition, 1499B
Poly (aryl-ether-ether-ketone) (PEEK), thermal degradation, 1615B
Poly (ethylene terephthalate) films, 1867C
Poly (*tert*-butyl acrylate), characterization, 1929C
Poly(ethylene ether carbonate) diols, 487C, 509C
Poly(ethylene terephthalate) (PET) fibers, 1257B
Poly(ethylene terephthalate) (PET) filaments, 893A
Poly(ethylene terephthalate) (PET) film, surface modification, 677C
Poly(ethylene terephthalate) (PET) films, grafting, 935A
Poly(ethylene terephthalate) (PET) reactors, 1325A
Poly(ethylene terephthalate) (PET), continuous manufacturing of, 565C
—, drawing behavior, 1257B
—, hydrophilicity, 527C
Poly(methyl methacrylate) (PMMA) blends, 1917B
Poly(methyl methacrylate) (PMMA) thin films, swelling, 803A
Poly(phenylene sulfide) (PPS) resin, properties of, 1399A
Poly(vinyl alcohol) (PVA) fibers, 695A
Poly(vinyl alcohol) (PVA)/alumina gel composite, 371A

Poly(vinyl chloride), catalytic dehydrochlorination, 1569A
Poly(vinyl chloride) (PVC) compounds, reactive extrusion, 2097A
Poly(vinyl chloride) (PVC) films, 2941C
Polyacetal copolymers, 1519B
Polyacrylate cement, 1983A
Polyacrylic acid, 445C
Polyacrylonitrile (PAN) films, 1487B
Polyamic acid interactions, 613B
Polyamic acids (PAA), 2049B
Polyamide-imides, 1352B
Polyamide–imides, 1023B
Polyamides, 1327C
Polyaniline, 1049B
Polyaniline (PA) films, 297B
Polyaniline films, 1073C
Polyaniline–organic acceptor complexes, 2015B
Polyarylate hydrolysis, 189A
Polyarylates, 1651C
Polyblends, 1833B
Polybutadienes, 2251C
1,2-Polybutadienes, dielectric relaxation behavior, 13C
1,2-Polybutadienes, dynamic mechanical behavior, 13C
Polycaprolactam, blends, 2331A
Polycaprolactam morphology, 765C
Polychloroprene composition, flammability, 1939B
Polycondensation, 1699A
Polydimethylsiloxane fluid, equation of state, 1087C
Polyelectrolyte gels, 2305A
Polyester blends, 963B, 977B
Polyester networks, 1569C
Polyesterification, 2517C
Polyesters, crosslinked, 1225C
—, sulfur-containing, 715A
Polyether polyols, and polyurethane formation, 2595C
Poly-ether-ether-ketone (PEEK), physical aging, 1163A
Polyethersulfone (PES), tensile tests, 1197C
Polyethersulfone membranes, 2169C
Polyetherurethaneureas, 3C
Polyethylene (PE), corona discharge (CD) treated, 595B
—, photodegradation, 1637B
—, photostability, 1637B
Polyethylene (PE) tape film, 1647B
Polyethylenes, used for insulation, 263B
Polyimide (PI) lightweight materials, 1857B
Polyimide (PI) resins, 1857B
Polyimide films, 2049C
Polyimide precursors, 929C
Polyimides, 1023B, 373C, 929C
—, characterization, 129C
—, synthesis, 129C
Polylactide (PLA)–poly(ethylene glycol) (PEG) copolymers, 1A
Polylactides, 1265A, 1275A
Polymer adsorption, 355A
Polymer beads, size, 955A
Polymer blend films, 2453C
Polymer blends, 515A, 655A, 865A, 1133A, 1251A, 1347A, 1709A, 2097A, 2321A, 2377A, 47B, 221B, 435B, 581B, 899B, 1209B, 1805B, 1881B, 1891B, 2243B, 91C, 439C, 1189C, 1327C, 1411C, 1575C, 1595C, 1815C, 1853C, 2265C, 2285C, 2311C, 2649C
—, dynamic mechanical testing, 1881B, 1891B
—, impact strength, 515A
—, phase behavior, 1575C, 1853C
—, processing, 285A
—, rheological properties, 1595C
—, rheooptical properties, 221B
—, tensile properties, 515A, 1709A
—, water permeation, 2479C
Polymer chain mobility, 1475A
Polymer chains, 1859A
Polymer composite membrane, 213B
Polymer composites, 2231B
Polymer degradation, 477A, 1641C
Polymer films, 489A, 1029A, 53B, 1663B
Polymer latex emulsion, 1553A
Polymer latex particles, 2419A
—, coalescence, 547C
Polymer matrix, 1511B
Polymer melt rheology, 1755A
Polymer membranes, 891B
Polymer micelle, 1547B
Polymer mortars, 751C
—, compressive stress–strain behavior, 751C
Polymer particle morphology, 1425C
Polymer processing operations, 1755A
Polymer support, 235B
Polymer supports, 1665A
Polymer surface, photomodification, 1769A
Polymer systems, 1063B
Polymeric chiral oxazoline, 2207B
—, asymmetric induction, 2207B
Polymeric films, 569B
Polymeric microparticles, 1425C
Polymerization, modeling of, 1473B
Polymerization process models, 2395A
Polymerization rates, 837A
Polymer-metalloporphyrin adducts, 1235C
Polymer-modified wood, dielectric thermal analysis (DETA), 153A
Polymer–metal interactions, 2049B
Polymer–monomer system, 1313B
Polymer–polymer interaction parameters, 1575C
Polymer–rare earth ion complexes, 1389A
Polymer–salt systems, 3025C

Polyolefins, surface modification, 233C
Polyols, 1265B, 487C, 509C, 1937C, 2059C, 3025C
Polyorganophosphazenes, molecular weight, 1793A
Polyphosphazene coatings, 391C
Polysaccharides, aqueous solutions of, 2959C
Polysiloxanes, 135B
Polystyrene, degradation, 1115B
—, irradiated, 1913C
Polystyrene (PS), impact modification, 685B, 693B, 701B
—, rubber-modified, 1583B
—, thermal degradation, 2065B
Polystyrene films, iodine-impregnated, 1361A
Polysulfide aircraft sealants, composition, 2837C
Polysulfone hollow fiber membranes, 1949A
Polysulfone hollow fibers, 1973C
Polysulfone ultrafiltration hollow fibers, 709B
Polytetrafluoroethylene (PTFE), relaxation processes, 1689A
—, wear behavior, 1141B
Polythioesters, 1649A
—, chemical resistance, 1649A
Polyurea block copolymers, 2027B
Polyurea prepolymer, 2027B
Polyurea reaction, in solution, 1055C
Polyurethane (PU), gamma-ray irradiated, 661C
Polyurethane (PU)/lignin blends, 899B
Polyurethane (PU) systems; crosslinking, 943A
Polyurethane block copolymers, 1777C
Polyurethane elastomers, 487C, 509C
Polyurethane ionomers, 1831C
—, structure–property relationships, 1831C
Polyurethane reactions, 2189B
Polyurethane transport characteristics, 2113C
Polyurethanes, 1771B, 1819B
Polyvinyl chloride (PVC) Latices, 631C
Polyvinylpyrrolidone (PVP), retention, 407C
Porosity, 355A
Porous bead methacrylate copolymers, 179A
Porous beads, 169A
Positive resists, 2267A
Post dodecyl benzene (PDB), composition, 1871B
PPX films, 1795B
Preferential solvation, 1681A
Preformed blocks, 775C
Preirradiation, 1221A
Pressure, 1755A
Pressure profile, 1175A
Pressure-sensitive adhesives (PSAs), design, 595C
Pressure–specific volume–temperature diagram, of isotactic polypropylene, 1115C
Primary hydroxyis, 789A
Printing inks, viscoelastic properties, 139C
Processability of advanced polymers, 2723C
Proteases, immobilization, 2753C
Protein, immobilization, 1443C
Proton nuclear magnetic resonance (NMR) spectroscopy, 2443A
Pseudo-steady states (PSS), 1005B
Pulp sulfonation, 31A
Purge time, 317B
Purification techniques, 41B
PU–PBMA mixtures, 1281C
PVA hydrogels, 2453C
PVC compounds, 1485A
PVC particles, swelling, 889C
Pyrolysis gas chromatography, 2251C
Pyrolysis mass spectrometry (Py-MS), 1B
Pyrolysis tandem mass spectrometry (Py-MS/MS), 1B

Quinquivalent vanadium, 195C

Radiation, 1195B
Radiation grafted poly (butadiene), 1951B
Radiation grafting, 1221A, 2637C, 2941C
Radiation-induced graft copolymerization, 1171C, 2067C
Radiation-induced graft polymerization, 1475A, 1971B
Radiation-induced grafting, 2153A
Radiation-induced grafting technique, 1609C
Radiation-sterilized polymers, 799B
Radiopacifying agents, 835B
Radiopaque polymers, 835B, 3025C
Raman spectroscopy, 2189C
Ram–Miltz procedure, 2383C
Random chain scission, 985C
Random copolymers, 1419A
Rate-independent foams, 1683B
Reaction injection molding (RIM), 1055C
Reaction kinetics, 471A, 721A
Reaction parameters, 2221C
Reactive extrusion process, 2097A
Reactive microspheres, 89B
Recrystallization, 1303B
Redox initiating system, 471B
Redox initiators, 2463C
Redox polymerization, 3087C
Refractive index, 1467A
Refractometry, 2179A
Regenerated cellulose fibers, enzymatic hydrolysis, 1315C
Relative humidity (RH), 189A
Relaxation, 435B
Relaxation enhancement agents, 1235C
Remote plasma treatment, 1903B

Reptating chains, 83C
Resin, 561A, 13B
—, thermal-aged, 1399A
Resin copolymers, synthesis, 2577C
Resins, 531A, 1519A, 1623A, 1727A, 2239B, 1491C, 1923C, 2487C
—, chain structure, 1727A
—, synthesis, 1491C
Resol phenolic resins, 531A
Resole phenolic resins, 2135B
Resole phenolics, curing reactions, 205C
Restorative materials, electrical conductivity, 1983A
Reverse osmosis (RO), 2293A
Reverse osmosis (RO) applications, 697C
Reversible step growth polymerization, 2077C
Rigid PVC formulations, 763A
Rigid-flexible polyesters, 995C
Rubber, 323B, 1049B
—, and toughening glassy polymers, 183B
Rubber blends, 1903A
Rubber gloves, effect of irradiation, 799B

Saito's model, 985C
Scanning electron microscopy (SEM), 1709A, 2377A, 1189C
Scanning tunneling microscopy (STM), 1693B
Scission, 1115B
Second derivative ultraviolet (UV) spectroscopy, 2521C
Second order mechanism, 345B
Secondary electron emission (SEE), 2055A
Second-generation polysulfone (PSU) gas-separation membrane, 1557B, 1575B
SEE yield curve, 2055A
Selective adsorption resins, 1519A
Semibatch reactors, 2077C
Semibatch stirred reactors, 2987C
Semiconductors, 2273C
Semiconductor–polymer composites, 2273C
Semicontinuous emulsion copolymerization, 1005B
Separation regimes, 2739C
Shear degradation, 1115B
Shear-induced crystallization, 1115C
Shearing, 285B
Short-fiber-reinforced rubber composites, 657B
Silane coupling agent, 1833B
Silane polymers, 369B
Silica reinforcement, 995A
Silica sol, 1443C
Silicone coatings, 2169C
Silicone elastomer surfaces, 265A
Silicone rubber membrane, surface properties, 1541A
Silk fibroin (SF) films, 2453C
Silk fibroin fibers, 1289A
Silk fibroin membrane, 1745B
Silk fibroin powder, 127B
Size exclusion chromatography (SEC), 1793A, 1929C
Size-exclusion chromatography (SEC), 571A
Skin-core structure, 1215A
Small angle light scattering, 1251A
Small-angle light scattering (SALS), 889C
Small perturbation theory of microwave resonant cavities, 547C
Sodium cellulose formation, 415A
Soiling, 117C
Sol-gel method, 1177B
Solid phase graft copolymerization, 1891C
Solid-state crystalline photopolymerization, 583A
Solid state fluorescence spectra, 719B
Solid state NMR, 2311C
Solid state polycondensation, 1325A
Solubility inversion, 3091C
Solubility parameter, 2087B
Solution copolymerization, 1309A
Solution viscosity, 523B
Solution, polyurea reaction, 1055C
Solutions, 1339C, 2959C
Solvent systems, 341A
Solvents, 2065B, 1609C, 1723C
Sol–gel process, 1401B
Sorption, 739A, 1533C, 1685C
—, monomers, 51C
Sorption behavior, 553A, 561A
Sphere, 285B, 781B
Spin-label ESR spectroscopy, 1745B
Spinning, 2067A, 453B
Spontaneous ignition, 3069C
Spreading/dewetting, 789B
Stabilization, 1847A
Starch/EAA composites, 811B
Starch-based superabsorbents, 11A
Static secondary ion mass spectrometry (SSIMS), 1827A
Stepwise polymerization technique, 1981C
Stereochemistry, 1095C
Stoichiometry, 1981B, 2539C
Strain recovery, 495B
Stress, 1045A, 2189C
Stress relaxation, 1133A, 83C
Stress-strain properties, 1281C
Structure, 531B
—, of polymers (identification), 2521C
Styrene, purification, 41B
Styrene-based thermosets, 3043C
—, improved autocatalyzed kinetic model, 3043C
Styrene-butadiene Rubber (SBR), 917C
Substrate temperature, 349C
Sulfite post-treated CTMP, 31A
Sulfonated polymers, 1479C
Sulfur dioxide (SO_2), sorption in latex paint films, 953B

Sulfur-containing polyesters, 715A
Superabsorbents, 2259A
Supported liquid membrane (SLM), 2073B
Surface cleaning, 1451C
Surface modification, 1647B, 965C, 1459C, 1469C, 2021C
Surface properties, 1815C
Surface treatments, PTFE, 1141B
Surface-active agents, 975C, 2391C
Surface-grafted polymers, electrostatic properties, 619C
Surfactant, 1815A
Surfactants, 2205A, 1549C
Suspension poly(vinyl) chloride (PVC) powder, 623B
Suspension polymerization, 169A, 955A, 2327C
Swelling, 803A, 1967A, 2043A, 401B, 249C, 407C, 1351C, 1629C, 1797C
Swelling-controlled release (SCR) devices, 2043A
Synthesis, 1507A, 1623A
Synthetic fibers, Fibers, synthetic, 2561C
Synthetic resins, 2577C
Synthetic sequence effects, 1281C
System pressure, 349C

Tactic polypropylenes, 1095C
Tait equation, 1087C
Tannin compounds, 855A
Tannin, immobilized, 855A
Teeth, adhesive monomers, 103A
Teflon–PTA tubing, 1121A
Temperature, 1755A, 2321A
—, and cure rate of FRP, 2603C
Temperature dependence, 445C
Temperature transitions, 1195B
Tensile retraction, 989B
Tensile tests, 1197C
Ternary phase diagrams, 2665C
Tetrafunctional epoxy resins, 2301C
Textile fibers, 3087C
Thermal *cis–trans* isomerization, 765C
Thermal conductivity, 929B, 2371C
Thermal decomposition, 1061A, 2783C
Thermal degradation, 225A, 909A, 1101A, 2219A, 411B, 417B, 2031C, 2251C, 2503C
Thermal expansion mismatch, 759A
Thermal gravimetric analysis (TGA), 2031C, 2251C
Thermal oxidative degradation, 83A
Thermal shock resistance, 2199C
Thermal shock testing machine, 2199C
Thermal stability, 1613A, 531B, 1703B
Thermal treatments, 569B
Thermally induced phase separation, 2311C
Thermally stable linear polymer systems, 2207C
Thermodynamics, 1425C
Thermograuimetric analysis, 109A
Thermogravimetric analysis (TGA), 2219A
Thermogravimetric analysis (TGA)-mass spectrometry (MS), 301C
Thermolabile azo groups, 1569C
Thermomechanical deformation, 2513C
Thermoplastic elastomers, 989B, 1433B
Thermoplastic elastomers (TPEs), 119A
Thermoplastic matrix composites, 735C
Thermoplastic polymers, 1853C
Thermoplastic polyurethane elastomers, 1777C
Thermoplastics, 1887A, 373C, 1617C
Thermo-sensitive polymer beads, 1223B
Thermosetting resin system, chemorheology, 819C
Thermosetting resins, 1237B
Thermotropic HPCs, capillary flow properties, 67B
Thermotropic LCP, 453B
Thermotropic liquid crystalline (LC) copolyesters, 1843C
Thermotropic liquid crystalline copolyesters, 155B
Thermotropic liquid crystalline polymers, 67B
Thermotropic polymers, mechanical performance, 155B
—, melt processibility, 155B
Thiele modulus, 603A
Thin films, and permeation of liquid, 2453C
Thioether glycidyl resins, 1623A
Three-dimensional metal oxide networks, 1401B
Threshold tear strength, 917C
Tire cords; fatigue failure, 1367B
Toluene diisocyanate-based polyurethanes, 907C
Tracer analysis method, 2327C
Transition metal chelates, 319C
Transmission electron microscopy, 1547B
Transport behavior, 581B
1,3,5-Triazine rings, 2113B, 2123B
Triblock copolymers, 119A, 775C
Triphase catalyst, 1665A
Tris(2,3-dichloropropyl) phosphate (TCPP), as flame retardant, 417B
Tropical timbers, flame retardant treatment, 109A
Two-broad standard (TBS) method of calibration, 875A
Two-stage drawing technique, 543B

Ultra-high modulus polyvinyl alcohol fibers, 2101B
Ultrahigh molecular-weight polyethylene (UHMWPE)–chalk composites, 1095B

Ultrasonic absorption measurements, 2569C
Ultrasonic pulse–echo technique, 2031A
Ultraviolet (UV) irradiation, 489A
Ultraviolet (UV) radiation polymerization, 1045A
Undercured epoxy thermosets, 613C
Uniaxial drawing, 2049C
Uniaxial drawing processes, 1659C
Universial calibration method, 571A
Unsaturated polyester (UP) resins, 2665C, 2677C
Unsaturated polyester resins, 1847B
—, thickening process, 1847B
Urea, polymerization, 1473B
Ureas, 383A
UV-autocurable BTDA-based polyester multiacrylates, acrylic functionality, 2971C
—, polyol molecular weight, 2971C
UV-curable diazoresin, 2161B
UV-curing ink systems, 139C
UV-irradiated polymers, electrostatic properties, 619C

Valentine's equation, 553A
Vapor phase photografting, 1231A
Vinyl monomers, 583A, 1231A, 2007B, 1171C, 2857C
Vinyl polymerization, 359B
Viscoelastic anomaly, 1689A
Viscometry, 985C
Viscose rayon, thermal decomposition, 2783C
Viscosity, 2383C

Waste water, 2279A
Water desalination, 697C
Water immersion, 613C
Water self-diffusion coefficient, 1673C
Water sorption, 1225C
Water, sorption, 2479C
—, transport, 2479C
Water/ethanol mixtures, 385B
—, separation, 633B
Water-soluble polymers, 1993A, 1529B, 2151B
Weathering, 1961C
Wettability, 967A
Winding speed, 1275A
Wollastonite-filled polypropylene (PP), 2829C
Wollen cellulose, 731B
Wood fiber-filled PS composites, 917B
Wood fiber–polystyrene composites, 185C
Wood fibers, 917B
Woodflour composites, 2135B
Wood glues, 531A
Wood–polymer composites, 153A
Wood, vacuum pyrolysis, 337C
Wool butadiene copolymers, 1951B
Wool fibers, 471B
Wool keratin yarn, 1213C

X-ray diffraction, 1727A, 2231B
X-ray diffraction (XRD) methods, 2265C
X-ray irradiation, 1451C
X-ray photoelectron spectroscopy (XPS), 1251C, 1451C, 2587C

Yield, 503B

Zero order release, 2437C
Zone-drawing method, 2101B